

Eaton TPU110505

Catalog Number: TPU110505

Eaton Redapt RDU Reducer, 2" NPT Male x 1" NPT Female, Brass, Unplated

General specifications

| | |
|---|----------------------|
| Product Name | Catalog Number |
| Eaton Redapt Swivel Adaptor | TPU110505 |
| EAN | Product Length/Depth |
| 5056009965029 | 38.1 mm |
| Product Height | Product Width |
| 93.1 mm | 50 mm |
| Product Weight | Warranty |
| 0.596 kg | No warranty |
| Compliances | |
| Contact Manufacturer | |
| Multiple listings- contact manufacturer | |

Product specifications

Insulator

Non-insulated

Shape

90° angle

Ingress protection (IP) ratings

IP66

End 1 Size

M25

Material

Brass

Standards type

IEC

Gender end 1

Male

Type of adapter/reducer

Swivel

End 2 Type

Metric

Gender end 2

Female

End 1 Type

Metric

End 2 Size

M25

Area classification

Hazardous/Classified Locations

Plating

Electroless nickel

Resources

Brochures

Oil and Gas Global catalogue

Certification reports

IECEX Certificate - Shaped and swivel adaptors

Raxton and Redapt Regulatory instructions

INMETRO Certificate - Adaptors, reducers, unions and plugs

CSA Quality Assurance Notification Certificate

EAC Certificate - Shaped and swivel adaptors

ATEX Certificate - Shaped and swivel adaptors

IECEX Quality Assessment Report

Technical data sheets

Redapt TA-U, TC-U and TD-U adaptors - Datasheet

Redapt TP-U, TQ-U and TR-U adaptors - Datasheet



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)