



WEATHERPROOF

Single Gang Boxes

Superior Commercial Quality Die Cast Metal Construction
UL® Listed, 2011 NEC® and NEMA® 3R Compliant
Installation Instructions Included
Premium Powder Coat Finish


3 HOLE

- 18 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available colors: gray, bronze and white



Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WB1350	81878	1/2"	25	15	2.81	4.56	2.00
WB1350B*	85572	1/2"	25	15	2.81	4.56	2.00
WB1350W**	86538	1/2"	25	15	2.81	4.56	2.00
WB1375	81879	3/4"	25	15	2.81	4.56	2.00
WB1375B*	86540	3/4"	25	15	2.81	4.56	2.00
WB1375W**	86539	3/4"	25	15	2.81	4.56	2.00
WB13100	83999	1"	25	13	2.81	4.56	2.00

*BRONZE **WHITE




4 HOLE

- 18 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available colors: gray, bronze and white



Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WB1450	81880	1/2"	25	14	2.81	4.56	2.00
WB1450B*	86542	1/2"	25	14	2.81	4.56	2.00
WB1450W**	86541	1/2"	25	14	2.81	4.56	2.00
WB1475	81881	3/4"	25	14	2.81	4.56	2.00

*BRONZE **WHITE




5 HOLE

- 18 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available color: gray



Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WB1550	81882	1/2"	25	13	2.81	4.56	2.00
WB1575	81883	3/4"	25	13	2.81	4.56	2.00
WB15100	84001	1"	20	13	2.81	4.56	2.00



WEATHERPROOF

Single Gang Boxes


Superior Commercial Quality Die Cast Metal Construction
UL® Listed, 2011 NEC® and NEMA® 3R Compliant
Installation Instructions Included
Premium Powder Coat Finish



5 HOLE SIDE OPENING

- 18 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available color: gray

Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WB1550X	85258	1/2"	25	13	2.81	4.56	2.00
WB1575X	85259	3/4"	25	13	2.81	4.56	2.00
WB15100X	85260	1"	20	13	2.81	4.56	2.00




3 HOLE DEEP

- 28 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available colors: gray, bronze and white

Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WDB1350	85107	1/2"	20	16	2.81	4.56	2.62
WDB1350B*	86544	1/2"	20	16	2.81	4.56	2.62
WDB1350W**	86543	1/2"	20	16	2.81	4.56	2.62
WDB1375	85078	3/4"	20	16	2.81	4.56	2.62
WDB1375B*	86546	3/4"	20	16	2.81	4.56	2.62
WDB1375W**	86545	3/4"	20	16	2.81	4.56	2.62
WDB13100	85079	1"	20	16	2.81	4.56	2.62


*BRONZE **WHITE



5 HOLE DEEP SIDE OPENING

- 28 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available color: gray

Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WDB1550X	85080	1/2"	20	15	2.81	4.56	2.62
WDB1575X	85081	3/4"	20	15	2.81	4.56	2.62
WDB15100X	85082	1"	20	15	2.81	4.56	2.62



WEATHERPROOF

Double Gang Boxes

Superior Commercial Quality Die Cast Metal Construction
UL® Listed, 2011 NEC® and NEMA® 3R Compliant
Installation Instructions Included
Premium Powder Coat Finish




3 HOLE

- 31 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available colors: gray, bronze and white

Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WB2350	81884	1/2"	10	22	4.56	4.56	2.00
WB2350B*	86523	1/2"	10	22	4.56	4.56	2.00
WB2350W**	86522	1/2"	10	22	4.56	4.56	2.00
WB2375	81885	3/4"	10	22	4.56	4.56	2.00
WB2375B*	86525	3/4"	10	22	4.56	4.56	2.00
WB2375W**	86524	3/4"	10	22	4.56	4.56	2.00
WB23100	84002	1"	10	22	4.56	4.56	2.00


*BRONZE **WHITE



4 HOLE

- 31 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available color: gray


Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WB2450	81886	1/2"	10	21	4.56	4.56	2.00
WB2475	81887	3/4"	10	21	4.56	4.56	2.00



5 HOLE

- 31 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available color: gray

Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WB2550	81888	1/2"	10	20	4.56	4.56	2
WB2575	81889	3/4"	10	20	4.56	4.56	2



WEATHERPROOF

Double Gang Boxes


Superior Commercial Quality Die Cast Metal Construction
UL® Listed, 2011 NEC® and NEMA® 3R Compliant
Installation Instructions Included
Premium Powder Coat Finish



7 HOLE

- 31 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available color: gray


Catalog Number	UPC	KO	Ship Case	Weight/ Case	A	B	C
WB2750	85091	1/2"	10	20	4.56	4.56	2.00
WB2775	85092	3/4"	10	20	4.56	4.56	2.00



5 HOLE DEEP

- 40 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available color: gray


Catalog Number	UPC	KO	Ship Case	Weight/ Case	A	B	C
WDB2550	85086	1/2"	10	21	4.56	4.56	2.62
WDB2575	85087	3/4"	10	21	4.56	4.56	2.62
WDB25100	85088	1"	10	21	4.56	4.56	2.62



5 HOLE SIDE OPENING

- 31 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available color: gray

Catalog Number	UPC	KO	Ship Case	Weight/ Case	A	B	C
WB2550X	85083	1/2"	10	20	4.56	4.56	2.00
WB2575X	85084	3/4"	10	20	4.56	4.56	2.00
WB25100X	85085	1"	10	20	4.56	4.56	2.00



WEATHERPROOF

Double & Triple Gang Boxes


Superior Commercial Quality Die Cast Metal Construction
UL® Listed, 2011 NEC® and NEMA® 3R Compliant
Installation Instructions Included
Premium Powder Coat Finish



6 HOLE SIDE OPENING

- 31 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available color: gray


Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WB2650X	84089	1/2"	10	19	4.56	4.56	2.00
WB2675X	84090	3/4"	10	19	4.56	4.56	2.00



7 HOLE SIDE OPENING

- 31 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available color: gray


Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WB2750X	85093	1/2"	10	19	4.56	4.56	2.00
WB2775X	84094	3/4"	10	19	4.56	4.56	2.00



7 HOLE TRIPLE GANG

- 54 cubic inch capacity
- Copper free aluminum
- Boxes include: closure plugs, grounding screws and mounting lugs
- Available color: gray

Catalog Number	UPC	KO	Ship Case	Weight/Case	A	B	C
WB3750	86551	1/2"	5	11	6.37	4.56	2.62
WB3775	86552	3/4"	5	10	6.37	4.56	2.62
WB37100	86550	1"	5	9	6.37	4.56	2.62



WEATHERPROOF


Single Gang Covers

Superior Commercial Quality Die Cast Metal
Toggle Covers and Steel Blank Covers
Premium Powder Coat Finish
Includes Gasket, Mounting Hardware & Installation instructions
UL® Listed, 2011 NEC® and NEMA® 3R Compliant





10 IN 1 VERTICAL & HORIZONTAL MULTI-USE COVER

- Aluminum cast cover with spring loaded lid
- Weather seal gasket blocks moisture
- Lockable
- UL listed for wet locations
- For use with single gang outdoor device box
- Available colors: gray, bronze and white




Catalog Number	UPC	Ship Case	Weight/Case	A	B	C
WC1V12	86531	20	22	2.81	4.56	.551
WC1V12B*	86530	20	22	2.81	4.56	.551
WC1V12W**	86529	20	22	2.81	4.56	.551

*BRONZE **WHITE



RECTANGLE COVERS

- 1 or 3 hole 1/2" knockouts
- Fits FS device boxes
- Copper free aluminum
- Covers include: gaskets and screws
- Available colors: gray, bronze and white



Catalog Number	UPC	# Holes	KO	Ship Case	Weight/Case	A	B	C
WCR1150	81943	1	1/2"	50	14	2.79	4.55	.99
WCR1150W**	83629	1	1/2"	50	14	2.79	4.55	.99
WCR1350	80916	3	1/2"	50	14	2.79	4.55	.99
WCR1350B*	86526	3	1/2"	50	14	2.79	4.55	.99
WCR1350W**	83630	3	1/2"	50	14	2.79	4.55	.99

*BRONZE **WHITE

WEATHERPROOF

Single Gang Covers

Superior Commercial Quality Die Cast Metal

Toggle Covers and Steel Blank Covers

Premium Powder Coat Finish


Includes Gasket, Mounting Hardware & Installation Instructions

UL® Listed, 2011 NEC® and NEMA® 3R Compliant



DUPLEX VERTICAL

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with single gang outdoor device box
- Available color: gray




Catalog Number	UPC	Ship Case	Weight/Case	A	B
WCV1DUP	85098	50	25	2.81	4.56



DUPLEX HORIZONTAL

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with single gang outdoor device box
- Available colors: gray, bronze and white




Catalog Number	UPC	Ship Case	Weight/Case	A	B
WCH1DUP	81892	50	35	4.56	2.81
WCH1DUPB*	85575	50	35	4.56	2.81
WCH1DUPW**	85574	50	35	4.56	2.81

*BRONZE **WHITE



RECEPTACLE SWITCH

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with single gang outdoor device box
- Available color: gray



Catalog Number	UPC	Ship Case	Weight/Case	A	B
WCV11	81893	50	16	2.77	4.52



WEATHERPROOF


Single Gang Covers

Superior Commercial Quality Die Cast Metal
Toggle Covers and Steel Blank Covers
Premium Powder Coat Finish
Includes Gasket, Mounting Hardware & Installation Instructions
UL® Listed, 2011 NEC® and NEMA® 3R Compliant



HORIZONTAL GFCI

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with single gang outdoor device box
- Available colors: gray and white



Catalog Number	UPC	Ship Case	Weight/ Case	A	B
WCH1GFI	81895	50	20	4.56	2.81
WCH1GFIW*	85576	50	20	4.56	2.81


*WHITE



VERTICAL GFCI



- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with single gang outdoor device box
- Available colors: gray and white



Catalog Number	UPC	Ship Case	Weight/ Case	A	B
WCV1GFI	81896	50	20	2.81	4.56
WCV1GFIW*	85575	50	20	2.81	4.56


*WHITE



VERTICAL TOGGLE SWITCH HEAVY DUTY



- Precision die cast aluminum with pre-installed adhesive gasket
- For use with single gang outdoor device box
- UL514D
- NEMA 3R
- Suitable for wet locations
- Available color: gray



Catalog Number	UPC	Ship Case	Weight/ Case	A	B	C
WSC1VHD	86861	25	7	2.81	4.57	.63

WEATHERPROOF

Single Gang Covers

Superior Commercial Quality Die Cast Metal

Toggle Covers and Steel Blank Covers

Premium Powder Coat Finish

Includes Gasket, Mounting Hardware & Installation Instructions


UL® Listed, 2011 NEC® and NEMA® 3R Compliant



20A/30A RECEPTACLE

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with single gang outdoor device box
- Available color: gray


Catalog Number	UPC	Ship Case	Weight/Case	A	B
WCV11.625	81898	50	16	2.81	4.56



30A/50A RECEPTACLE

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with single gang outdoor device box
- Available color: gray

Catalog Number	UPC	Ship Case	Weight/Case	A	B
WCV12.125	85113	50	16	2.81	4.56




BLANK

- Aluminum cast cover
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with single gang outdoor device box
- Available colors: gray, bronze and white

Catalog Number	UPC	Ship Case	Weight/Case	A	B
WC1B	81901	100	5	2.77	4.54
WC1BB*	85573	100	5	2.77	4.54
WC1BW**	86516	100	5	2.77	4.54

*BRONZE **WHITE



WEATHERPROOF

Double Gang Covers


Superior Commercial Quality Die Cast Metal
Toggle Covers and Steel Blank Covers
Premium Powder Coat Finish
Includes Gasket, Mounting Hardware & Installation Instructions
UL® Listed, 2011 NEC® and NEMA® 3R Compliant



DUPLEX

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with double gang outdoor device box
- Available color: gray


Catalog Number	UPC	Ship Case	Weight/ Case	A	B
WCV2DUP	81894	25	15	4.54	4.54



DUPLEX & SWITCH

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with double gang outdoor device box
- Available color: gray


Catalog Number	UPC	Ship Case	Weight/ Case	A	B
WCV2SDUP	85101	25	16	4.54	4.54



15 AMP SWITCH

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with double gang outdoor device box
- Available color: gray

Catalog Number	UPC	Ship Case	Weight/ Case	A	B
WCV21515	85100	25	16	4.54	4.54



WEATHERPROOF


Double Gang Covers

Superior Commercial Quality Die Cast Metal
Toggle Covers and Steel Blank Covers
Premium Powder Coat Finish
Includes Gasket, Mounting Hardware & Installation Instructions
UL® Listed, 2011 NEC® and NEMA® 3R Compliant




5 IN 1 COMBO COVER TOGGLE SWITCH

- Die cast cover with polycarbonate inserts
- Durable gray powder coat finish
- Lockable design
- Pre-installed adhesive gasket
- UL listed for wet locations
- For use with double gang outdoor device box
- NEMA 3R
- Available color: gray




Catalog Number	UPC	Ship Case	Weight/ Case	A	B	C
WC25GFI	86850	12	7	4.57	4.63	.63



DUPLEX-GFCI

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with double gang outdoor device box
- Available color: gray




Catalog Number	UPC	Ship Case	Weight/ Case	A	B
WCV2DUPGFI	85099	25	12	4.54	4.54



VERTICAL-GFCI

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with double gang outdoor device box
- Available color: gray



Catalog Number	UPC	Ship Case	Weight/ Case	A	B
WCV2GFI	81897	50	35	4.54	4.54

WEATHERPROOF

Double Gang Covers


Superior Commercial Quality Die Cast Metal
Toggle Covers and Steel Blank Covers
Premium Powder Coat Finish
Includes Gasket, Mounting Hardware & Installation Instructions
UL® Listed, 2011 NEC® and NEMA® 3R Compliant

30 AMP SWITCH



- Aluminum cast cover
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with double gang outdoor device box
- Available color: gray

Catalog Number	UPC	Ship Case	Weight/ Case	A	B
WSC22S	85104	30	10	4.54	4.54




TOGGLE SWITCH HEAVY DUTY



- Die cast aluminum cover
- Pre-installed adhesive gasket
- Durable gray powder coat finish
- UL listed for wet locations
- For use with double gang outdoor device box
- NEMA 3R
- Available color: gray

Catalog Number	UPC	Ship Case	Weight/ Case	A	B	C
WSC22HD	86852	12	7	4.57	4.63	.63




20/30/50 AMP POWER OUTLET



- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with double gang outdoor device box
- Available color: gray

Catalog Number	UPC	Ship Case	Weight/ Case	A	B	Hole Diameter
WCV22125	81899	8	7	4.54	4.54	2.125
WCV2264	81900	8	7	4.54	4.54	2.64



WEATHERPROOF

Double Gang Covers

Superior Commercial Quality Die Cast Metal
Toggle Covers and Steel Blank Covers
Premium Powder Coat Finish
Includes Gasket, Mounting Hardware & Installation Instructions
UL® Listed, 2011 NEC® and NEMA® 3R Compliant


BLANK



- Aluminum cast cover
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with double gang outdoor device box
- Available colors: gray, bronze and white

Catalog Number	UPC	Ship Case	Weight/Case	A	B
WC2B	81902	100	11	4.62	4.57
WC2BB*	86518	100	11	4.62	4.57
WC2BW**	86517	100	11	4.62	4.57

*BRONZE **WHITE




25 IN 1 VERTICAL MULTI-USE COVER



- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with double gang outdoor device box
- Available colors: gray, bronze and white

Catalog Number	UPC	Ship Case	Weight/Case	A	B	C
WC2225	86534	10	17	4.57	4.57	.551
WC2225B*	86536	10	17	4.57	4.57	.551
WC2225W**	86535	10	17	4.57	4.57	.551

*BRONZE **WHITE



Double Duplex	Duplex/GFCI	Duplex/Switch	Duplex/1-3/8"	Duplex/1-5/8"	Double GFCI	GFCI/Duplex	GFCI/Switch	GFCI/1-3/8"	GFCI/1-5/8"
Double Switch	Switch/Duplex	Switch/GFCI	Switch/1-3/8"	Switch/1-5/8"	Double 1-3/8"	1-3/8"/Duplex	1-3/8"/GFCI	1-3/8"/Switch	1-3/8"/1-5/8"
Double 1-5/8"	1-5/8"/Duplex	1-5/8"/GFCI	1-5/8"/Switch	1-5/8"/1-3/8"					

WEATHERPROOF

Triple Gang Covers

Superior Commercial Quality Die Cast Metal

Toggle Covers and Steel Blank Covers

Premium Powder Coat Finish


Includes Gasket, Mounting Hardware & Installation Instructions

UL® Listed, 2011 NEC® and NEMA® 3R Compliant



BLANK

- Aluminum cast cover
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with triple gang outdoor device box
- Available color: gray




Catalog Number	UPC	Ship Case	Weight/ Case	A	B
WC3B	86519	5	2	6.338	4.57




125 IN 1 VERTICAL MULTI-USE COVER

- Aluminum cast cover with a spring loaded lid
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with triple gang outdoor device box
- Available color: gray



Catalog Number	UPC	Ship Case	Weight/ Case	A	B	C
WC325	86537	5	6	6.338	4.57	.551

Up to 125 possible configurations



showing 35 configurations



WEATHERPROOF

In-Use Single Gang Covers

Durable High Impact Polycarbonate
Construction Resists Breakage and Corrosion
Includes Attached Gasket and Mounting Hardware
Easy to Assemble Snap In Adapters
for Multiple Uses
UL® Listed, 2011 NEC® and
NEMA® 3R Compliant








16 IN 1 IN-USE COVER

- High impact polycarbonate construction clear cover
- Mounts vertically or horizontally
- Pre-installed adhesive gasket
- Lockable to prevent accidental disconnects
- Snap in adapters enable tool free installation
- For use with duplex receptacles
- Meets 2008 NEC, NEMA 3R rating, UL listed



Catalog Number	UPC	Ship Case	Weight/Case	A	B	C
WCIU1	83687	24	11	2.81	4.56	2.75
WCIU1D	86553	24	14	2.81	4.56	3.50

Showing 14 possible configurations



WEATHERPROOF


In-Use Double Gang Covers

Durable High Impact Polycarbonate
Construction Resists Breakage and Corrosion
Includes Attached Gasket and Mounting Hardware
Easy to Assemble Snap In Adapters
for Multiple Uses
UL® Listed, 2011 NEC® and
NEMA® 3R Compliant




31 IN 1 IN-USE COVER

- High impact polycarbonate construction clear cover
- Mounts vertically
- Pre-installed adhesive gasket
- Snap in adapters enable tool free installation
- For use with duplex receptacles
- Available color: gray



Catalog Number	UPC	Ship Case	Weight/ Case	A	B	C
WCIU2	83688	10	10	4.40	4.54	3.50



WEATHERPROOF

In-Use Single Gang Covers

Meets and exceeds Extra Duty per 2011 NEC article 406.9.(B);

UL514D and CSA C22.2 No. 42.1-00

NEMA 3R Rate Compliant;

UL standard 514D, cULus Listed: E254321;


NEMA FB-1;

Federal Spec. A-A-50563





7 IN 1 METAL IN-USE COVER

- Low profile multi height metal extra duty in-use cover
- Impact rated, withstands today's destructive forces
- Reinforced hinge withstands 40 lbs. stress test
- Lockable to prevent accidental disconnects
- Patented snap in adapters (no tools required)
- Patented unique multi height application by swinging bar to up or down position
- Expands out to 3-1/2" to gain extra clearance to accommodate internal cord
- Sleek industrial design
- Easy to open
- Extra large cord opening for heavy gauge cords



Catalog Number	UPC	Opening	Ship Case	Weight/Case	A	B	C
WCIU1VM	86853	2.75-3.50	10	10.5	4.61	3.07	2.39
WCIU1HM	86854	2.75-3.50	10	10.5	2.83	3.07	2.06



WEATHERPROOF

In-Use Double Gang Covers

Meets and exceeds Extra Duty per 2011 NEC article 406.9.(B);

UL514D and CSA C22.2 No. 42.1-00

NEMA 3R Rate Compliant;

UL standard 514D, cULus Listed: E254321;


NEMA FB-1;

Federal Spec. A-A-50563



31 IN 1 METAL IN-USE COVER



- Low profile multi height metal extra duty in-use cover
- Impact rated, withstands today's destructive forces
- Reinforced hinge withstands 40 lbs. stress test
- Lockable to prevent accidental disconnects
- Patented snap in adapters (no tools required)
- Patented unique multi height application by swinging bar to up or down position
- Expands out to 4-1/2" to gain extra clearance to accommodate internal cord
- Sleek industrial design
- Easy to open
- Extra large cord opening for heavy gauge cords



Catalog Number	UPC	Opening	Ship Case	Weight/ Case	A	B	C
WCIU2M	86855	3.50-4.50	6	12.6	4.61	4.61	2.39




WEATHERPROOF

Round Covers and Boxes



ROUND COVERS

- 1, 2, or 3 non NPT threads
- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with round outlet box
- Available colors: gray, bronze and white




Catalog Number	UPC	# Holes	KO	Ship Case	Weight/ Case	A	B	C
WRC150	81132	1	1/2"	100	30	4.50	3.5	.875
WRC150B*	86527	1	1/2"	100	30	4.50	3.5	.875
WRC150W**	83616	1	1/2"	100	30	4.50	3.5	.875
WRC250	81133	2	1/2"	100	30	4.50	3.5	.875
WRC250W**	83617	2	1/2"	100	30	4.50	3.5	.875
WRC350	81134	3	1/2"	100	30	4.50	3.5	.875
WRC350B*	85582	3	1/2"	100	30	4.50	3.5	.875
WRC350W**	83618	3	1/2"	100	30	4.50	3.5	.875

*BRONZE **WHITE



ROUND BLANK COVER

- Weather seal gasket blocks moisture
- UL listed for wet locations
- For use with round outlet box
- Available colors: natural finish




Catalog Number	UPC	Ship Case	Weight/ Case	A
WRCB	81903	100	8	4.08



4" ROUND BOX-5 HOLE

- 17.2 cubic inch capacity
- Includes four closure plugs and grounding screws
- UL listed for wet locations
- For use with all standard outlet box and lampholder covers
- Available colors: gray, bronze and white



Catalog Number	UPC	KO	Ship Case	Weight/ Case	A	B	C
WRB1550	81890	1/2"	25	14	4.31	.65	1.58
WRB1550B*	85580	1/2"	25	14	4.31	.65	1.58
WRB1550W**	83631	1/2"	25	14	4.31	.65	1.58
WRB1575	81891	3/4"	25	14	4.31	.65	1.58
WRB1575W**	83632	3/4"	25	14	4.31	.65	1.58

*BRONZE **WHITE

WEATHERPROOF Extensions


Copper Free Aluminum.
Gaskets & Mounting Screws



4" ROUND EXTENSION-4 HOLE

- UL listed for wet locations
- For use with round outlet box


Catalog Number	UPC	KO.	Ship Case	Weight/Case	A	B
WRB450EXT	83576	1/2"	10	6	4.31	1.58
WRB475EXT	83577	3/4"	10	6	4.31	1.58



RECTANGLE-SINGLE GANG

- Expands cubic capacity and enables flush finish



Catalog Number	UPC	Ship Case	Weight/Case	A	B	C
WB1EXT	85111	24	21	2.81	4.56	1.00



4 HOLE EXTENSION-SINGLE GANG

- UL listed for wet locations


Catalog Number	UPC	KO.	Ship Case	Weight/Case	A	B	C
WB1450EXT	85096	1/2"	25	18	3.464	5.236	1.575
WB1475EXT	86547	3/4"	25	16	3.464	5.236	1.575



6 HOLE EXTENSION-SINGLE GANG

- UL listed for wet locations


Catalog Number	UPC	KO.	Ship Case	Weight/Case	A	B	C
WB1650EXT	86548	1/2"	25	16	3.464	5.236	1.575
WB1675EXT	86549	3/4"	25	14	3.464	5.236	1.575



SQUARE DOUBLE GANG

- Expands cubic capacity and enables flush finish

Catalog Number	UPC	Ship Case	Weight/Case	A	B	C
WB2EXT	85097	25	25	4.56	4.56	1.00



WEATHERPROOF

Accessories


PAR LAMP HOLDER



- Medium base
- 1/2" locknut and gasket included
- 150 Watts
- Max Par 38 swivels 180°
- Copper free aluminum
- Available colors: gray, bronze and white

Catalog Number	UPC	KO	Ship Case	Weight/ Case	A	B
WPAR50	80868	1/2"	50	22	2.57	2.00
WPAR50B*	85579	1/2"	50	22	2.57	2.00
WPAR50W**	83633	1/2"	50	22	2.57	2.00

*BRONZE **WHITE




CLOSURE PLUGS



- 1/2"-1" Closure plugs
- Used for closing unused hubs in metallic outlet boxes
- Cast aluminum with powder coat finish or plastic
- Available colors: gray, bronze and white

Catalog Number	UPC	KO	Ship Case	Weight/ Case	A	B
WP50	19700	1/2"	100	2	.79	.33
WP75	19710	3/4"	50	2	1.00	.30
WP100	19720	1"	25	2	1.23	.28
PLASTIC						
WP50PL	86412	1/2"	100	1	.79	.33
WP50PLB*	86521	1/2"	50	1	.79	.33
WP50PLW**	86520	1/2"	50	1	.79	.33
WP75PL	86413	3/4"	25	1	1.00	.30
WP100PL	86414	1"	25	1	1.23	.28

*BRONZE **WHITE




BOX HOLDER




- Die-cast zinc construction offers superior strength and durability
- Meets the requirements of 2011 NEC Section 314-23

Catalog Number	UPC	KO	Ship Case	Weight/ Case	A	B	C	D
WPBH50	86900	1/2"	25	40	.380	1.55	1.125	.860



WEATHERPROOF

Fixtures



VAPORPROOF FIXTURES

- Ceiling, wall or pendant mounting
- 1/2" and 3/4" knockouts
- UL listed for wet locations
- Copper free aluminum
- Available color: gray

Catalog Number	UPC	# Holes	Thread Size	Ship Case	Weight/ Case	A	B	C
VF1100W50	83868	5	1/2"	6	13	5.25	8.5	3.25
VF1100W75	83869	5	3/4"	6	13	5.25	8.5	3.25
VF1100W50CG	85156	5	1/2"	6	16	5.25	9.0	4.13
VF1100W75CG	85157	5	3/4"	6	16	5.25	9.0	4.13
VF1200W50CG	85561	5	1/2"	6	16	5.25	11.50	5.15
VF1200W75CG	85562	5	3/4"	6	16	5.25	11.50	5.15
VFIBOX50	83872	5	1/2"	12	13	5.25	3.5	4.13
VFIBOX75	83871	5	3/4"	12	13	5.25	3.5	4.13
VFP100W50CG	85235	-	1/2"	6	17	4.13	10.25	3.88
VFP100W75CG	85236	-	3/4"	6	17	4.13	10.25	3.88
VFW100W50CG	85237	5	1/2"	6	19	7.25	10.00	4.13
VFW100W75CG	85238	5	3/4"	6	19	7.25	10.00	4.13
VAPORPROOF 7" GLASS GLOBE								
VFIGLS	85155			6	6	3.25	7.00	3.00
7" CAST CAGE								
VFICC	83936			16	18	4.25	7.25	4.13

Also available from Topaz...



NEW! - Form 7
Conduit Bodies and Covers



Liquidtight Connectors with
Grounding Lug



Hot Dip Galvanized
Conduit Fittings

