

Specifications



Eaton ENP5201

Eaton Crouse-Hinds series Ark-Gard ENP plug, 20A, 50-400 Hz, Copper-free aluminum, 5-20P, 125 Vac

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Ark-Gard ENP plug
CATALOG NUMBER	ENP5201
UPC	782274310862
PRODUCT LENGTH/DEPTH	3.91 in
PRODUCT HEIGHT	1.6 in
PRODUCT WIDTH	1.6 in
PRODUCT WEIGHT	0.25 lb

Certifications and compliances

AREA CLASSIFICATION	Hazardous/Classified Locations
STANDARDS TYPE	NEC/CEC
NEC HAZARDOUS RATING	Class I, Division 1 Class I, Division 2 Class II, Division 1 Class II, Division 2 Class III
NEMA RATING	3 7 9 12

Resources

3D CAD DRAWING PACKAGE	Eaton Crouse-Hinds ENP5201 3D drawing
CATALOGS	Ark-Gard ENP Explosionproof NEMA Locking Devices catalog page
CERTIFICATION REPORTS	Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices Canadian certification - ENR and ENP Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices UL certification - ENR and ENP
INSTALLATION INSTRUCTIONS	IF 344 - Ark-Gard ENR Receptacles ENP Model M97 Plugs
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - ENP5201

Product specifications

AMPERAGE RATING	20A
VOLTAGE RATING	125 Vac
NEMA CONFIGURATION	5-20P
MATERIAL	Copper-free aluminum
FREQUENCY RATING	50-400 Hz

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

