


DLC listed LED lighting



Over 300 approved models!

About DesignLights Consortium

DesignLights Consortium® (DLC)® is a collaboration of utility companies and regional energy efficiency organizations in the U.S. and Canada committed to ensuring that high quality, energy-efficient lighting design becomes commonplace in all commercial lighting installations.

DLC Qualified Products List

- Customers use the Qualified Products List (QPL) for guidance in selecting the most high quality, high performance, tested and verified LED products for specific applications
- Utility program administrators approve all LED brands listed in the QPL for their regional energy efficiency incentive and rebate programs
- The specification guidelines and procedures for getting listed on QPL are developed through a collaboration between U.S. Department of Energy (DOE), ENERGY STAR® members, the DLC committee and manufacturers

See www.designlights.org for complete listing



Powering Business Worldwide

High bay luminaires for commercial and industrial buildings

Champ™ PVML-M2



Champ PVML-17-M2

PVML-17-UNV1-M2	S
PVML-17-UNV1-S891-M2	S
PVML-17-UNV1-S903-M2	S
PVML-17-R1-UNV1-M2	S
PVML-17-R3-UNV1-M2	S
PVML-17-UNV34-M2	S
PVML-17-UNV34-S891-M2	S
PVML-17-UNV34-S903-M2	S
PVML-17-R1-UNV34-M2	S
PVML-17-R3-UNV34-M2	S

Champ PVML-21-M2

PVML-21-UNV1-M2	S
PVML-21-UNV1-S891-M2	S
PVML-21-UNV1-S903-M2	S
PVML-21-R1-UNV1-M2	S
PVML-21-R3-UNV1-M2	S
PVML-21-UNV34-M2	S
PVML-21-UNV34-S891-M2	S
PVML-21-UNV34-S903-M2	S
PVML-21-R1-UNV34-M2	S
PVML-21-R3-UNV34-M2	S

Champ PVML-25-M2

PVML-25-UNV1-M2	S
PVML-25-UNV1-S891-M2	S
PVML-25-UNV1-S903-M2	S
PVML-25-R1-UNV1-M2	S
PVML-25-R3-UNV1-M2	S
PVML-25-UNV34-M2	S
PVML-25-UNV34-S891-M2	S
PVML-25-UNV34-S903-M2	S
PVML-25-R1-UNV34-M2	S
PVML-25-R3-UNV34-M2	S

S= DLC Standard Listing

QUALIFIED BASE MODEL:

PVML-17-UNV1-M2

QUALIFIED OPTIONS:

[/J/P/2A/3A/20A/25A/2B/3B/2C/3C/20C/25C/2HA/2TW/3TW/20TW/25TW]

FULL QUALIFIED MODEL EXAMPLE:

PVML-[/J/P/2A/3A/20A/25A/2B/3B/2C/3C/20C/25C/2HA/2TW/3TW/20TW/25TW]-UNV1-M2

Architectural flood and spot luminaires

Champ PFMA-M2 & FMVA-M2



Champ PFMA3-7 & FMVA3-7

[PFMA/FMVA]-3-[/H/T]-66-[UNV1/UNV3]-[/WH/BZ]-[/PC1/PC2]-M2	P
[PFMA/FMVA]-3-[/H/T]-66-PC-[UNV1/UNV3]-[/WH/BZ]-[/PC1/PC2]-M2	P
[PFMA/FMVA]-5-[/H/T]-66-[UNV1/UNV3]-[/WH/BZ]-[/PC1/PC2]-M2	P
[PFMA/FMVA]-5-[/H/T]-66-PC-[UNV1/UNV3]-[/WH/BZ]-[/PC1/PC2]-M2	P
[PFMA/FMVA]-7-[/H/T]-66-[UNV1/UNV3]-[/WH/BZ]-[/PC1/PC2]-M2	P
[PFMA/FMVA]-7-[/H/T]-66-PC-[UNV1/UNV3]-[/WH/BZ]-[/PC1/PC2]-M2	P

P= DLC Premium Listing



Outdoor non-cutoff and semi-cutoff wall-mounted area luminaires

Champ PVML & VMVL



Champ PVML-5 & VMVL-5

[VMVL/PVML]-5-UNV1	P
[VMVL/PVML]-5-UNV1-S891	P
[VMVL/PVML]-5-UNV1-S896	S
[VMVL/PVML]-5-UNV1-S903	P
[VMVL/PVML]-5-UNV1	S
[VMVL/PVML]-5-UNV1	S
[VMVL/PVML]-5-UNV34	P
[VMVL/PVML]-5-UNV34-S891	P
[VMVL/PVML]-5-UNV34-S896	S
[VMVL/PVML]-5-UNV34-S903	P
[VMVL/PVML]-5-UNV34	S
[VMVL/PVML]-5-UNV34	S

P= DLC Premium Listing
S= DLC Standard Listing

Champ PVML-7 & VMVL-7

[VMVL/PVML]-7-UNV1	P
[VMVL/PVML]-7-UNV1-S891	P
[VMVL/PVML]-7-UNV1-S896	S
[VMVL/PVML]-7-UNV1-S903	P
[VMVL/PVML]-7-UNV1	S
[VMVL/PVML]-7-UNV1	S
[VMVL/PVML]-7-UNV34	P
[VMVL/PVML]-7-UNV34-S891	P
[VMVL/PVML]-7-UNV34-S896	S
[VMVL/PVML]-7-UNV34-S903	P
[VMVL/PVML]-7-UNV34	S
[VMVL/PVML]-7-UNV34	S

Champ PVML-9 & VMVL-9

[VMVL/PVML]-9-UNV1	P
[VMVL/PVML]-9-UNV1-S891	S
[VMVL/PVML]-9-UNV1-S896	S
[VMVL/PVML]-9-UNV1-S903	P
[VMVL/PVML]-9-UNV1	S
[VMVL/PVML]-9-UNV1	S
[VMVL/PVML]-9-UNV34	P
[VMVL/PVML]-9-UNV34-S891	S
[VMVL/PVML]-9-UNV34-S896	S
[VMVL/PVML]-9-UNV34-S903	P
[VMVL/PVML]-9-UNV34	S
[VMVL/PVML]-9-UNV34	S



Champ PVML-11 & VMVL-11

[VMVL/PVML]-11-UNV1	P
[VMVL/PVML]-11-UNV1-S891	P
[VMVL/PVML]-11-UNV1-S896	S
[VMVL/PVML]-11-UNV1-S903	P
[VMVL/PVML]-11-UNV1	S
[VMVL/PVML]-11-UNV1	S
[VMVL/PVML]-11-UNV34	P
[VMVL/PVML]-11-UNV34-S891	P
[VMVL/PVML]-11-UNV34-S896	S
[VMVL/PVML]-11-UNV34-S903	P
[VMVL/PVML]-11-UNV34	S
[VMVL/PVML]-11-UNV34	S

P= DLC Premium Listing
S= DLC Standard Listing

Champ PVML-13 & VMVL-13

[VMVL/PVML]-13-UNV1-M2	P
[VMVL/PVML]-13-UNV1-S891-M2	P
[VMVL/PVML]-13-UNV1-S903-M2	P
[VMVL/PVML]-13-UNV34-M2	P
[VMVL/PVML]-13-UNV34-S891-M2	P
[VMVL/PVML]-13-UNV34-S903-M2	P
[VMVL/PVML]-13-UNV1-M2	P
[VMVL/PVML]-13-UNV34-M2	P
[VMVL/PVML]-13-UNV1-M2	P
[VMVL/PVML]-13-UNV34-M2	P


QUALIFIED BASE MODEL EXAMPLE:
 PVML-13-UNV1-M2

QUALIFIED OPTIONS:
 [/2TW/3TW/20TW/25TW]-[R1/R1A/R1B]
 or
 [/2TW/3TW/20TW/25TW]-[R3/R3AP/R3A1/R3A2/R3B1/R3B2]

FULL QUALIFIED MODEL EXAMPLE:
 [VMVL/PVML]-13-[/2TW/3TW/20TW/25TW]-[R3/R3AP/R3A1/R3A2/R3B1/R3B2]-UNV1-M2

Outdoor pole/arm-mounted area and roadway luminaires

Champ PLLA



Champ PLLA-2

PLLA2-UNV1-M2	P
PLLA2-UNV1-S891-M2	P
PLLA2-UNV1-S903-M2	P
PLLA2-UNV1-S903D-M2	P
PLLA2-UNV34-M2	P
PLLA2-UNV34-S891-M2	P
PLLA2-UNV34-S903-M2	P
PLLA2-UNV34-S903D-M2	P
PLLA2N-UNV1-M2	P
PLLA2N-UNV1-S903-M2	P

Champ PLLA-2

PLLAN2-UNV1-M2	P
PLLAN2-UNV1-S891-M2	P
PLLAN2-UNV1-S903-M2	P
PLLAN2-UNV1-S903D-M2	P
PLLAN2-UNV34-M2	P
PLLAN2-UNV34-S891-M2	P
PLLAN2-UNV34-S903-M2	P
PLLAN2-UNV34-S903D-M2	P
PLLAN2N-UNV1-M2	P
PLLAN2N-UNV1-S903-M2	P

Champ PLLA-2

PLLAW2-UNV1-M2	P
PLLAW2-UNV1-S891-M2	P
PLLAW2-UNV1-S903-M2	P
PLLAW2-UNV1-S903D-M2	P
PLLAW2-UNV34-M2	P
PLLAW2-UNV34-S891-M2	P
PLLAW2-UNV34-S903-M2	P
PLLAW2-UNV34-S903D-M2	P
PLLAW2N-UNV1-M2	P
PLLAW2N-UNV1-S903-M2	P

P= DLC Premium Listing

Champ PLLA-4

PLLA4-UNV1-M2	P
PLLA4-UNV1-S891-M2	P
PLLA4-UNV1-S903-M2	P
PLLA4-UNV1-S903D-M2	P
PLLA4-UNV34-M2	P
PLLA4-UNV34-S891-M2	P
PLLA4-UNV34-S903-M2	P
PLLA4-UNV34-S903D-M2	P

QUALIFIED BASE MODEL EXAMPLE:

PLLA2-UNV1-M2

QUALIFIED OPTIONS:

[/CS/CW/P12/P15/P20] & [/1R]-[/P/WH]

FULL QUALIFIED MODEL EXAMPLE:

PLLA2[/CS/CW/P12/P15/P20]-UNV1-[/1R]-[/P/WH]-M2

Champ PLLA-4

PLLAN4-UNV34-M2	P
PLLAN4-UNV34-S891-M2	P
PLLAN4-UNV34-S903-M2	P
PLLAN4-UNV34-S903D-M2	P
PLLAN4N-UNV1-M2	P
PLLAN4N-UNV1-S903-M2	P
PLLAN4N-UNV34-M2	P
PLLAN4N-UNV34-S903-M2	P

Champ PLLA-4

PLLAW4-UNV1-M2	P
PLLAW4-UNV1-S891-M2	P
PLLAW4-UNV1-S903-M2	P
PLLAW4-UNV1-S903D-M2	P
PLLAW4-UNV34-M2	P
PLLAW4-UNV34-S891-M2	P
PLLAW4-UNV34-S903-M2	P
PLLAW4-UNV34-S903D-M2	P
PLLAW4N-UNV1-M2	P
PLLAW4N-UNV1-S903-M2	P
PLLAW4N-UNV34-M2	P
PLLAW4N-UNV34-S903-M2	P

P= DLC Premium Listing

Outdoor pole/arm-mounted area and roadway luminaires

Champ PVML & VMVL



Champ PVML-5 & VMVL-5

[VMVL/PVML]-5-UNV1	P
[VMVL/PVML]-5-UNV1-S891	P
[VMVL/PVML]-5-UNV1-S896	S
[VMVL/PVML]-5-UNV1-S903	P
[VMVL/PVML]-5-UNV1	S
[VMVL/PVML]-5-UNV1	S
[VMVL/PVML]-5-UNV34	P
[VMVL/PVML]-5-UNV34-S891	P
[VMVL/PVML]-5-UNV34-S896	S
[VMVL/PVML]-5-UNV34-S903	P
[VMVL/PVML]-5-UNV34	S
[VMVL/PVML]-5-UNV34	S

Champ PVML-7 & VMVL-7

[VMVL/PVML]-7-UNV1	P
[VMVL/PVML]-7-UNV1-S891	P
[VMVL/PVML]-7-UNV1-S896	S
[VMVL/PVML]-7-UNV1-S903	P
[VMVL/PVML]-7-UNV1	S
[VMVL/PVML]-7-UNV1	S
[VMVL/PVML]-7-UNV34	P
[VMVL/PVML]-7-UNV34-S891	P
[VMVL/PVML]-7-UNV34-S896	S
[VMVL/PVML]-7-UNV34-S903	P
[VMVL/PVML]-7-UNV34	S
[VMVL/PVML]-7-UNV34	S

Champ PVML-9 & VMVL-9

[VMVL/PVML]-9-UNV1	P
[VMVL/PVML]-9-UNV1-S891	P
[VMVL/PVML]-9-UNV1-S896	S
[VMVL/PVML]-9-UNV1-S903	P
[VMVL/PVML]-9-UNV1	S
[VMVL/PVML]-9-UNV1	S
[VMVL/PVML]-9-UNV34	P
[VMVL/PVML]-9-UNV34-S891	P
[VMVL/PVML]-9-UNV34-S896	S
[VMVL/PVML]-9-UNV34-S903	P
[VMVL/PVML]-9-UNV34	S
[VMVL/PVML]-9-UNV34	S

P= DLC Premium Listing
S= DLC Standard Listing

Champ PVML-11 & VMVL-11

[VMVL/PVML]-11-UNV1	P
[VMVL/PVML]-11-UNV1-S891	P
[VMVL/PVML]-11-UNV1-S896	S
[VMVL/PVML]-11-UNV1-S903	P
[VMVL/PVML]-11-UNV1	S
[VMVL/PVML]-11-UNV1	S
[VMVL/PVML]-11-UNV34	P
[VMVL/PVML]-11-UNV34-S891	P
[VMVL/PVML]-11-UNV34-S896	S
[VMVL/PVML]-11-UNV34-S903	P
[VMVL/PVML]-11-UNV34	S
[VMVL/PVML]-11-UNV34	S

Champ PVML-13 & VMVL-13

[VMVL/PVML]-13-UNV1-M2	P
[VMVL/PVML]-13-UNV1-S891-M2	P
[VMVL/PVML]-13-UNV1-S903-M2	P
[VMVL/PVML]-13-UNV34-M2	P
[VMVL/PVML]-13-UNV34-S891-M2	P
[VMVL/PVML]-13-UNV34-S903-M2	P
[VMVL/PVML]-13-UNV1-M2	P
[VMVL/PVML]-13-UNV34-M2	P
[VMVL/PVML]-13-UNV1-M2	P
[VMVL/PVML]-13-UNV34-M2	P

QUALIFIED BASE MODEL EXAMPLE:

PVML-13-UNV1-M2

QUALIFIED OPTIONS:

[/2TW/3TW/20TW/25TW]-[R1/R1A/R1B]

or

[/2TW/3TW/20TW/25TW]-[R3/R3AP/R3A1/R3A2/R3B1/R3B2]


FULL QUALIFIED MODEL EXAMPLE:

[VMVL/PVML]-13-[/2TW/3TW/20TW/25TW]-[R3/R3AP/R3A1/R3A2/R3B1/R3B2]-UNV1-M2

P= DLC Premium Listing
S= DLC Standard Listing

Specialty: hazardous area lighting

Champ MLLA & DLLA



Champ MLLA2 & DLLA2

[MLLA/DLLA]2N-UNV1-M2	P
[MLLA/DLLA]2N-UNV1-S903-M2	P
[MLLA/DLLA]2-UNV1-M2	P
[MLLA/DLLA]2-UNV1-S891-M2	P
[MLLA/DLLA]2-UNV1-S903D-M2	P
[MLLA/DLLA]2-UNV1-S903-M2	P
[MLLA/DLLA]2-UNV34-M2	P
[MLLA/DLLA]2-UNV34-S891-M2	P
[MLLA/DLLA]2-UNV34-S903D-M2	P
[MLLA/DLLA]2-UNV34-S903-M2	P

Champ MLLA2 & DLLA2

[MLLA/DLLA]N2N-UNV1-M2	P
[MLLA/DLLA]N2N-UNV1-S903-M2	P
[MLLA/DLLA]N2-UNV1-M2	P
[MLLA/DLLA]N2-UNV1-S891-M2	P
[MLLA/DLLA]N2-UNV1-S903D-M2	P
[MLLA/DLLA]N2-UNV1-S903-M2	P
[MLLA/DLLA]N2-UNV34-M2	P
[MLLA/DLLA]N2-UNV34-S891-M2	P
[MLLA/DLLA]N2-UNV34-S903D-M2	P
[MLLA/DLLA]N2-UNV34-S903-M2	P

Champ MLLA2 & DLLA2

[MLLA/DLLA]W2N-UNV1-M2	P
[MLLA/DLLA]W2N-UNV1-S903-M2	P
[MLLA/DLLA]W2-UNV1-M2	P
[MLLA/DLLA]W2-UNV1-S891-M2	P
[MLLA/DLLA]W2-UNV1-S903D-M2	P
[MLLA/DLLA]W2-UNV1-S903-M2	P
[MLLA/DLLA]W2-UNV34-M2	P
[MLLA/DLLA]W2-UNV34-S891-M2	P
[MLLA/DLLA]W2-UNV34-S903D-M2	P
[MLLA/DLLA]W2-UNV34-S903-M2	P

P= DLC Premium Listing

Champ MLLA4 & DLLA4

[MLLA/DLLA]4N-UNV1-M2	P
[MLLA/DLLA]4N-UNV1-S903-M2	P
[MLLA/DLLA]4N-UNV34-M2	P
[MLLA/DLLA]4N-UNV34-S903-M2	P
[MLLA/DLLA]4-UNV1-M2	P
[MLLA/DLLA]4-UNV1-S891-M2	P
[MLLA/DLLA]4-UNV1-S903D-M2	P
[MLLA/DLLA]4-UNV1-S903-M2	P
[MLLA/DLLA]4-UNV34-M2	P
[MLLA/DLLA]4-UNV34-S891-M2	P
[MLLA/DLLA]4-UNV34-S903D-M2	P
[MLLA/DLLA]4-UNV34-S903-M2	P

Champ MLLA4 & DLLA4

[MLLA/DLLA]N4N-UNV1-M2	P
[MLLA/DLLA]N4N-UNV1-S903-M2	P
[MLLA/DLLA]N4N-UNV34-M2	P
[MLLA/DLLA]N4N-UNV34-S903-M2	P
[MLLA/DLLA]N4-UNV1-M2	P
[MLLA/DLLA]N4-UNV1-S891-M2	P
[MLLA/DLLA]N4-UNV1-S903D-M2	P
[MLLA/DLLA]N4-UNV1-S903-M2	P
[MLLA/DLLA]N4-UNV34-M2	P
[MLLA/DLLA]N4-UNV34-S891-M2	P
[MLLA/DLLA]N4-UNV34-S903D-M2	P
[MLLA/DLLA]N4-UNV34-S903-M2	P

Champ MLLA4 & DLLA4

[MLLA/DLLA]W4N-UNV1-M2	P
[MLLA/DLLA]W4N-UNV1-S903-M2	P
[MLLA/DLLA]W4N-UNV34-M2	P
[MLLA/DLLA]W4N-UNV34-S903-M2	P
[MLLA/DLLA]W4-UNV1-M2	P
[MLLA/DLLA]W4-UNV1-S891-M2	P
[MLLA/DLLA]W4-UNV1-S903D-M2	P
[MLLA/DLLA]W4-UNV1-S903-M2	P
[MLLA/DLLA]W4-UNV34-M2	P
[MLLA/DLLA]W4-UNV34-S891-M2	P
[MLLA/DLLA]W4-UNV34-S903D-M2	P
[MLLA/DLLA]W4-UNV34-S903-M2	P

P= DLC Premium Listing

QUALIFIED BASE MODEL EXAMPLE:
MLLA2-UNV1-M2

QUALIFIED OPTIONS:
[/CS/CW/P12/P15/P20] & [/1R]-[/P/WH]

FULL QUALIFIED MODEL EXAMPLE:
[MLLA/DLLA]2[/CS/CW/P12/P15/P20]-UNV1-[/1R]-[/P/WH]-M2

Specialty: hazardous area lighting

Champ VMVL-M2 high lumen



Champ PVML-17-M2

PVML-17-UNV1-M2	S
PVML-17-UNV1-S891-M2	S
PVML-17-UNV1-S903-M2	S
PVML-17-R1-UNV1-M2	S
PVML-17-R3-UNV1-M2	S
PVML-17-UNV34-M2	S
PVML-17-UNV34-S891-M2	S
PVML-17-UNV34-S903-M2	S
PVML-17-R1-UNV34-M2	S
PVML-17-R3-UNV34-M2	S

Champ PVML-21-M2

PVML-21-UNV1-M2	S
PVML-21-UNV1-S891-M2	S
PVML-21-UNV1-S903-M2	S
PVML-21-R1-UNV1-M2	S
PVML-21-R3-UNV1-M2	S
PVML-21-UNV34-M2	S
PVML-21-UNV34-S891-M2	S
PVML-21-UNV34-S903-M2	S
PVML-21-R1-UNV34-M2	S
PVML-21-R3-UNV34-M2	S

Champ PVML-25-M2

PVML-25-UNV1-M2	S
PVML-25-UNV1-S891-M2	S
PVML-25-UNV1-S903-M2	S
PVML-25-R1-UNV1-M2	S
PVML-25-R3-UNV1-M2	S
PVML-25-UNV34-M2	S
PVML-25-UNV34-S891-M2	S
PVML-25-UNV34-S903-M2	S
PVML-25-R1-UNV34-M2	S
PVML-25-R3-UNV34-M2	S

S= DLC Standard Listing

QUALIFIED BASE MODEL EXAMPLE:

VMVL-17-UNV1-M2

QUALIFIED OPTIONS:

[J/P/2A/3A/20A/25A/2B/3B/2C/3C/20C/25C/2HA/2TW/3TW/20TW/25TW]

FULL QUALIFIED MODEL EXAMPLE:

VMVL-17-[J/P/2A/3A/20A/25A/2B/3B/2C/3C/20C/25C/2HA/2TW/3TW/20TW/25TW]-UNV1-M2

Hazard-Gard® EVLLA



Hazard-Gard EVLLA 7-13

EVLLA7LC[/A/BX/CX/J/M][/2/3/5/25/32]0-[UNV1/UNV34]-[/S812]	S
EVLLA9LC[/A/BX/CX/J/M][/2/3/5/25/32]0-[UNV1/UNV34]-[/S812]	S
EVLLA11LC[/A/BX/CX/J/M][/2/3/5/25/32]0-[UNV1/UNV34]-[/S812]	S
EVLLA13LC[/A/BX/CX/J/M][/2/3/5/25/32]0-[UNV1/UNV34]-[/S812]	S

S= DLC Standard Listing



**U.S. (global headquarters):
Eaton's Crouse-Hinds business**

1201 Wolf Street
Syracuse, NY 13208

(866) 764-5454
FAX: (315) 477-5179
FAX Orders Only:
(866) 653-0640

crousecustomerctr@eaton.com

Eaton's B-Line business

509 West Monroe Street
Highland, IL 62249

800-851-7415
FAX: 618-654-1917
Eaton.com/b-lineseries

IEC Electrical
(CEAG products)

49 (0) 6271 806-500
FAX: 49 (0) 6271 806-476

Info-ex@eaton.com

Airport Lighting

866-764-5454

CrouseCustomerCTR@Eaton.com

Mexico/Latin America/Caribbean

52-555-804-4000
FAX: 52-555-804-4020

ventascentromex@eaton.com

Haz Area Communications
(MEDC, Hernis, Oxalis, FHF Sonix)

44 (0) 1623 444400
FAX: 44 (0) 1623 444531

MEDCadmin@Eaton.com

Canada

Toll Free: 800-265-0502
FAX: (800) 263-9504
FAX Orders only: (866) 653-0645

China

86-21-2899-3600
FAX: 86-21-2899-4055
echsales@eaton.com

Process instrumentation
(MTL products)

44 (0) 1582 723633
FAX: 44 (0) 1582 422283

enquiry@mtl-inst.com

Eaton Middle East

9714-8066100
FAX: 9714-8894813
CHBL-ME@eaton.com

Australia

61-2-8787-2777
FAX: 61-2-9609-2342
crousehindsanz@eaton.com

For more information:

If further assistance is required, please contact an authorized Eaton Distributor, Sales Office, or Customer Service Department.

Eaton
1000 Eaton Boulevard
Cleveland, OH 44122
United States
Eaton.com

© 2024 Eaton
All Rights Reserved
Printed in USA
Publication No. BR403018EN
June 2024

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

