

PVC Coated Elbows**1-1/4X90 PVC COATED STANDARD ELBOW****Catalog Number** PRHELB-1-1/4X90**UPC** 784011200283**Description**


Factory-bent PVC coated elbows are more accurate, quicker to install and more economical because they eliminate field bending time and waste of material. Electrical continuity is maintained across assembled joints.

**Application**

- Factory-bent for accurate, quicker to install and eliminates costly field bending and waste of material

Features

- 40 mil gray PVC exterior coating
- 2 mil red urethane interior coating
- 12 trade sizes from 1/2" through 6"
- Available in standard sizes 90°, 60°, 45°, 30° bends
- Color-coded thread protector caps for quick identification of conduit size

**General Information**

Trade Size	1-1/4
Material	STEEL
Material	STEEL
Exterior Finish	A nominal .040 inch (40 mil) gray PVC coating
Interior Finish	A nominal .002 inch (2 mil) red urethane
Thread Finish	A red urethane coating over steel
Thread Protector Color	Red

Dimensions

Diameter - External (Inches) 1.74

Diameter - Internal (Inches)	1.394
Metric Size Designators	35
Nipple Length (Inches)	17-3/4
Offset D (Inches)	9.567
Offset E (Inches)	10.437
Offset F (Inches)	11.307
Radius A (Inches)	6.38
Radius B - Standard (Inches)	7.25
Radius C (Inches)	8.12
Tangent (Inches)	3.187



Standards

CSA Certified C22.2 No. 45

UL 6 E2314

Technical Specification Documents

Specification Guide (1995 Master) AVAILABLE ON WEBSITE

Specification Guide (2004 Master) AVAILABLE ON WEBSITE

Installer Certification and Tools AVAILABLE ON WEBSITE

Chemical Resistance Charts AVAILABLE ON WEBSITE

Performance Specifications AVAILABLE ON WEBSITE

Technical Information

Fitting Configuration 90

Fitting Type STANDARD RADIUS ELBOW

Product Category ELBOW

Product Family PVC Coated Elbows

Notes

- Both PVC and zinc coatings have been investigated as primary protection against corrosion.
- Restricted for use with threaded fittings only.