


Specifications



Photo is representative



Eaton EDSC2129 SA

Eaton Crouse-Hinds series EDS snap switch control station, 20A, With switch, With two 3/4" hubs, Copper-free aluminum, 1, Single-gang, Single-pole, 120-277V, Factory sealed, Through feed, Single-pole, 3/4", 120-277 Vac

General specifications

| | |
|-----------------------------|---|
| PRODUCT NAME | Eaton Crouse-Hinds series EDS snap switch control station |
| CATALOG NUMBER | EDSC2129 SA |
| UPC | 782274780511 |
| PRODUCT LENGTH/DEPTH | 5.6 in |
| PRODUCT HEIGHT | 5.88 in |
| PRODUCT WIDTH | 3.5 in |
| PRODUCT WEIGHT | 4.2 lb |
| PRODUCT TYPE | Snap switch control station |

EATON

Powering Business Worldwide

Certifications and compliances

| | |
|-----------------------------|---|
| AREA CLASSIFICATION | Hazardous/Classified Locations |
| STANDARDS TYPE | NEC/CEC |
| NEC HAZARDOUS RATING | Class I, Division 1 Class I, Division 2 Class II, Division 1 Class II, Division 2 Class III |
| NEMA RATING | 3 7 9 |

Product specifications

| | |
|------------------------------|----------------------|
| ENCLOSURE TYPE | With switch |
| TRADE SIZE | 3/4" |
| NUMBER OF POLES | Single-pole |
| SWITCH FUNCTION | Single-pole |
| NUMBER OF GANGS | Single-gang |
| STYLE | Through feed |
| VOLTAGE RATING | 120-277 Vac |
| AMPERAGE RATING | 20A |
| HUB STYLE | With two 3/4" hubs |
| NUMBER OF DEVICES | 1 |
| PRIMARY VOLTAGE RANGE | 120-277V |
| MATERIAL | Copper-free aluminum |
| SPECIAL FEATURES | Factory sealed |

Resources

| | |
|-------------------------------|---|
| CATALOGS | EDS and EDSX Fully Assembled Snap Switches catalog page |
| CERTIFICATION REPORTS | EDS and EFD Explosionproof Snap Switches UL certification - industrial control panels and assemblies |
| | EDS and EFD Explosionproof Snap Switches Canadian certification - industrial control panels and assemblies |
| | EDS and EFD Explosionproof Snap Switches Canadian certification - snap switches |
| | EDS and EFD Explosionproof Snap Switches UL certification - snap switches |
| INSTALLATION INSTRUCTIONS | IF 242 - EDS and EDSC Control Stations IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies |
| SPECIFICATIONS AND DATASHEETS | Eaton Specification Sheet - EDSC2129 SA |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

