

Specifications



Photo is representative

Eaton CCP1023CD

Eaton Crouse-Hinds series PowerMate CCP plug, 100A, 0.875-1.906", Two-wire, three-pole, Style 2, Copper-free aluminum, 600 Vac/250 Vdc

General specifications

| | |
|-----------------------------|--|
| PRODUCT NAME | Eaton Crouse-Hinds series PowerMate CCP plug |
| CATALOG NUMBER | CCP1023CD |
| UPC | 662276277540 |
| PRODUCT LENGTH/DEPTH | 10.8 in |
| PRODUCT HEIGHT | 3.75 in |
| PRODUCT WIDTH | 3.75 in |
| PRODUCT WEIGHT | 2.2 lb |
| PRODUCT TYPE | Plug |



Powering Business Worldwide

Certifications and compliances

| | |
|----------------------------|----------------------------------|
| AREA CLASSIFICATION | Ordinary/Non-Hazardous Locations |
| STANDARDS TYPE | NEC/CEC |
| NEMA RATING | 4X |

Resources

| | |
|-------------------------------|---|
| 3D CAD DRAWING PACKAGE | Eaton Crouse-Hinds CCP1023CD 3D drawing |
| BROCHURES | PowerMate Drilling Pin and Sleeve Devices brochure |
| CATALOGS | PowerMate Drilling Pin and Sleeve Devices catalog page |
| CERTIFICATION REPORTS | PowerMate Drilling Pin and Sleeve Devices cUL certification (Plugs and Connectors) PowerMate Drilling Pin and Sleeve Devices UL certification (Plugs and Connectors) |
| INSTALLATION INSTRUCTIONS | IF 1632 - 30, 60, 100 and 150A PowerMate Pin and Sleeve Devices IF 1834 - PowerMate Pin and Sleeve Devices with Nested Bushing |
| SPECIFICATIONS AND DATASHEETS | PowerMate Connectors Eaton Specification Sheet - CCP1023CD |

Product specifications

| | |
|------------------------|----------------------|
| AMPERAGE RATING | 100A |
| GROUNDING TYPE | Style 2 |
| CONFIGURATION | Two-wire, three-pole |
| CABLE DIAMETER | 0.875-1.906" |
| VOLTAGE RATING | 600 Vac/250 Vdc |
| MATERIAL | Copper-free aluminum |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

