

# Product data sheet

Specifications

SQUARE D



NEMA Motor Starter and contactor, Type S, auxiliary contact, 1 NO contact, external, field convertible

9999SX6

**Product availability:** Stock - Normally stocked in distribution facility

## Main

Product Range	Type S
Component type	Auxiliary Contact Module
Used with	contactor starter

## Complementary

NEMA size	0 3 6 7 4 5 1 00 2
Auxiliary contact composition	1 NO
[Uc] control circuit voltage	<= 600 V AC 50/60 Hz
Rated breaking capacity	6 A 120 V AC inductive control circuit UL 508 3 A 240 V AC inductive control circuit UL 508 1.2 A 600 V AC inductive control circuit UL 508 1.5 A 480 V AC inductive control circuit UL 508 10 A <= 600 V AC resistive control circuit UL 508
Height	1.5 in (38.1 mm)
Width	3 in (76.2 mm)
Depth	4.5 in (114.3 mm)
Net Weight	0.20 lb(US) (0.09 kg)

## Environment

Product Certifications	CSA UL Listed UL Recognized
------------------------	-----------------------------------

## Ordering and shipping details

Category	US10CP121761
Discount Schedule	0CP1
GTIN	785901733300
Returnability	Yes
Country of origin	MX

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Packing Units

---

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.500 in (3.810 cm)
Package 1 Width	3.100 in (7.874 cm)
Package 1 Length	4.600 in (11.684 cm)
Package weight(Lbs)	3.200 oz (90.718 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	5.700 in (14.478 cm)
Package 2 Width	6.800 in (17.272 cm)
Package 2 Length	8.000 in (20.320 cm)
Package 2 Weight	2.359 lb(US) (1.070 kg)

## Contractual warranty

---

Warranty	18 months
----------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Not compliant
California proposition 65	<b>WARNING:</b> This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

## Use Again

### Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Technical Illustration

**Dimensions**

---