

Product data sheet

Specifications



Harmony, 22mm Push Button, XB4B operators, metal mounting collar for electrical blocks

ZB4BZ009

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Harmony XB4
Accessory / separate part designation	Fixing collar
Accessory / Separate Part Type	Body fixing collar
Accessory / separate part category	Mounting and fixing accessories
Material	Metal
Head type	Standard
Accessory / separate part destination	Electrical block
Device presentation	Basic element

Complementary

Quantity per Set	Set of 10
Net Weight	0.013 lb(US) (0.006 kg)

Ordering and shipping details

Category	US10CS222469
Discount Schedule	0CS2
GTIN	3389110102024
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.984 in (2.500 cm)
Package 1 Width	1.260 in (3.200 cm)
Package 1 Length	1.890 in (4.800 cm)
Package weight(Lbs)	1.340 oz (38.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	3.543 in (9.000 cm)
Package 2 Width	2.756 in (7.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 2 Length	2.756 in (7.000 cm)
Package 2 Weight	13.968 oz (396.000 g)
Unit Type of Package 3	S02
Number of Units in Package 3	150
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	13.832 lb(US) (6.274 kg)

Contractual warranty

Warranty 18 months



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO₂ eq, Total Life cycle) **1**

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **Yes**

[EU RoHS Directive](#) **Pro-active compliance (Product out of EU RoHS legal scope)**

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING: This product can expose you to chemicals including: Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](#)**

Use Again

Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back **No**

Offer Marketing Illustration

Product benefits / Features

Technical Benefits

Harmony XB4

Conformity with IEC, UL, CSA, CCC EAC, and JIS standards, as well as CE marking and marine approvals

Up to IP66, 67, 69, 69K, and type 4X protection ratings

High vibration resistance with shake-proof terminal screws

Operating temperature from -40°C to 70°C

Shock protection level up to IK06

Secure switching of inductive or heavy DC loads directly – 100 000 operations at 10A, 24V dc

Offer Marketing Illustration

Product benefits / Features




Image of product / Alternate images

Alternative



