


## Catalog Number • Numéro de Catalogue • Número de Catálogo: RT-200

Country of Origin: Made in China • Pays d'origine: Fabriqué en Chine • País de origen: Hecho en China



## SPECIFICATIONS

|                             |                                                                                            |
|-----------------------------|--------------------------------------------------------------------------------------------|
| Voltage .....               | 120/277VAC, 50/60Hz                                                                        |
| Load (Single Pole).....     | 0-800W tungsten or ballast, 1/6HP                                                          |
| Environment .....           | Indoor Use Only                                                                            |
| Operating Temperature ..... | 32° to 122° F (0° to 50° C)                                                                |
| Humidity .....              | 95% RH, non-condensing                                                                     |
| Countdown Options.....      | none, 5 min, 10 min, 15 min, 30 min,<br>.....1 hr, 2 hr (default), 3hr, 4 hr, 5 hr, or 6hr |
| Tools Needed                |                                                                                            |
|                             | Insulated Screwdriver                                                                      |
|                             | Wire Strippers                                                                             |

## DESCRIPTION AND OPERATION

The RT-200 is an astronomic time clock and timer switch that controls the connected light or fan either manually or through user programmed times.

Upon installation the user enters the correct longitude/latitude coordinates, date, and local time. This ensures that once the schedules are programmed, the load turns ON/OFF at the correct local times. The button switch is a customizable manual override feature with a default countdown of 2 hours.

### Lighted Switch

To help locate the switch button in a dark room, an amber LED illuminates the ON/OFF button while the controlled load is OFF. When the load is ON, the LED is OFF.



### WARNING



**DISCONNECT POWER AT THE CIRCUIT BREAKER BEFORE INSTALLING THIS PRODUCT.**  
**ONLY CONNECT THE RT-200 TO A SINGLE POLE CIRCUIT. THE RT-200 IS NOT SUITABLE FOR 3-WAY SWITCHING.**  
**IF THE EXISTING WIRING DOES NOT MATCH THE DESCRIPTION FOR A SINGLE POLE CIRCUIT, YOU SHOULD CONSULT WITH A QUALIFIED ELECTRICIAN.**

## INSTALLATION & WIRING

### 1. Prepare the switch box



After the power is turned OFF at the circuit breaker box, remove the existing wall plate and mounting screws. Pull the old switch from the wall box.

### 2. Identify the type of circuit

In a single pole circuit, two single wires connect to two screws on the existing switch. A ground wire may also be present and connected to a ground terminal on the old switch. A neutral wire should also be present in the wall box.

### 3. Prepare the wires

Tag the wires currently connected to the existing switch, so that they can be identified later. Disconnect the wires. Make sure the insulation is stripped off the wires to expose their copper cores to the length indicated by the "Strip Gauge" (approximately 1/2 inch).



#### 4. Wire the time switch

Twist the existing wires together with the wire leads on the RT-200 as indicated in the table below. Cap them securely using appropriately sized wire nuts.

|                                        |    |                           |
|----------------------------------------|----|---------------------------|
| Power wire from the circuit (hot)      | to | Black wire on RT-200      |
| Power wire from the lamp or fan (load) | to | Red wire on RT-200        |
| Neutral wires from the circuit         | to | White wire on RT-200      |
| Ground wire from the circuit           | to | Ground terminal on RT-200 |

#### 5. Put the RT-200 in the wall box with the display positioned above the ON/OFF button.


Secure it to the wall box with the screws provided.

#### 6. Install cover plates.

Install industry standard decorator wall switch cover plate (not included).


#### 7. Restore power to the circuit.

Turn on the breaker or replace the fuse.




## SETUP

To access the programming buttons, place the tip of a flat head screwdriver behind the lip at the top of the **ON/OFF** button and pull the button toward you. Slide the **ON/OFF** button down over the wallplate.



### Buttons


The three programming buttons are used to set up the astronomic time switch according to the user's preferences and location.




### RT-200 Menu Options

Once in the **SETUP** menu if there is no activity for 10 minutes, the unit automatically exits out to the **MAIN PAGE**.


From the standard display, known as the "**MAIN PAGE**" press and release the **↑** button to enter **SETUP** menu.



Press the **↓** button to move to desired **SETUP** menu option.



When the option that you want to program is highlighted, press the **center** button.



## VIEWING SETTINGS

Once the RT-200 has been completely set up, it is possible to see the various programs without needing to enter the **SETUP** menu. From the **MAIN PAGE** press and hold the **ON/OFF** button. After 5 seconds the display changes to show the sunrise and sunset time. Continue to press and hold the **ON/OFF** button. The display will cycle through the 8 programs. Once the RT-200 has completed this cycle, it will continue to cycle through the programs as long as the button is being pressed.

## MANUAL-ON

When the lights are turned **ON** manually, the word **MANUAL** appears on the bottom left corner of the display (replacing **PROG**). The default manual override time of the switch is 2 hours, and can be programmed to a countdown of NONE, 5, 10, 15 minutes or 1-6 hours. For example, if the countdown timer was scheduled to 2 hours, a load was scheduled to turn OFF at 10:00 PM, and a user turns the load ON at 10:15 PM, the lights will remain ON until 12:15 AM. If the load was scheduled to turn ON at 6:00 AM and the load is manually turned OFF at 9:30 AM, the load will remain OFF until 6:00 AM the following day or until manually turned ON.

When the load is ON the light bulb on the lower right corner of the display on the **MAIN PAGE** will have light beams surrounding it. When the connected load is OFF, the light beams will disappear.

## POWER FAILURE

In the event of a loss of power to the RT-200, the unit will maintain the correct time, location and settings for 72 hours.

## SET TIME AND DATE MENU

Within the **SET TIME AND DATE** menu you will enter the correct time, date and Daylight Savings Time (DST) start and end days. The unit is shipped with the correct DST start and end dates already programmed.

| Setting                                                                   | Steps                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TIME</b>                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Hour                                                                      | <ol style="list-style-type: none"> <li>1. From the <b>SETUP</b> menu highlight <b>SET TIME AND DATE</b> and press the <b>center</b> button. <b>TIME</b> should be highlighted.</li> <li>2. Press the <b>center</b> button to highlight hour.</li> <li>3. Press the ↓ button to decrease the hour or the ↑ button to increase the hour.</li> <li>4. Press the <b>center</b> button to save hour setting and move highlighted cursor to minute.</li> </ol> |
| Minute                                                                    | <ol style="list-style-type: none"> <li>1. Press the ↓ button to decrease the minute or the ↑ button to increase the minute.</li> <li>2. Press the <b>center</b> button to save time setting.</li> </ol>                                                                                                                                                                                                                                                  |
| <b>DATE</b>                                                               | 1. Press the ↓ button to highlight <b>DATE</b> .                                                                                                                                                                                                                                                                                                                                                                                                         |
| Month                                                                     | <ol style="list-style-type: none"> <li>1. Press the <b>center</b> button to highlight month.</li> <li>2. Press the ↓ button to decrease the month or the ↑ button to increase the month.</li> <li>3. Press the <b>center</b> button to save month setting and move highlighted cursor to day.</li> </ol>                                                                                                                                                 |
| Day                                                                       | <ol style="list-style-type: none"> <li>1. Press the ↓ button to decrease the day or the ↑ button to increase the day.</li> <li>2. Press the <b>center</b> button to save day setting and move highlighted cursor to year.</li> </ol>                                                                                                                                                                                                                     |
| Year                                                                      | <ol style="list-style-type: none"> <li>1. Press the ↓ button to decrease the year or the ↑ button to increase the year.</li> <li>2. Press the <b>center</b> button to save year setting.</li> </ol>                                                                                                                                                                                                                                                      |
| <b>DST (DAYLIGHT SAVINGS TIME)</b>                                        | <p>Factory Default Setting: <b>DST ENABLED</b> (The unit will automatically adjust for Daylight Savings Time).</p> <p>Press the ↓ button to highlight <b>DST</b></p>                                                                                                                                                                                                                                                                                     |
| DST When enabled, DST appears in the upper right corner of the MAIN PAGE. | <ol style="list-style-type: none"> <li>1. Press the <b>center</b> button to highlight <b>ENABLED</b>.</li> <li>2. Press the ↑ button to switch between <b>ENABLED</b> and <b>DISABLED</b>.</li> <li>3. Press the <b>center</b> button to save <b>DST</b> setting.</li> </ol>                                                                                                                                                                             |
| Start - Week (Input week when DST starts)                                 | <ol style="list-style-type: none"> <li>1. Press the ↓ button to highlight <b>START</b>. Press the <b>center</b> button to highlight 1st.</li> <li>2. Press the ↓ button to decrease the week of the month or the ↑ button to increase the week of the month.</li> <li>3. Press the <b>center</b> button to save the week and move highlighted cursor to the month.</li> </ol>                                                                            |
| Start - Month (Input month when DST starts)                               | <ol style="list-style-type: none"> <li>1. Press the ↓ button to decrease the start month or the ↑ button to increase the start month.</li> <li>2. Press the <b>center</b> button to save month.</li> </ol>                                                                                                                                                                                                                                               |
| End - Week                                                                | <ol style="list-style-type: none"> <li>1. Press the ↓ to highlight End.</li> <li>2. Follow same steps for Start - Week.</li> </ol>                                                                                                                                                                                                                                                                                                                       |
| End - Month                                                               | Follow same steps for Start - Month.                                                                                                                                                                                                                                                                                                                                                                                                                     |

To exit **SET TIME AND DATE** menu, press the ↓ button to highlight **PREVIOUS** menu. Press the **center** button to select and return to the **SETUP** menu.

## LOCATION MENU

Within the **LOCATION** menu you will be required to enter the local longitude/latitude coordinates and time zone. If you do not know this information, we have included a list of the major US cities on page 5. You can also find latitude and longitude lookup tools on the internet. One example is [www.latlong.net](http://www.latlong.net).

| Setting          | Steps                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TIME ZONE</b> | <ol style="list-style-type: none"> <li>1. From the <b>SETUP</b> menu highlight <b>LOCATION</b> and press the <b>center</b> button. <b>TIME ZONE</b> should be highlighted.</li> <li>2. Press the <b>center</b> button to select the time zone.</li> <li>3. Press the ↓ button to decrease the time zone or the ↑ button to increase the time zone.</li> <li>4. Press the <b>center</b> button to save time zone setting.</li> </ol> |
| <b>LONGITUDE</b> | <ol style="list-style-type: none"> <li>1. Press the ↓ button to highlight <b>LONGITUDE</b>.</li> <li>2. Press the <b>center</b> button to select the longitude</li> <li>3. Press the ↓ button to decrease the longitude or the ↑ button to longitude the time zone.</li> <li>4. Press the <b>center</b> button to save longitude setting.</li> </ol>                                                                                |
| <b>LATITUDE</b>  | <ol style="list-style-type: none"> <li>1. Press the ↓ button to highlight <b>LATITUDE</b>.</li> <li>2. Press the <b>center</b> button to select the latitude.</li> <li>3. Press the ↓ button to decrease the latitude or the ↑ button to latitude the time zone.</li> <li>4. Press the <b>center</b> button to save latitude setting.</li> </ol>                                                                                    |

To exit the **LOCATION** menu, press the ↓ button to highlight **PREVIOUS MENU**. Press the **center** button to select and return to the **SETUP** menu. Once the location information is entered, return to the **MAIN PAGE** and press the left button. This will display the sunrise and sunset times. Use this as a check to validate that the location information has been entered in correctly.

## COVER PLATES

Wattstopper RT wall switches fit behind industry standard decorator style switch cover plates.

## TROUBLESHOOTING

Lighted switch is **OFF**, no load response to **ON/OFF** button press:

- Make certain that the circuit breaker is on and functioning.

Lighted switch is **ON**, no load response to **ON/OFF** button press:

- Check the light bulb and/or motor switch on the fan mechanism.

**NOTE:** If load does not respond properly after following troubleshooting, turn OFF power to the circuit then check wire connections or call technical support.

## PREFERENCES

The **PREFERENCES** menu allows the user to customize the unit's features including the time/date format, sound and flash.

- **Time format** – choose between a 12-hour or 24-hour format
- **Date format** – choose between **MM/DD/YY** or **DD-MM-YY**
- **Sound** – When **SOUND** is enabled the RT-200 will beep every 5 seconds when the load is going to be turned OFF in less than a minute. It will also beep each time the user presses the ↑, the **center**, or the ↓ button. A small ear icon will appear on the **MAIN PAGE** when sound is enabled.
- **Flash** – When **FLASH** is enabled the RT-200 turns OFF the load for 1 second and then turns it back ON to warn the user that the load is turning OFF in 1 minute. When flash is enabled, a lightening bolt icon will appear on the **MAIN PAGE**.
- **Countdown** – When **COUNTDOWN** is enabled, the manual override to turn a load ON times out. Default countdown of manual override is 2 hours, but this can be adjusted or disabled. Available values: None, 5 min, 10 min, 15 min, 30 min, 1 hr, 2 hr, 3hr, 4 hr, 5 hr, or 6 hr.

| Setting                                                                                             | Steps                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TIME FORMAT</b>                                                                                  | <ol style="list-style-type: none"> <li>1. From the <b>SETUP</b> menu highlight <b>PREFERENCES</b> and press the <b>center</b> button. <b>TIME FMT</b> should be highlighted.</li> <li>2. Press the <b>center</b> button to select time format.</li> <li>3. Press the ↑ button to change format.</li> <li>4. Press the <b>center</b> button to save time format setting and to move highlighted cursor back to <b>TIME FMT</b>.</li> </ol> |
| <b>DATE FORMAT</b>                                                                                  | <ol style="list-style-type: none"> <li>1. Press the ↓ button to highlight <b>DATE FMT</b>. Press the <b>center</b> button to select date format.</li> <li>2. Press the ↑ button to change format.</li> <li>3. Press the <b>center</b> button to save date format.</li> </ol>                                                                                                                                                              |
| <b>SOUND</b><br> | <ol style="list-style-type: none"> <li>1. Press the ↓ button to highlight <b>SOUND</b>. Press the <b>center</b> button to select the sound setting.</li> <li>2. Press the ↑ button to enable or disable sound.</li> <li>3. Press the <b>center</b> button to save setting.</li> </ol>                                                                                                                                                     |
| <b>FLASH</b><br> | <ol style="list-style-type: none"> <li>1. Press the ↓ button to highlight <b>FLASH</b>. Press the <b>center</b> button to select the flash setting.</li> <li>2. Press the ↑ button to enable or disable flash.</li> <li>3. Press the <b>center</b> button to save setting.</li> </ol>                                                                                                                                                     |
| <b>COUNTDOWN</b>                                                                                    | <ol style="list-style-type: none"> <li>1. Press the ↓ button to highlight <b>COUNTDOWN</b>. Press the <b>center</b> button to select the countdown setting.</li> <li>2. Press the ↑ button or ↓ button to select the countdown time.</li> <li>3. Press the <b>center</b> button to save setting.</li> </ol>                                                                                                                               |

To exit the **PREFERENCES** menu, press the ↓ button to highlight **PREVIOUS MENU**. Press the **center** button to select and return to the **SETUP** menu.

## SCHEDULING

The RT-200 has 8 programs allowing the user flexibility in setting schedules to turn the connected load ON/OFF.

| Setting                                                                               | Steps                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PROGRAM</b>                                                                        | <p>From the <b>SETUP</b> menu highlight <b>SCHEDULING</b> and press the <b>center</b> button. <b>PROGRAM</b> should be highlighted.</p> <p>Press the <b>center</b> button to select program #.</p> <p>Press the ↓ button to decrease the program and the ↑ button to increase the program #.</p> <p>Press the <b>center</b> button to save the program #.</p>                                                                                                                                                                                                                                                                                                           |
| Day(s) - Set the days of the week the lights will turn ON for that particular program | <p>Press the ↓ button to highlight <b>DAY(s)</b>.</p> <p>Press the <b>center</b> button to select the days when the program will operate.</p> <p>Press the ↑ to choose the day(s); choices include:</p> <p>None (program is not in use).</p> <p>All (program turns ON the connected load every day).</p> <p>Mon – Fri (program turns ON the connected load Monday through Friday).</p> <p>Weekends (program turns ON the connected load Saturday and Sunday).</p> <p>Each individual day of the week (choose the day of the week that the connected load should turn ON).</p> <p>Press the <b>center</b> button to save setting.</p>                                    |
| ON – Program the time the connected load turns ON                                     | <p>Press the ↓ button to highlight ON. Press the <b>center</b> button to select what time the load will turn on.</p> <p>Press the ↑ to set the ON time; choices include:</p> <p>TIME (program a specific time to turn ON the load).</p> <p>DUSK (program up to 99 minutes before or after dusk for the load to turn ON. Note: this is one of the reasons that it is important that the correct time zone, longitude/latitude coordinates are entered so that the time switch can determine when dawn and dusk will take place).</p> <p>DAWN (program up to 99 minutes before or after dawn for the load to turn ON.</p> <p>Press the center button to save setting.</p> |
| OFF – Program the time the connected load turns OFF                                   | <p>Press the ↓ button to highlight OFF. Press the <b>center</b> button to select what time the load will turn OFF.</p> <p>Press the ↑ to set the OFF time; choices are the same as for the ON time.</p> <p>Press the <b>center</b> button to save setting.</p>                                                                                                                                                                                                                                                                                                                                                                                                          |

Follow the same steps to set Programs 1-8.

**NOTE:** For holidays, set a schedule for each individual day of week, and then change day to "None" for holiday shutoff.

To exit the **SCHEDULING** menu, press the ↓ button to highlight **PREVIOUS** menu. Then press the **center** button to select and return to the **SETUP** menu.

## HOLIDAY OFF

The HOLIDAY OFF menu allows the user to set specific dates and duration that loads will be turned Off, There are 16 memory settings, allowing for programming of up to 16 different holidays.


- **Holiday**– Value of 1 through 16.
- **Status**– choose between DISABLED or ENABLED
- **Start Date**– Set the date to begin the HOLIDAY OFF function.
- **Duration** – The number of days the Holiday Off function will be active. Values of 1 through 99, default setting is 1.

| Setting           | Steps                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>HOLIDAY</b>    | <ol style="list-style-type: none"> <li>1. From the <b>SETUP</b> menu highlight <b>HOLIDAY OFF</b> and press the <b>center</b> button. <b>HOLIDAY</b> should be highlighted.</li> <li>2. Press the <b>center</b> button to select the program#.</li> <li>3. Press the ↑ or ↓ buttons to increase the program #.</li> <li>4. Press the <b>center</b> button to set the selected program # as the one being edited.</li> </ol>         |
| <b>STATUS</b>     | <ol style="list-style-type: none"> <li>1. Press the ↓ button to highlight <b>STATUS</b>. Press the <b>center</b> button to select date format.</li> <li>2. Press the ↑ button to enable or disable the status.</li> <li>3. Press the <b>center</b> button to save the status.</li> </ol>                                                                                                                                            |
| <b>START DATE</b> | <ol style="list-style-type: none"> <li>1. Press the ↓ button to highlight <b>START DATE</b>. Press the <b>center</b> button to select the days, months, and years.</li> <li>2. Press the ↑ or ↓ buttons to increase or decrease the months, days, or years value.</li> <li>3. Press the <b>center</b> button to save the date.</li> </ol>                                                                                           |
| <b>DURATION</b>   | <ol style="list-style-type: none"> <li>1. Press the ↓ button to highlight <b>DURATION</b>. Press the <b>center</b> button to select number of days the load will turn OFF beginning when <b>START DATE</b> occurs (provided the <b>STATUS</b> is enabled).</li> <li>2. Press the ↑ or ↓ buttons to enable or increase or decrease the <b>DURATION</b> value.</li> <li>3. Press the <b>center</b> button to save setting.</li> </ol> |

To exit the **PREFERENCES** menu, press the ↓ button to highlight **PREVIOUS MENU**. Press the **center** button to select and return to the **SETUP** menu.

## PRODUCT RESET

The RT-200 has a reset button located under the ON/OFF button. If the unit has lost power for an extended period of time (more than 72 hours) and the unit appears to be functioning abnormally (the display is not on or lights are not turning ON/OFF according to the appropriate schedule), it may be necessary to reset the unit. Press and release the reset button. The display will reset so that the Legrand logo appears as it does upon initial power up. At this point, the user will be able to set the date, time and location and reset the programs.



## TOP MAJOR US CITY LOCATIONS

| CITY, STATE          | GMT | LAT | LONG | CITY, STATE        | GMT | LAT | LONG |
|----------------------|-----|-----|------|--------------------|-----|-----|------|
| Albuquerque, NM      | -7  | 35  | -107 | Memphis, TN        | -6  | 35  | -90  |
| Arlington, TX        | -6  | 32  | -97  | Mesa, AZ           | -7  | 33  | -111 |
| Atlanta, GA          | -5  | 34  | -84  | Miami, FL          | -5  | 26  | -80  |
| Austin, TX           | -6  | 30  | -98  | Milwaukee, WI      | -6  | 43  | -88  |
| Baltimore, MD        | -5  | 39  | -77  | Minneapolis, MN    | -6  | 45  | -94  |
| Boston, MA           | -5  | 42  | -71  | Nashville, TN      | -6  | 36  | -87  |
| Charlotte, NC        | -5  | 35  | -81  | New Orleans, LA    | -6  | 30  | -90  |
| Chicago, IL          | -6  | 42  | -88  | New York, NY       | -5  | 41  | -74  |
| Cleveland, OH        | -5  | 41  | -82  | Oakland, CA        | -8  | 38  | -122 |
| Colorado Springs, CO | -7  | 38  | -104 | Oklahoma City, OK  | -6  | 35  | -98  |
| Columbus, OH         | -5  | 40  | -83  | Omaha, NE          | -6  | 41  | -96  |
| Dallas, TX           | -6  | 33  | -97  | Philadelphia, PA   | -5  | 40  | -75  |
| Denver, CO           | -7  | 40  | -105 | Phoenix, AZ        | -7  | 33  | -112 |
| Detroit, MI          | -5  | 42  | -83  | Portland, OR       | -8  | 46  | -123 |
| El Paso, TX          | -7  | 32  | -106 | Raleigh, NC        | -5  | 36  | -79  |
| Fort Worth, TX       | -6  | 33  | -97  | Sacramento, CA     | -8  | 39  | -121 |
| Fresno, CA           | -8  | 37  | -120 | Salt Lake City, UT | -7  | 41  | -112 |
| Honolulu, HI         | -10 | 21  | -158 | San Antonio, TX    | -6  | 30  | -98  |
| Houston, TX          | -6  | 30  | -95  | San Diego, CA      | -8  | 33  | -117 |
| Indianapolis, IN     | -5  | 40  | -86  | San Francisco, CA  | -8  | 38  | -122 |
| Jacksonville, FL     | -5  | 30  | -82  | San Jose, CA       | -8  | 37  | -122 |
| Kansas City, MO      | -6  | 39  | -95  | Seattle, WA        | -8  | 47  | -122 |
| Las Vegas, NV        | -8  | 36  | -115 | Tucson, AZ         | -7  | 32  | -111 |
| Long Beach, CA       | -8  | 34  | -118 | Tulsa, OK          | -6  | 36  | -96  |
| Louisville, KY       | -5  | 38  | -86  | Virginia Beach, VA | -5  | 36  | -75  |
| Los Angeles, CA      | -8  | 34  | -118 | Washington, DC     | -5  | 39  | -77  |



## NAVIGATION, USER OPTIONS & PROGRAMMING

### RT-200 Menu Options


When first powered up, the Legrand logo appears.

Standard display, aka: **MAIN PAGE** when the RT-200 is powered and running:

Press and hold the ↓ button to see sunset, sunrise, software version and date:

From the **MAIN PAGE**, press and release the ↑ button to enter **SETUP** menu.

Press the ↓ button to move to desired **SETUP** function.



**NOTE:** Once in **SETUP** menu, the ↓ button moves to the previous menu or decreases the value, the ↑ button moves to next menu or increases the value. The **center** button confirms the selected variable.

### SET TIME AND DATE

#### Setting the TIME

Press the **center** button to highlight **TIME**.


Press the **center** button to highlight the hour.

Press the ↓ or the ↑ button to decrease or increase the hour.

Once the hour is set, press the **center** button to highlight minutes.

Press the ↓ or the ↑ button to decrease or increase the minutes.

Once time format is set, press the **center** button to save the setting.



#### Setting the DATE

Press the ↓ button to highlight **DATE**.


Press the **center** button to highlight the month.

Press the ↓ or the ↑ button to change the month.

Press the **center** button to move to day.

Press the ↓ or the ↑ button to change the day.

Press the **center** button to move to year.



#### Setting the DST (Daylight Savings Time)

Enter the DST start and end days.


**NOTE:** The unit is shipped with the correct DST start and end dates already programmed.

Press the ↓ button to move to highlight **DST**.

Press the **center** button to highlight **ENABLED**.

Press the ↓ or the ↑ button to choose **ENABLED** or **DISABLED**.

Once **DST** is enabled or disabled, press the **center** button to save the setting.



## Setting the DST START DATE

Press the ↓ button to move to highlight **START**.



Press the **center** button to move to Week in the month.



Press the ↓ or the ↑ button to choose the week.




Once the week is selected, Press the **center** button to highlight month.



Press the ↓ or the ↑ button to choose the month.



Once the month is set, press the **center** button to save the setting.



## Setting the DST END DATE

Repeat the same process as setting the DST start date for setting the DST end date. Once the DST end date is set, press the ↓ button to highlight **PREVIOUS** menu. Press **center** button to return to the **SETUP** menu.

## Location

Within the **LOCATION** menu you will be required to enter the local longitude/latitude coordinates and time zone. See pages 4 and 5 for details on finding latitude and longitude.

### Setting the TIME ZONE


Press the ↓ button to highlight **LOCATION**.




Press the **center** button to highlight **TIME ZONE**.




Press the **center** button to highlight time zone values.



Press the ↓ or the ↑ button to decrease or increase the value.




Once time zone is set, press the **center** button to save the setting.




### Setting the LONGITUDE


Press the ↓ button to highlight **LONGITUDE**.




Press the **center** button to highlight Longitude values.



Press the ↓ or the ↑ button to decrease or increase the value.



Once Longitude is set, press the **center** button to save the setting.




### Setting the LATITUDE


Press the ↓ button to highlight **LATITUDE**.



Press the **center** button to highlight Latitude values.




Press the ↓ or the ↑ button to decrease or increase the value.



Once Latitude is set, press the **center** button to save the setting.



Press the ↓ button to highlight **PREVIOUS** menu.




Once **PREVIOUS** menu is highlighted press the **center** button to return to **SETUP** menu.




## Preferences

### Setting the TIME FORMAT


Press the ↓ button to highlight **PREFERENCES**.




Press the **center** button to highlight **TIME FMT**.




Press the **center** button to highlight the time setting.



Press the ↓ or the ↑ button to switch between 12 hours and 24 hours.



Once time format is set, press the **center** button to save the setting.



## Setting the DATE FORMAT

Press the **↓** button to highlight **DATE FMT.**

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



Press the **center** button to highlight date setting.

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



Press the **↓** or the **↑** button to choose the date setting. (MM/DD/YY or DD/MM/YY)

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



Once date format is set, press the **center** button to save the setting.

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



## Setting the SOUND

Press the **↓** button to highlight **SOUND.**

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



Press the **center** button to highlight **ENABLED.**

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



Press the **↓** or the **↑** button to choose **ENABLED** or **DISABLED.**

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: DISABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



Once sound preference is set, press the **center** button to save the setting.

LOCATION  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: DISABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



## Setting the FLASH

Press the **↓** button to highlight **FLASH.**

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



Press the **center** button to highlight **DISABLED.**

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



Press the **↓** or the **↑** button to choose **ENABLED** or **DISABLED.**

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: DISABLED  
FLASH: ENABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



Once flash preference is set, press the **center** button to save the setting.

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: DISABLED  
FLASH: ENABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



## Setting the COUNTDOWN

Press the **↓** button to highlight **COUNTDOWN.**

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



Press the **center** button to highlight **2 HOURS.**

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 2 HOURS  
PREVIOUS MENU



Press the **↓** or the **↑** button to choose a countdown value.

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: DISABLED  
FLASH: ENABLED  
COUNTDOWN: 15 Min  
PREVIOUS MENU



Once countdown value is set, press the **center** button to save the setting.

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 15 Min  
PREVIOUS MENU



Press the **↓** button to highlight **PREVIOUS MENU.**

PREFERENCES  
TIME FMT: 24 HOURS  
DATE FMT: MM/DD/YY  
SOUND: ENABLED  
FLASH: DISABLED  
COUNTDOWN: 15 Min  
PREVIOUS MENU



Once **PREVIOUS MENU** is highlighted press the **center** button to return to **SETUP** menu.

SETUP  
SET TIME AND DATE  
LOCATION  
PREFERENCES  
SCHEDULING  
HOLIDAY OFF  
MAIN PAGE



## Schedule

### Setting the PROGRAM

There are 8 different programs that can be set.

Press the **↓** button to highlight **SCHEDULING.**

SETUP  
SET TIME AND DATE  
LOCATION  
PREFERENCES  
SCHEDULING  
HOLIDAY OFF  
MAIN PAGE



Press the **center** button to enter the **PROGRAM** menu.

SCHEDULING  
PROGRAM: #1  
DAY(s): None  
ON: DUSK OFF: DUSK  
+00 Min +00 Min  
PREVIOUS MENU



Press the **center** button to highlight the program #.

SCHEDULING  
PROGRAM: #1  
DAY(s): None  
ON: DUSK OFF: DUSK  
+00 Min +00 Min  
PREVIOUS MENU



Press the **↓** or the **↑** button to decrease or increase program #.

SCHEDULING  
PROGRAM: #2  
DAY(s): None  
ON: DUSK OFF: DUSK  
+00 Min +00 Min  
PREVIOUS MENU



Once the program is set, press the **center** button to save and edit the program.

SCHEDULING  
PROGRAM: #2  
DAY(s): None  
ON: DUSK OFF: DUSK  
+00 Min +00 Min  
PREVIOUS MENU



### Setting the DAY(s)

This refers to the days of the week when the program will be initiated.

Options include:

None, All, Mon – Fri, Weekends, Sun, Mon, Tue, Wed, Thu, Fri, Sat.

Press the **↓** button to highlight **DAY(s)**

SCHEDULING  
PROGRAM: #2  
DAY(s): None  
ON: DUSK OFF: DUSK  
+00 Min +00 Min  
PREVIOUS MENU



Press the **center** button to highlight the day(s) options.

SCHEDULING  
PROGRAM: #2  
DAY(s): None  
ON: DUSK OFF: DUSK  
+00 Min +00 Min  
PREVIOUS MENU



Press the **↓** or the **↑** button to choose the day(s) options.

SCHEDULING  
PROGRAM: #2  
DAY(s): Mon - Fri  
ON: DUSK OFF: DUSK  
+00 Min +00 Min  
PREVIOUS MENU



Press **center** button to save the setting.


SCHEDULING  
PROGRAM: #2  
DAY(s): Mon - Fri  
ON: DUSK OFF: DUSK  
+00 Min +00 Min  
PREVIOUS MENU





## Setting ON/OFF

This sets when the program will come on. The options for this setting are **DUSK**, **DAWN**, or **TIME**. The **DAWN** or **DUSK** option will program the number of minutes before or after dawn or dusk that program should take effect. Dusk and Dawn are based on the **Longitude** and **Latitude** settings. If you choose Time, then the time parameters are enabled.



## To set the time:

Press the **center** button to highlight the hour.


Press the ↓ or the ↑ button to decrease or increase the hour

Press the **center** button to move to the minutes.

Press the ↓ or the ↑ button to decrease or increase the minutes

Once the time is set, press the **center** button to save the setting.

Press the ↓ button to move to **OFF**.



Follow the same steps for setting the **OFF** options as you did for setting the **ON** options. The same process is used for setting the **DAWN** and **DUSK** options that was used for setting the **TIME** option. Once the DST end date is set, press the ↓ button to highlight **PREVIOUS** menu. Press **center** button to return to the **SETUP** menu.

## Holiday Off

### Setting the HOLIDAY

There are 16 different memory locations for specifying holidays in which the loads will be turned Off.


Press the ↓ button to highlight **HOLIDAY OFF**.

Press the **center** button to enter the **HOLIDAY** menu.

Press the **center** button to highlight the holiday #.

Press the ↓ or the ↑ button to decrease or increase holiday #.

Once the program is set, press the **center** button to save and edit the holiday.



### Setting the STATUS


Each Holiday location can be enabled or disabled. If disabled, the memory location will retain the Date and duration settings but will not turn off the loads.

Press the ↓ button to highlight **STATUS**

Press the **center** button to highlight the status options.

Press the ↓ or the ↑ button to choose the status options.

Press **center** button to save the setting.



### Setting the START DATE

Press the ↓ button to highlight **STARTDATE**.


Press the **center** button to highlight the month.

Press the ↓ or the ↑ button to change the month.

Press the **center** button to move to day.


Press the ↓ or the ↑ button to change the day.

Press the **center** button to move to year.




Press the ↓ or the ↑ button to change the year.

Once the **STARTDATE** values are set, press the **center** button to save the setting.




**Setting the DURATION**

Select the number of days the holiday will last.



**Navigating Back to the MAIN PAGE**



| WARRANTY INFORMATION                                                                                                                                                                                                                                                                                                                                                                                                               | INFORMATIONS RELATIVES À LA GARANTIE                                                                                                                                                                                                                                                                                                                                                                                          | INFORMACIÓN DE LA GARANTÍA                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Wattstopper warrants its products to be free of defects in materials and workmanship for a period of five (5) years. There are no obligations or liabilities on the part of Wattstopper for consequential damages arising out of, or in connection with, the use or performance of this product or other indirect damages with respect to loss of property, revenue or profit, or cost of removal, installation or reinstallation. | Wattstopper garantit que ses produits sont exempts de défauts de matériaux et de fabrication pour une période de cinq (5) ans. Wattstopper ne peut être tenu responsable de tout dommage consécutif causé par ou lié à l'utilisation ou à la performance de ce produit ou tout autre dommage indirect lié à la perte de propriété, de revenus, ou de profits, ou aux coûts d'enlèvement, d'installation ou de réinstallation. | Wattstopper garantiza que sus productos están libres de defectos en materiales y mano de obra por un período de cinco (5) años. No existen obligaciones ni responsabilidades por parte de Wattstopper por daños consecuentes que se deriven o estén relacionados con el uso o el rendimiento de este producto u otros daños indirectos con respecto a la pérdida de propiedad, renta o ganancias, o al costo de extracción, instalación o reinstalación. |