

Eaton XDT3B75

Catalog Number: XDT3B75

Eaton Crouse-Hinds series XDT dry-type transformer, 60 Hz, 75 kVA, Painted steel, Three-phase, 480 Vac, 208Y/120 Vac, Copper windings, Resin encapsulated

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series XDT dry-type transformer	XDT3B75
	UPC
	662276445291
Product Length/Depth	Product Height
30.28 in	32.06 in
Product Width	Product Weight
15.67 in	1460 lb



Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

NEMA Rating

3R

Product specifications

Type

Resin encapsulated

Phase

Three-phase

Primary voltage

480 Vac

Secondary Voltage

208Y/120 Vac

Frequency rating

60 Hz

Material

Painted steel

Special features

Copper windings

Resources

3D models

[SP3D Design Package - XDT and XTT Hazardous Area Transformers](#)

Catalogs

[XDT and XTT Hazardous Area Transformers catalog page](#)

Certification reports

[XDT and XTT Hazardous Area Transformers Canadian certification](#)

[XDT and XTT Hazardous Area Transformers UL certification](#)

Installation instructions

[XDT and XTT Hazardous Area Transformers Flyer](#)

[IF XDT - XDT Series Hazardous Area Transformers](#)

Specifications and datasheets

[Eaton Specification Sheet - XDT3B75](#)

[XDT Hazardous Area Transformers](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)