

Product data sheet

Specifications

SQUARE D



Panelboard enclosure box, NQ/
NF, Type 3R/5/12, 20in W x 62in H
x 6.5in D

MH62WP

Product availability: Stock - Normally stocked in distribution facility

Main

Product Enclosure

Complementary

Material	Steel
Height	62 in (1574.8 mm)
Width	20 in (508 mm)
Depth	6.5 in (165.1 mm)
Device mounting	Surface
Tightening torque	3 N.m

Environment

Enclosure Rating	NEMA 3R/5/12
Product Certifications	cULus

Ordering and shipping details

Category	US1PE1A00110
Discount Schedule	PE1A
GTIN	785901798187
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.80 in (17.272 cm)
Package 1 Width	21.00 in (53.340 cm)
Package 1 Length	63.60 in (161.544 cm)
Package weight(Lbs)	106.0005 lb(US) (48.081 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	8
Package 2 Height	40.00 in (101.600 cm)
Package 2 Width	42.00 in (106.680 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 2 Length 72.00 in (182.880 cm)

Package 2 Weight 848.000 lb(US) (384.646 kg)

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	435
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov


Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

Dimensions Drawings

Approximate Dimensions



CATALOG NUMBER	BOX HEIGHT		MOUNTING INTERIOR HEIGHT	
	H		A	
	IN	MM	IN	MM
MH26WP	26.00	660	21.00	533
MH32WP	32.00	813	27.00	686
MH38WP	38.00	965	33.00	838
MH44WP	44.00	1118	39.00	991
MH50WP	50.00	1270	45.00	1143
MH56WP	56.00	1422	51.00	1295
MH62WP	62.00	1575	57.00	1448
MH68WP	68.00	1727	63.00	1600
MH74WP	74.00	1880	69.00	1753
MH80WP	80.00	2032	75.00	1905
MH86WP	86.00	2184	81.00	2057

NOTE: FOR "X" DIMENSION,
SUBTRACT 6.60/[168] FROM THE BOX HEIGHT.

Typical Mounting of QO/QOB Circuit Breakers

Technical Illustration

Dimensions

