

Product data sheet

Specifications

SQUARE D



Circuit breaker accessory, PowerPact H/J/L, shunt trip, 24VDC

S29390

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	PowerPact H PowerPact J PowerPact L
Product or Component Type	Shunt trip

Complementary

Rated voltage	24 V DC
Tightening torque	12.4 lbf.in (1.4 N.m) 0.001...0.004 in ² (0.82...2.5 mm ²) (AWG 18...AWG 14)

Environment

Product Certifications	CSA UL Listed
------------------------	------------------

Ordering and shipping details

Category	US10DE201103
Discount Schedule	0DE2
GTIN	785901627579
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.600 in (11.684 cm)
Package 1 Width	2.000 in (5.080 cm)
Package 1 Length	5.900 in (14.986 cm)
Package weight(Lbs)	5.120 oz (145.149 g)
Unit Type of Package 2	PAL
Number of Units in Package 2	50
Package 2 Height	10.500 in (26.670 cm)
Package 2 Width	14.300 in (36.322 cm)
Package 2 Length	24.000 in (60.960 cm)
Package 2 Weight	17.899 lb(US) (8.119 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Contractual warranty

Warranty

18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration
California proposition 65	<p>WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov</p>

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE Label	<p> The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.</p>