

# Specifications



Photo is representative

## Eaton TMCX075 2 L

Eaton Crouse-Hinds series Terminator II TMCX cable gland, Liquid compound, Cable Range: 0.65-1.18", Cable Sealing: 2 (M), Metal-clad corrugated armoured, TECK armoured, armoured barrier and tray cable, Armoured gland, Aluminum, 3/4" NPT

### General specifications

|                             |  |
|-----------------------------|--|
| <b>PRODUCT NAME</b>         | Eaton Crouse-Hinds series Terminator II TMCX cable gland |
| <b>CATALOG NUMBER</b>       | TMCX075 2 L  |
| <b>UPC</b>                  | 662276303478   |
| <b>PRODUCT LENGTH/DEPTH</b> | 4.18 in  |
| <b>PRODUCT HEIGHT</b>       | 2.25 in  |
| <b>PRODUCT WIDTH</b>        | 2.25 in  |
| <b>PRODUCT WEIGHT</b>       | 0.95 lb  |
| <b>PRODUCT TYPE</b>         | Cable gland  |



Powering Business Worldwide

## Certifications and compliances

|                             |  |
|-----------------------------|--|
| <b>AREA CLASSIFICATION</b>  | Hazardous/Classified Locations                           |
| <b>STANDARDS TYPE</b>       | NEC/CEC  |
| <b>NEC HAZARDOUS RATING</b> | Class I, Division 1<br>Class II, Division 1<br>Class III |
| <b>NEMA RATING</b>          | 6P<br>4X   |

## Product specifications

|                              |   |
|------------------------------|---|
| <b>PROTECTION TYPE</b>       | Explosion-proof   |
| <b>CABLE TYPE</b>            | Tray cable<br>Metal-clad with interlocked or continuously welded corrugated armoured<br>Armoured barrier<br>TECK armoured |
| <b>GLAND TYPE</b>            | Armoured  |
| <b>THREAD SIZE</b>           | 3/4"  |
| <b>THREAD TYPE</b>           | NPT   |
| <b>CABLE SEALING RANGE</b>   | 2 (M)   |
| <b>CABLE RANGE (MIN/MAX)</b> | 0.65-1.18"  |
| <b>MATERIAL</b>              | Aluminum  |
| <b>BARRIER TYPE</b>          | Liquid Compound   |

## Resources

|                                      |   |
|--------------------------------------|---|
| <b>BROCHURES</b>                     | <a href="#">Crouse-Hinds series Chico LiquidSeal flyer</a>  |
|                                      | <a href="#">Crouse-Hinds series TMCX II brochure</a>  |
| <b>CATALOGS</b>                      | <a href="#">Crouse-Hinds series TMCX II catalog page</a>  |
| <b>CERTIFICATION REPORTS</b>         | <a href="#">TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier Gland Canadian certification</a> |
|                                      | <a href="#">TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier Gland UL certification</a>       |
| <b>INSTALLATION INSTRUCTIONS</b>     | <a href="#">IF 1647 - TMCX Terminator II Cable Gland</a>  |
|                                      | <a href="#">IF 1647B - TMCX Terminator II Cable Gland</a>   |
| <b>SPECIFICATIONS AND DATASHEETS</b> | <a href="#">Eaton Specification Sheet - TMCX075 2 L</a>   |

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

