




CATALOG NUMBER	BOTTOM FEED CAT. NO.	BOTTOM FEED CONDUIT SIZES
S1R8PTFIT1	S1R8JNC1	1" & 1-1/2 EMT
S1R8PTFIT2	S1R8JNC2	(2) 1" EMT
S1R8PTFIT3	S1R8JNC3	2" EMT

- NOTES:
- 1) ALL DIMENSIONS ARE IN INCHES AND [MILLIMETERS]
 - 2) ALL DIMENSIONS ARE COMMON TO ALL CATALOG NUMBERS. BOTTOM FEED BOXES VARY AS SPECIFIED.
 3. ALL UNITS ARE SHIPPED WITH JUNCTION BOX SUB-ASSY (S1R8JNCBOX) SHIPPED LOOSELY. SEE M-11989 FOR DIMENSIONS.

LIST OF PARTS		
DESCRIPTION	MATERIAL	FINISH
CAN WELDMENT	STEEL	ZINC PLATE
INSTALLATION PLATE	STEEL	ZINC PLATE
SUB-PLATE MTG. PLATE	STEEL	WHITE PAINT
STANDOFFS	STNLS. STL.	--
FIRE BARRIER, UPPER	FIRE BAR. MATL.	NATURAL
FIRE BARRIER, LOWER	FIRE BAR. MATL.	NATURAL
WASHERS	FIBER	RED
MOUNTING SCREWS	STEEL	ZINC PLATE
DIVIDERS	STEEL	ZINC PLATE
SPACER	FIRE BAR. MATL.	BLACK
TAPE	PLASTIC	YELL./BLK.

4	IN PARTS LIST- FOR STANDOFF "FINISH" -- WAS ZINC PLATE PER DCN 21112. MYA	PJB PJB	4/8/15
3	UPDATED IMAGES DCN20245		12/13/13
2	UPDATED IMAGES DCN18755		4/13/12
1	RELEASED PER DCN18435		12/14/11
SYM	REVISIONS	APP	DATE

THE DESIGN AND DIMENSIONS OF THE PRODUCT SHOWN ON THIS DRAWING ARE SUBJECT TO CHANGE WITHOUT NOTICE

TITLE		SERVICE FITTING, FIRE RATED POKE THROUGH, 8 INCH DIAMETER	
TOLERANCES UNLESS OTHERWISE SPECIFIED		WIRING DEVICE-KELLEMS HUBBELL INCORPORATED SHELTON, CT	
.XX = $\pm .01$		DR. BY SRE	APP. BY
.XXX = $\pm .005$		TR. BY	SCALE 1:2
ANGLES = $\pm 2^\circ$		CHK. BY	DATE 6/10/11

[illegible]

REMOVEABLE
DIVIDER

M-11989	4
---------	---

S1R8JNC1

REMOVEABLE
DIVIDER

S1R8JNC2

$$-2.12 [54.0]$$

Technical drawing of a rectangular plate with a central circular hole. The plate has a width of 6.50 [165, 1] and a height of 3.55 [90, 3]. The hole is centered and has a diameter of 3.00 [75, 1]. The drawing includes dimension lines and numerical values with tolerances.

$$\begin{array}{l} 3.55 \\ [90, 3] \end{array}$$

S1R8JNC3

TRH
4/14/10

4	ADDED SHEET 3 PER DCN20423. MYA	TFH	4/10/14
3	ADDED SHEET 2 PER DCN20218. MYA	DJP	12/2/13
2	ADD DIVIDER PER DCN20013		8/8/13
1	RELEASED PER DCN18435		12/14/1
SYM	REVISIONS	APP	DATE

THE DESIGN AND DIMENSIONS OF THE
PRODUCT SHOWN ON THIS DRAWING ARE
SUBJECT TO CHANGE WITHOUT NOTICE

BOTTOM JUNCTION BOXES,
FIRE RATED POKE THROUGH,
8 INCH DIAMETER


.XX = $\pm .01$
.XXX = $\pm .005$
ANGLES = $\pm 2^\circ$

DR. BY SRE	APP. BY
TR. BY	SCALE 1:2
CHK. BY	DATE 6/10/11

NOTES:

- NOTES:
- 1) ALL DIMENSIONS ARE IN INCHES
AND [MILLIMETERS]
 - 2) ALL DIMENSIONS ARE COMMON TO ALL CATALOG NUMBERS.
BOTTOM FEED BOXES VARY AS SPECIFIED.
 - 3) (2) MOUNTING SCREWS SHIPPED LOOSELY (NOT SHOWN).

CATALOG NUMBER	BOTTOM FEED CONDUIT SIZES
S1R8JNC1	1" & 1-1/2" EMT
S1R8JNC2	(2) 1" EMT
S1R8JNC3	2" EMT

[illegible]

NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES AND [MILLIMETERS]
- 2) ALL DIMENSIONS ARE COMMON TO ALL CATALOG NUMBERS. BOTTOM FEED BOXES VARY AS SPECIFIED.
- 3) (2) MOUNTING SCREWS SHIPPED LOOSELY (NOT SHOWN).

4	ADDED SHEET 3 PER DCN20423. MYA	TFH	4/10/14
3	ADDED SHEET 2 PER DCN20218. MYA	DJP	12/2/13
SYM	REVISIONS	APP	DATE




THE DESIGN AND DIMENSIONS OF THE
PRODUCT SHOWN ON THIS DRAWING ARE
SUBJECT TO CHANGE WITHOUT NOTICE

BOTTOM JUNCTION BOXES,
FIRE RATED POKE THROUGH,
8 INCH DIAMETER

WIRING DEVICE-KELLEMS
HUBBELL INCORPORATED
SHELTON, CT

DR. BY MYA	APP. BY
TR. BY	SCALE 1:2
CHK. BY	DATE 12/2/13

SHEET 2 OF 2



CATALOG NUMBER	BOTTOM FEED CONDUIT SIZES
S1R8JNC7	3/4" & (2) 1" EMT
S1R8JNC8	3/4" & 1-1/4" EMT
S1R8JNC9	3/4" & (2) 1-1/4" EMT

- NOTES:
- 1) ALL DIMENSIONS ARE IN INCHES AND [MILLIMETERS]
 - 2) ALL DIMENSIONS ARE COMMON TO ALL CATALOG NUMBERS. BOTTOM FEED BOXES VARY AS SPECIFIED.
 - 3) (2) MOUNTING SCREWS SHIPPED LOOSELY (NOT SHOWN).

LIST OF PARTS		
DESCRIPTION	MATERIAL	FINISH
BOX WELDMENT	STEEL	ZINC PLATE
EMT TUBE	STEEL	ZINC PLATE
FIRE BARRIER	FIRE BAR. MATL.	NATURAL
MOUNTING SCREWS	STEEL	ZINC PLATE
DIVIDER	GALV. STEEL	

REPAIRABLE ☐ NON-REPAIRABLE ☐

TFH 4/10/14

4	ADDED SHEET 3 PER DCN20423 MYA	TFH	4/10/14
SYM	REVISIONS	APP	DATE


THE DESIGN AND DIMENSIONS OF THE PRODUCT SHOWN ON THIS DRAWING ARE SUBJECT TO CHANGE WITHOUT NOTICE

TITLE
BOTTOM JUNCTION BOXES, FIRE RATED POKE THROUGH, 8 INCH DIAMETER

TOLERANCES UNLESS OTHERWISE SPECIFIED .XX = ±.01 .XXX = ±.005 ANGLES = ±2°	WIRING DEVICE-KELLEMS HUBBELL INCORPORATED SHELTON, CT	
	DR. BY MYA	APP. BY
	TR. BY	SCALE 1:2
	CHK. BY	DATE 4/10/14

M-11914

1



CATALOG NUMBER	FINISH
SIR8CVRBLK	BLACK POWDER COAT PAINT
SIR8CVRNKL	SATIN NICKEL PLATE
SIR8CVRALU	BRUSHED ALUMINUM
SIR8CVRBRZ	BRONZE PLATED
SIR8CVRBRS	BRASS PLATED

NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES AND [MILLIMETERS]
- 2) SUPPLIED WITH (3) MOUNTING SCREWS (NOT SHOWN).

CODE 74545

LIST OF PARTS

DESCRIPTION	MATERIAL	FINISH
FLANGE RING	ALUMINUM	SEE TABLE
MAIN DOOR	ALUMINUM	SEE TABLE
ACCESS DOORS	ALUMINUM	SEE TABLE
HANDLE	ALUMINUM	SEE TABLE
HANDLE BEARING BLOCK	ALUMINUM	SEE TABLE
LINKS	ALUMINUM	SEE TABLE
SLIDERS	ALUMINUM	SEE TABLE
DOOR GASKETS	FOAM RUBBER	BLACK
MOUNTING SCREWS	STEEL	ZINC PLATE
DRIVE SCREWS	STEEL	ZINC PLATE
FIRE BARRIER	FIRE BAR. MATL.	NATURAL
SPRINGS	STEEL	ZINC PLATE
DOWEL PINS	STEEL	ZINC PLATE
SLIDER RETAINERS	STEEL	ZINC PLATE
RATCHET PLATES	STEEL	ZINC PLATE
RETAINER PLATES	STEEL	ZINC PLATE
WEATHERSTRIP	ALUM./NYLON	PLAIN/BLACK
CAP SCREWS	STEEL	ZINC PLATE
FIRE BARRIER COVER	STEEL	ZINC PLATE

DIMENSION SHEET FOR CAT. NO.
SEE TABLE

REPAIRABLE ☐

NON-REPAIRABLE ☒

B

M-11914

1

1	RELEASED PER DCN18435	12/14/11
SYM	REVISIONS	APP DATE

THE DESIGN AND DIMENSIONS OF THE
PRODUCT SHOWN ON THIS DRAWING ARE
SUBJECT TO CHANGE WITHOUT NOTICE

TITLE COVER,
FIRE RATED
POKE THROUGH,
8 INCH DIAMETER

TOLERANCES UNLESS OTHERWISE SPECIFIED	WIRING DEVICE-KELLEMS HUBBELL INCORPORATED BRIDGEPORT, CT
FRACTIONS ± 1/64	DR. BY SRE APP. BY
DECIMALS ± .005	TR. BY SCALE 1:2
ANGLES ± 2°	CHK'D BY DATE 6/9/11

[illegible][illegible]

2	DIM "A" WAS 18.0 (457.2). ADDED TABLE, IN DIM SHEET ADDED "SEE CHART" PER DCN 19304. MYA	DJP	1/29/13
1	RELEASED PER DCN18435		1/3/12
SYM	REVISIONS	APP	DATE

THE DESIGN AND DIMENSIONS OF THE
PRODUCT SHOWN ON THIS DRAWING ARE
SUBJECT TO CHANGE WITHOUT NOTICE

PERIMETER POWER PLATE
8 INCH FRPT

DR. BY SRE	APP. BY
TR. BY	SCALE 1 : 1
CHK. BY	DATE 1/3/12

Technical drawing showing a side view of a mechanical assembly. The drawing includes dimensions and a table.

Dimensions:

- Horizontal dimension: $.92$
- Vertical dimension: $[23, 4]$

Table:

ITEM	DESCRIPTION	QTY	UNIT
1	FLANGE	1	EA
2	FLANGE	1	EA
3	FLANGE	1	EA
4	FLANGE	1	EA
5	FLANGE	1	EA
6	FLANGE	1	EA
7	FLANGE	1	EA
8	FLANGE	1	EA
9	FLANGE	1	EA
10	FLANGE	1	EA
11	FLANGE	1	EA
12	FLANGE	1	EA
13	FLANGE	1	EA
14	FLANGE	1	EA
15	FLANGE	1	EA
16	FLANGE	1	EA
17	FLANGE	1	EA
18	FLANGE	1	EA
19	FLANGE	1	EA
20	FLANGE	1	EA
21	FLANGE	1	EA
22	FLANGE	1	EA
23	FLANGE	1	EA
24	FLANGE	1	EA
25	FLANGE	1	EA
26	FLANGE	1	EA
27	FLANGE	1	EA
28	FLANGE	1	EA
29	FLANGE	1	EA
30	FLANGE	1	EA
31	FLANGE	1	EA
32	FLANGE	1	EA
33	FLANGE	1	EA
34	FLANGE	1	EA
35	FLANGE	1	EA
36	FLANGE	1	EA
37	FLANGE	1	EA
38	FLANGE	1	EA
39	FLANGE	1	EA
40	FLANGE	1	EA
41	FLANGE	1	EA
42	FLANGE	1	EA
43	FLANGE	1	EA
44	FLANGE	1	EA
45	FLANGE	1	EA
46	FLANGE	1	EA
47	FLANGE	1	EA
48	FLANGE	1	EA
49	FLANGE	1	EA
50	FLANGE	1	EA
51	FLANGE	1	EA
52	FLANGE	1	EA
53	FLANGE	1	EA
54	FLANGE	1	EA
55	FLANGE	1	EA
56	FLANGE	1	EA
57	FLANGE	1	EA
58	FLANGE	1	EA
59	FLANGE	1	EA
60	FLANGE	1	EA
61	FLANGE	1	EA
62	FLANGE	1	EA
63	FLANGE	1	EA
64	FLANGE	1	EA
65	FLANGE	1	EA
66	FLANGE	1	EA
67	FLANGE	1	EA
68	FLANGE	1	EA
69	FLANGE	1	EA
70	FLANGE	1	EA
71	FLANGE	1	EA
72	FLANGE	1	EA
73	FLANGE	1	EA
74	FLANGE	1	EA
75	FLANGE	1	EA
76	FLANGE	1	EA
77	FLANGE	1	EA
78	FLANGE	1	EA
79	FLANGE	1	EA
80	FLANGE	1	EA
81	FLANGE	1	EA
82	FLANGE	1	EA
83	FLANGE	1	EA
84	FLANGE	1	EA
85	FLANGE	1	EA
86	FLANGE	1	EA
87	FLANGE	1	EA
88	FLANGE	1	EA
89	FLANGE	1	EA
90	FLANGE	1	EA
91	FLANGE	1	EA
92	FLANGE	1	EA
93	FLANGE	1	EA
94	FLANGE	1	EA
95	FLANGE	1	EA
96	FLANGE	1	EA
97	FLANGE	1	EA
98	FLANGE	1	EA
99	FLANGE	1	EA
100	FLANGE	1	EA

- (3) SOLID WIRES - #12 AWG
RECEPTACLES WIRED IN SERIES

△

- BLACK

- GREEN

- WHITE

- 20A 125V
PER NEMA 5-20R

CATALOG NO.	DIMENSION "A"
S1R8PSPZ	18.0 IN [457,2]
S1R8PSPZ25	25 FT, 762 CM

NOTES:

1) ALL DIMENSIONS ARE IN INCHES AND [MILLIMETERS]