

# Specifications



Photo is representative

## Eaton XPLA4-UNV1

Eaton Crouse-Hinds series Hazard-Gard XPLA linear LED light fixture, Cool white, 4 ft, Glass lens, 8000 lm, 139 lm/W, Copper-free aluminum, 120-277 Vac, 127-300 Vdc, 59W

### General specifications

|                                 |                                                                           |
|---------------------------------|---------------------------------------------------------------------------|
| <b>PRODUCT NAME</b>             | Eaton Crouse-Hinds series<br>Hazard-Gard XPLA linear<br>LED light fixture |
| <b>CATALOG NUMBER</b>           | XPLA4-UNV1                                                                |
| <b>UPC</b>                      | 662276900332                                                              |
| <b>PRODUCT<br/>LENGTH/DEPTH</b> | 48.2 in                                                                   |
| <b>PRODUCT HEIGHT</b>           | 4.56 in                                                                   |
| <b>PRODUCT WIDTH</b>            | 6.5 in                                                                    |
| <b>PRODUCT WEIGHT</b>           | 27 lb                                                                     |

## Certifications and compliances

|                            |                                |
|----------------------------|--------------------------------|
| <b>AREA CLASSIFICATION</b> | Hazardous/Classified Locations |
|----------------------------|--------------------------------|

|                       |         |
|-----------------------|---------|
| <b>STANDARDS TYPE</b> | NEC/CEC |
|-----------------------|---------|

|                             |                                                          |
|-----------------------------|----------------------------------------------------------|
| <b>NEC HAZARDOUS RATING</b> | Class I, Division 1<br>Class II, Division 1<br>Class III |
|-----------------------------|----------------------------------------------------------|

|                    |    |
|--------------------|----|
| <b>NEMA RATING</b> | 4X |
|--------------------|----|

|                                        |      |
|----------------------------------------|------|
| <b>INGRESS PROTECTION (IP) RATINGS</b> | IP66 |
|----------------------------------------|------|

## Product specifications

|                  |     |
|------------------|-----|
| <b>LAMP TYPE</b> | LED |
|------------------|-----|

|                          |            |
|--------------------------|------------|
| <b>COLOR TEMPERATURE</b> | Cool white |
|--------------------------|------------|

|                    |      |
|--------------------|------|
| <b>LAMP LENGTH</b> | 4 ft |
|--------------------|------|

|               |      |
|---------------|------|
| <b>LUMENS</b> | 8000 |
|---------------|------|

|                        |     |
|------------------------|-----|
| <b>LUMENS PER WATT</b> | 139 |
|------------------------|-----|

|                       |                          |
|-----------------------|--------------------------|
| <b>VOLTAGE RATING</b> | 120-277 Vac, 127-300 Vdc |
|-----------------------|--------------------------|

|                         |          |
|-------------------------|----------|
| <b>FREQUENCY RATING</b> | 50/60 Hz |
|-------------------------|----------|

|                      |       |
|----------------------|-------|
| <b>LENS MATERIAL</b> | Glass |
|----------------------|-------|

|                 |                      |
|-----------------|----------------------|
| <b>MATERIAL</b> | Copper-free aluminum |
|-----------------|----------------------|

|                |     |
|----------------|-----|
| <b>WATTAGE</b> | 59W |
|----------------|-----|

|                     |        |
|---------------------|--------|
| <b>POWER FACTOR</b> | > 0.90 |
|---------------------|--------|

## Resources

|                               |                                                                                                                                                                     |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BROCHURES                     | <a href="#">Crouse-Hinds series</a><br><a href="#">Hazard-Gard XPLA LED</a><br><a href="#">Linear brochure</a>                                                      |
|                               | <a href="#">Crouse-Hinds series</a><br><a href="#">Global LED lighting portfolio</a>                                                                                |
|                               | <a href="#">Crouse-Hinds series DLC approved lighting products</a>                                                                                                  |
| CATALOGS                      | <a href="#">Crouse-Hinds series</a><br><a href="#">Hazard-Gard XPLA LED</a><br><a href="#">Linear catalog page</a>                                                  |
| CERTIFICATION REPORTS         | <a href="#">Hazard-Gard XPLA</a><br><a href="#">Explosionproof Linear LED</a><br><a href="#">Light Fixtures UL certification</a>                                    |
|                               | <a href="#">Hazard-Gard XPLA</a><br><a href="#">Explosionproof Linear LED</a><br><a href="#">Light Fixtures Canadian certification</a>                              |
|                               | <a href="#">Hazard-Gard XPLA</a><br><a href="#">Explosionproof Linear LED</a><br><a href="#">Light Fixtures UL certification (XPLA4 with Battery Back-up)</a>       |
|                               | <a href="#">Hazard-Gard XPLA</a><br><a href="#">Explosionproof Linear LED</a><br><a href="#">Light Fixtures Canadian certification (XPLA4 with Battery Back-up)</a> |
| INSTALLATION INSTRUCTIONS     | <a href="#">IF 1904 - Hazard-Gard XPLA LED Fixtures</a><br><a href="#">IF 1905 - Hazard-Gard Linear XPLA LED Fixtures with EM</a>                                   |
| SPECIFICATIONS AND DATASHEETS | <a href="#">Eaton Specification Sheet - XPLA4-UNV1</a><br><a href="#">Hazard-Gard XPL LED</a><br><a href="#">Explosionproof Linear</a>                              |

|                 |
|-----------------|
| PROJECT NAME:   |
| PROJECT NUMBER: |
| PREPARED BY:    |
| DATE:           |



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

