

Product data sheet

Specifications



Load center interior, QO, mounting base, 3 phase, 18 spaces, 200A main lugs, OEM

QON318L200

Product availability: Stock - Normally stocked in distribution facility

Main

Product Type	Mounting base
Marketing Trade Name	QO
Load Center Type	Main lugs
Rated Current	200 A
Number of Spaces	18
Max Short Circuit Current Rating	10 kA
Number of Phases	3 phase 3 wires
Voltage Rating	120/240 V AC

Complementary

Wire Size	AWG 4...300 kcmil aluminium/copper
Product Certifications	UL CSA
Height	12.5 in (318 mm)
Width	8.0 in (202 mm)
Depth	3.03 in (77 mm)
Net Weight	3.0005 lb(US) (1.361 kg)

Ordering and shipping details

Category	US1DE3A00909
Discount Schedule	DE3A
GTIN	785901868255
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.30 in (10.922 cm)
Package 1 Width	12.90 in (32.766 cm)
Package 1 Length	13.60 in (34.544 cm)
Package weight(Lbs)	3.230 lb(US) (1.465 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 2	PAL
Number of Units in Package 2	96
Package 2 Height	40.00 in (101.600 cm)
Package 2 Width	40.00 in (101.600 cm)
Package 2 Length	48.00 in (121.920 cm)
Package 2 Weight	311.000 lb(US) (141.067 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant**

California proposition 65 **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](#)**

Use Again


Repack and remanufacture

Circularity Profile **No need of specific recycling operations**

Take-back **No**

Technical Illustration

Dimensions



ALL DIMENSIONS ARE APPROXIMATE.
ALSO REFER TO CAD, TECHNICAL DRAWINGS, AND TECHNICAL DOCUMENTATION.

Technical Illustration

Wiring diagram
