

Specifications

Eaton VMVL-9-2A-UNV1

Catalog Number: VMVL-9-2A-UNV1

Eaton Crouse-Hinds series Champ VMVL LED fixture, Cool white, 250W HID equivalent, No guard, Glass lens, 9000 lumens, 126 lm/W, Die cast aluminum, Pendant mount, Type V, 3/4" trade size, 100-277 Vac, 127-250 Vdc, 76W

General specifications



| Product Name | Catalog Number |
|--|----------------|
| Eaton Crouse-Hinds series Champ VMVL LED light fixture | VMVL-9-2A-UNV1 |
| UPC | 662276896611 |
| Product Length/Depth | Product Height |
| 11.62 in | 11 in |
| Product Width | Product Weight |
| 11.62 in | 20.45 lb |

Photo is representative



Powering Business Worldwide

Certifications and compliances

| | |
|---------------------------------|--|
| Area classification | |
| Hazardous/Classified Locations | |
| Standards type | |
| NEC/CEC | |
| IEC | |
| IECEx/ATEX | |
| NEC hazardous rating | |
| Class I, Division 2 | |
| Class I, Zone 2 | |
| Class II, Division 1 | |
| Class III | |
| IECEx/ATEX hazardous rating | |
| Zone 21 | |
| NEMA Rating | |
| 4X | |
| Ingress protection (IP) ratings | |
| IP66 | |

Product specifications

| | |
|---------------------------------|--|
| Lumens | |
| 9000 | |
| Lumens per watt | |
| 126 | |
| Color temperature | |
| Cool white | |
| Mounting Method | |
| Pendant | |
| Trade size | |
| 100-240 Vac, 127-250 Vdc | |
| Optical distribution | |
| Type V | |
| Guard type | |
| No guard | |
| Voltage rating | |
| 100-277 Vac, 127-250 Vdc | |
| Frequency rating | |
| 50/60 Hz | |
| Wattage | |
| 76W | |
| Dimming | |
| Dimmable driver | |
| Power factor | |
| > 0.90 | |
| Equivalent luminaire | |
| 250W HID | |
| Material | |
| Die cast aluminum | |
| Lens material | |
| Heat and impact resistant glass | |

Resources

3D models

SP3D Design Package - Champ VMVL LED Hazardous Area Light

Fixtures

Brochures

[Crouse-Hinds series Global LED lighting portfolio](#)

[Crouse-Hinds series DLC approved lighting products](#)

[Crouse-Hinds series Champ VMVL LED Luminaires - 3,000 to 13,000](#)

[lumens brochure](#)

Catalogs

[Crouse-Hinds series Champ VMVL LED luminaires - 3,000 to 13,000](#)

[lumens catalog page](#)

Installation instructions

[IF 1882 - Champ VMVL and PVML LED luminaires](#)

[IF 1888 - Champ VMVL and PVML Driver Replacement](#)

Specifications and datasheets

[Eaton Specification Sheet - VMVL-9-2A-UNV1](#)

[Champ VMV LED Hazardous Area](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
[Eaton.com](#)
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](#)