

# Specifications



Photo is representative



## Eaton DSD922

Eaton Crouse-Hinds series DSD front operated pushbutton cover and device sub-assembly, 10A, Green/red, Feraloy iron alloy, 2 circuits start-stop, 2 buttons, Factory sealed, 600 Vac

### General specifications

<b>PRODUCT NAME</b>	Eaton Crouse-Hinds series DSD front operated pushbutton cover and device sub-assembly
<b>CATALOG NUMBER</b>	DSD922
<b>UPC</b>	782274776279
<b>PRODUCT LENGTH/DEPTH</b>	5.3 in
<b>PRODUCT HEIGHT</b>	6.7 in
<b>PRODUCT WIDTH</b>	4.7 in
<b>PRODUCT WEIGHT</b>	3.9 lb
<b>PRODUCT TYPE</b>	Front operated pushbutton cover and device sub-assembly



Powering Business Worldwide

## Certifications and compliances

<b>AREA CLASSIFICATION</b>	Hazardous/Classified Locations
<b>STANDARDS TYPE</b>	NEC/CEC
<b>NEC HAZARDOUS RATING</b>	Class I, Division 1 Class I, Division 2 Class II, Division 1 Class II, Division 2 Class III
<b>NEMA RATING</b>	3 7 9

## Resources

CATALOGS	<a href="#">DSD and DSDX Cover and Device Sub-assemblies catalog page</a>
CERTIFICATION REPORTS	<a href="#">DSD Explosionproof Cover and Device Sub-assemblies UL certification</a> <a href="#">DSD Explosionproof Cover and Device Sub-assemblies Canadian certification</a>
INSTALLATION INSTRUCTIONS	<a href="#">IF 1424 - DSD, GFS, CPS and ENR Series Replacement Covers</a> <a href="#">IF 1929 - Toggle Operator for EDS, EDSX, EFD, DSD and DSDX Series</a> <a href="#">IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - DSD922</a>

## Product specifications

<b>VOLTAGE RATING</b>	600 Vac
<b>NUMBER OF COVER BUTTONS</b>	2
<b>NORMAL POSITION</b>	2 circuits start-stop
<b>AMPERAGE RATING</b>	10A
<b>COLOR</b>	Green/red
<b>MATERIAL</b>	Feraloy iron alloy
<b>SPECIAL FEATURES</b>	Factory sealed

---

**PROJECT NAME:**

---

**PROJECT NUMBER:**

---

**PREPARED BY:**

---

**DATE:**

---



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

