

# Eaton RDU113406

Catalog Number: RDU113406

Eaton Redapt ATU Adaptor, T Shape, M25 Male x M25 Female, Brass, Electroless Nickel

## General specifications

Product Name	Catalog Number
Eaton Redapt Metallic Adaptor and Reducer - Adaptor	RDU113406
	EAN
	5056009962806
Product Length/Depth	Product Height
36 mm	70.679 mm
Product Width	Product Weight
61.21 mm	0.662 kg
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer



## Product specifications

### NEC hazardous rating

Class I, Division 1  
Class II, Division 2  
Class III  
Class I, Zone 1

### Insulator

Non-insulated

### Shape

Standard

### Ingress protection (IP) ratings

IP66  
IP67  
IP68

### End 1 Size

2" NPT

### Material

Brass

### Standards type

IEC

### Gender end 1

Male

### Type of adapter/reducer

Standard

### End 2 Type

Metric

### Gender end 2

Female

### End 1 Type

NPT

### End 2 Size

M32

### NEMA Rating

4X  
6P

### Area classification

Hazardous/Classified Locations

## Resources

### Brochures

Oil and Gas Global catalogue

### Certification reports

CCoE Certificate - Reducers  
IECEX Certificate - Adaptors, reducers and unions  
INMETRO Certificate - Adaptors, reducers, unions and plugs  
IECEX Quality Assessment Report  
EAC Certificate - Adaptors, reducers and unions  
CCoE Certificate - Adaptors  
CSA Certificate - Adaptors, reducers, unions and plugs  
Raxton and Redapt Regulatory instructions  
CSA Quality Assurance Notification Certificate  
ATEX Certificate - Adaptors, reducers and unions

### Technical data sheets

Redapt AF-U adaptors - Datasheet  
Redapt AM-U adaptors - Datasheet  
Redapt AD-U adaptors and RD-U reducers - Datasheet

Plating

Electroless nickel



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)