

# Product data sheet

Specifications

SQUARE D



**Safety switch, heavy duty, non fusible, 60A, 6 pole, 60hp, 600VAC/DC, NEMA 12**

HU662AWK

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

|                             |   |
|-----------------------------|---|
| Product                     | Single Throw Safety Switch  |
| Duty Rating                 | Heavy duty  |
| Device Application          | Heavy application   |
| Disconnect Type             | Non-fusible disconnect  |
| Factory Installed Neutral   | None  |
| Number of Poles             | 6   |
| Current Rating              | 60 A  |
| Voltage Rating              | 600 V AC  |
| Enclosure Rating            | NEMA 3R/12 galvannealed steel   |
| Standard Motor Power Rating | 20 hp at 240 V AC 50-60 Hz for 3 phase motors<br>50 hp at 480 V AC 50-60 Hz for 3 phase motors<br>60 hp at 600 V AC 50-60 Hz for 3 phase motors |

## Complementary

|                       |  |
|-----------------------|--|
| Mounting Type         | Surface  |
| Electrical Connection | Lugs   |
| Wiring configuration  | 6-wire   |
| Wire Size             | AWG 14...AWG 3 copper<br>AWG 12...AWG 3 aluminium  |
| Tightening torque     | 50 lbf.in (5.6 N.m) (AWG 3)<br>45 lbf.in (5.08 N.m) (AWG 6...AWG 4)<br>40 lbf.in (4.5 N.m) 0.013 in <sup>2</sup> (8.367 mm <sup>2</sup> ) (AWG 8)<br>50 lbf.in (5.6 N.m) 0.003...0.008 in <sup>2</sup> (2.06...5.261 mm <sup>2</sup> ) (AWG 14...AWG 10) |
| Depth                 | 6.8 in (172.7 mm)  |
| Width                 | 16.13 in (409.70 mm)   |
| Height                | 20.5 in (520.7 mm)   |
| Net Weight            | 30.9 lb(US) (14 kg)  |

## Environment

|                |                      |
|----------------|----------------------|
| Certifications | UL listed file E2875 |
|----------------|----------------------|

## Ordering and shipping details

|                   |              |
|-------------------|--------------|
| Category          | US10DE100116 |
| Discount Schedule | ODE1         |
| GTIN              | 785901868361 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

|                   |    |
|-------------------|----|
| Returnability     | No |
| Country of origin | US |

---

## Packing Units

---

|                        |                           |
|------------------------|---------------------------|
| Unit Type of Package 1 | PCE                       |
| Nbr. of units in pkg.  | 1                         |
| Package 1 Height       | 26.200 in (66.548 cm)     |
| Package 1 Width        | 7.50 in (19.05 cm)        |
| Package 1 Length       | 16.900 in (42.926 cm)     |
| Package weight(Lbs)    | 29.950 lb(US) (13.585 kg) |

---

## Contractual warranty

---

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

|  |   |
|--|---|
| Carbon footprint (kg CO2 eq, Total Life cycle) | 137   |
| Environmental Disclosure                       | <a href="#">Product Environmental Profile</a> |

## Use Better

### Materials and Substances

|  |  |
|--|--|
| Packaging made with recycled cardboard | Yes  |
| Packaging without single use plastic   | Yes  |
| <a href="#">EU RoHS Directive</a>      | Compliant with Exemptions  |
| REACH Regulation                       | <a href="#">REACH Declaration</a>  |
| California proposition 65              | <b>WARNING:</b> This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="#">www.P65Warnings.ca.gov</a> |
| PVC free                               | Yes  |

## Use Again

### Repack and remanufacture

|                     |  |
|---------------------|--|
| Circularity Profile | No need of specific recycling operations |
| Take-back           | No                                       |