

Eaton RDU303029

Catalog Number: RDU303029

Eaton Redapt RDU Reducer, M32 Male x PG 11 Female, Brass, Unplated

General specifications



Product Name	Catalog Number
Eaton Redapt Metallic Adaptor and Reducer - Adaptor	RDU303029
	EAN
	5056009963681
Product Length/Depth	Product Height
30 mm	32.262 mm
Product Width	Product Weight
27.94 mm	0.047 kg
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer

Product specifications

NEC hazardous rating

Class I, Division 1

Class II, Division 2

Class III

Class I, Zone 1

Insulator

Non-insulated

Shape

Standard

Ingress protection (IP) ratings

IP66

IP67

IP68

Thread type outer thread

NPT

Protection, proofing and resistance

Explosion-Proof

Thread Size Outer Thread (Inch)

3/4 inch

End 1 Size

3/4" NPT

Material

Stainless steel

Standards type

IEC

Gender end 1

Male

Type of adapter/reducer

Standard

End 2 Type

NPT

Material quality

Stainless steel V4A

Gender end 2

Female

End 1 Type

Resources

Brochures

Oil and Gas Global catalogue

Certification reports

EAC Certificate - Adaptors, reducers and unions

CCoE Certificate - Reducers

CSA Quality Assurance Notification Certificate

INMETRO Certificate - Adaptors, reducers, unions and plugs

ATEX Certificate - Adaptors, reducers and unions

IECEx Quality Assessment Report

Raxton and Redapt Regulatory instructions

CSA Certificate - Adaptors, reducers, unions and plugs

CCoE Certificate - Adaptors

IECEx Certificate - Adaptors, reducers and unions

Technical data sheets

Redapt AF-U adaptors - Datasheet

Redapt AD-U adaptors and RD-U reducers - Datasheet

Redapt AM-U adaptors - Datasheet

NPT

End 2 Size

1/2" NPT

Thread type inner thread

NPT

Thread size inner thread (inch)

1/2 inch

NEMA Rating

4X

6P

Area classification

Hazardous/Classified Locations

Plating

Unplated



Eaton Corporation plc

Eaton House

30 Pembroke Road

Dublin 4, Ireland

Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia