

Eaton EDSC21473 J1 LED S300 TT

Catalog Number: EDSC21473 J1 LED S300
TT

Eaton Crouse-Hinds series EDS combination pushbutton and pilot light control station, With pushbuttons and pilot lights, Feraloy iron alloy, Single-gang, 1, 1, Red pilot light, LED, 24 VDC, Through feed, 3/4", 600 Vac



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EDS combination pushbutton and pilot light control station	EDSC21473 J1 LED S300 TT
	UPC
	662276677432
Product Length/Depth	Product Height
3.5 in	6.72 in
Product Width	Product Weight
5.81 in	9 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class I, Division 1

Class III

NEMA Rating

7

3

9

Product specifications

Enclosure type

With pushbuttons and pilot lights

Voltage rating

600 Vac

Number of gangs

Single-gang

Number of pushbuttons

1

Style

Through feed

Trade size

3/4"

Number of pilot lights

1

Material

Feraloy iron alloy

Special features

Red pilot light, LED, 24 VDC

Resources

3D models

[SP3D Design Package - EDS and EFS Explosionproof Control Stations](#)

Catalogs

[EDS/EDSX Hazardous Area Control Stations catalog page](#)

Certification reports

[EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations Canadian certification](#)

[EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations UL certification](#)

Installation instructions

[IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies](#)

[IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations](#)

IF 372 - EDS Notice

Specifications and datasheets

Eaton Specification Sheet - EDSC21473 J1 LED S300 TT



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia