

Product specifications

Eaton EDSC2129

Catalog Number: EDSC2129

Eaton Crouse-Hinds series EDS snap switch control station, 20A, With switch, With two 3/4" hubs, Feraloy iron alloy, 1, Single-gang, Single-pole, 120-277V, Factory sealed, Through feed, Single-pole, 3/4", 120-277 Vac

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EDS snap switch control station	EDSC2129
UPC	782274765624
Product Length/Depth	Product Height
5.06 in	5.875 in
Product Width	Product Weight
3.5 in	8.5 lb



Certifications and compliances

Area classification
Hazardous/Classified Locations
Standards type
NEC/CEC
NEC hazardous rating
Class I, Division 1
Class I, Division 2
Class II, Division 1
Class II, Division 2
Class III
NEMA Rating
3
7
9

Product specifications

Enclosure type
With switch
Trade size
3/4"
Number Of Poles
Single-pole
Switch function
Single-pole
Number of gangs
Single-gang
Style
Through feed
Voltage rating
120-277 Vac
Amperage Rating
20A
Hub style
With two 3/4" hubs
Number of devices
1
Primary voltage range
120-277V
Material
Feraloy iron alloy
Special features
Factory sealed

Resources

Catalogs
[EDS and EDSX Fully Assembled Snap Switches catalog page](#)

Certification reports
[EDS and EFD Explosionproof Snap Switches UL certification - snap switches](#)
[EDS and EFD Explosionproof Snap Switches Canadian certification - industrial control panels and assemblies](#)

EDS and EFD Explosionproof Snap Switches Canadian certification - snap switches

EDS and EFD Explosionproof Snap Switches UL certification - industrial control panels and assemblies

Installation instructions

IF 242 - EDS and EDSC Control Stations

IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies

Specifications and datasheets

Eaton Specification Sheet - EDSC2129



Eaton Corporation plc

Eaton House

30 Pembroke Road

Dublin 4, Ireland

Eaton.com

© 2023 Eaton. All Rights

Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia