

Specifications

Eaton E1016-1729S45

Eaton Crouse-Hinds series Cam-Lok J Series E1016 insulated receptacle, Up to 400A continuous, 1/0-4/0 AWG, Green, Double set screw, Female, Thermoplastic elastomer (TPE), 1-1/8", 45° angle, Threaded stud, 600 Vac/dc



Photo is representative



General specifications

| | |
|-----------------------------|---|
| PRODUCT NAME | Eaton Crouse-Hinds series Cam-Lok J Series E1016 insulated receptacle |
| CATALOG NUMBER | E1016-1729S45 |
| UPC | 662275986542 |
| PRODUCT LENGTH/DEPTH | 5 in |
| PRODUCT HEIGHT | 2.25 in |
| PRODUCT WIDTH | 3 in |
| PRODUCT WEIGHT | 1 lb |



Powering Business Worldwide

Certifications and compliances

| | |
|----------------------------|----------------------------------|
| AREA CLASSIFICATION | Ordinary/Non-Hazardous Locations |
| STANDARDS TYPE | NEC/CEC |
| NEMA RATING | 3R |

Product specifications

| | |
|--------------------------------------|-------------------------------|
| CABLE SIZE | 1/0-4/0 AWG |
| AMPERAGE RATING | Up to 400A Continuous |
| VOLTAGE RATING | 600 Vac/dc |
| MATERIAL | Thermoplastic elastomer (TPE) |
| TYPE | Threaded stud |
| CONNECTION TYPE | Double set screw |
| GENDER | Female |
| COLOR | Green |
| RECEPTACLE THREADED STUD SIZE | 1-1/8" |
| SHAPE | 45° angle |

Resources

| | |
|--------------------------------------|---|
| BROCHURES | Cam-Lok Single Pole Plugs and Receptacles catalog |
| CATALOGS | Cam-Lok J Series Single Pole Plugs and Receptacles catalog page |
| INSTALLATION INSTRUCTIONS | IM 1004 - Cam-Lok E1016 and E1018 Double Set Screw EB 141 - Cam-Lok E1015 and E1016 Molded to Cable Connectors IM 1039 - Cam-Lok E1016 and E1018 Panel Mount Receptacles EB 9 - Cam-Lok E1016 and E1018 Connectors |
| SPECIFICATIONS AND DATASHEETS | Eaton Specification Sheet - E1016-1729S45 |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.