

Product Environmental Profile

Wiremold® FloorPort Series Flanged Cover cutout assembly



LEGRAND COMPANY OVERVIEW

- **Designed to Be Better – Our Commitment to Sustainability**

At Legrand®, our sustainability commitment translates into greater benefits and tangible value for our customers, business partners, employees, and the broader community.

- **Better Performance**

We provide building solutions to meet many building performance goals from sustainability and energy efficiency to productivity and occupant well being. The right choice in network and electrical infrastructure can play a key role in many facets of building performance. Our products help ensure electrical safety. They offer choice and flexibility in space design. They are designed to reduce installation time and material waste on site. Because we know buildings consume a great deal of energy, we offer a range of products and solutions that reduce energy consumption from lighting to plug load to data centers.

- **Better Solutions**

We offer a wide range of innovative solutions for the building, while constantly evolving our design and development processes to improve the environmental profile of our products. Through active monitoring and research, we serve as an expert resource for market trends and building and product performance standards to keep our customers at the top of their game.

- **Better Operations**

We focus on operational excellence because we believe optimizing the way we manage energy, water and waste is not only good for the environment, it's good for business. As part of the Department of Energy's Better Building, Better Plants Challenge (BBBP) Legrand has reduced its energy intensity by over 30% across 14 sites in the United States in just three years. Integrating sustainability into the way we run our operations makes us more competitive – and a better business partner.



For information on Legrand PEP's and other sustainability initiatives, scan the QR code to be brought to our Product Sustainability page.



LEGRAND'S ENVIRONMENTAL COMMITMENTS

- Incorporate environmental management into our industrial sites

Of all Legrand sites worldwide, over 85% are ISO 14001 certified (sites belonging to Legrand for more than five years).

- Offer our customers environmentally friendly solutions

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.

- Involve the environment in product design

Reduce the environmental impact of products over their whole life cycle.

Provide our customers with all relevant information (composition, consumption, end of life, etc.).



REFERENCE PRODUCT

Function	Providing access to and robust coverage of floor mounted electrical outlets and/or cabling for a period of 20 years in commercial or institutional applications.
Reference Product	
	Part Number: FPCTCBZ
	FloorPort Series Flanged Cutout Cover Assembly

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.

Product Environmental Profile

Wiremold® FloorPort Series Flanged Cover cutout assembly



Reference Flow	<ul style="list-style-type: none">- All raw material inputs (856g) inclusive of primary packaging and including material that will end up as waste during manufacturing (13% assumed for all materials in lieu of actual data)- Installation component, sealant (20g)- All associated processes, transport and disposal
----------------	---



PRODUCTS CONCERNED

The environmental data is representative of the following products:

Description	FPCTCBK	FPBCTBK	FPCTBK	FPBTBK
	FPCTCBZ	FPBCTBZ	FPCTBZ	FPBTBZ
	FPCTCBS	FPBCTBS	FPCTBS	FPBTBS
	FPCTCNK	FPBCTNK	FPCTNK	FPBTNK
	FPCTCAL	FPBCTAL	FPCTAL	FPBTAL
	FPCTCGY	FPBCTGY	FPCTGY	FPBTGY



CONSTITUENT MATERIALS

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market.

It respects the restrictions on use of hazardous substances as defined in the RoHS directive 2011/65/CE.

Total weight of Reference Product (with unit packaging)	28.4 oz (757.6 g)		
--	-------------------	--	--

Plastics as % of weight		Metals as % of weight		Other as % of weight	
Polyurethane	2.0%	Aluminum	81.9%	NA	
Neoprene	0.8%	Zamak	6.6%		
Nylon	0.1%	Steel	4.4%		
					Packaging as % of weight
					Paper
					PVC & low density PE
Total plastics	2.9%	Total metals	92.9%	Total other and packaging	4.2%

Estimated recycled material content: <=10% of weight.



MANUFACTURING

The Reference Product comes from sites that have received ISO 14001 certification.

Information on the distance of transport after manufacturing is not available, but based on manufacturing in Asia and product sale and use in North America, "International transport" 11,806 mile (19,000 km) by ocean freight and 621 miles (1,000 km) by heavy truck to local distribution



DISTRIBUTION

Products are distributed from logistics centers located to optimize transport efficiency. Information on the distance of distribution is not available so the PCR hypothesis for "local transport", 621 miles (1,000 km) by heavy truck, was used. This represents transportation of the Reference Product from our warehouse to the local point of distribution in the North American market.

Product Environmental Profile

Wiremold® FloorPort Series Flanged Cover cutout assembly



■ INSTALLATION

No electricity is required for installing the Reference Product.

Installation includes the use of 20g of silicone based sealant.



■ USE

Servicing and maintenance:

Under normal conditions of use, this type of product requires no servicing or maintenance.

Consumable:

No consumables are necessary to use this type of product.



■ END OF LIFE

Development teams integrate product end-of-life factors in the design phase.

• Hazardous waste* contained in the product: no hazardous waste

(*) Hazardous waste as defined by European Commission decision 2000/532/EC.

• Recycling rate:

Calculated using the method described in the IEC/TR 62635 technical report, the recyclability rate of the product without packaging is estimated as 87%. This value is based on data collected from a technological channel using industrial procedures. It does not pre-validate the effective use of this channel for end-of-life electrical and electronic products.

Separated into:

(% of product without packaging)

- plastic materials (excluding packaging): 0%
- metal materials (excluding packaging): 87%



■ ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle: manufacturing, distribution, installation, use, and end of life. It is representative of products marketed and used in North America.

The following modelling elements were taken into account:

Manufacturing	Packaging taken into account. As required by the PEP ecopassport program all transport for the manufacturing of the Reference Product, including materials and components, has been taken into account. The waste generated during manufacturing phase has been taken into account.
Distribution	Transport between the last distribution center and an average delivery to the sales area.
Installation	Installation includes the use of 20g of silicone based sealant. The end-of-life of the packaging is taken into account at this phase.
Use	<ul style="list-style-type: none">• Under normal conditions of use, this type of product requires no servicing or maintenance.• No consumables are necessary to use this type of product.• Product category: Enclosure.• Use scenario: Continuous operation for 20 years.• Energy model: This product does not use electricity
End of life	According to the PEP Ecopassport program rules, the end of life of the product is modelled by a transport of 621 miles (1000 km) by truck and landfilling of non-recycled materials (non-metals) the constituent materials.
Software used	EIME V5 and its database "CODDE-2015-04" and the indicators defined in the PCR ed 3 in alignment with the EN15804 standard

Product Environmental Profile

Wiremold® FloorPort Series Flanged Cover cutout assembly




ENVIRONMENTAL IMPACTS (continued)

	Total for Life cycle		Raw material and manufacturing		Distribution		Installation		Use		End of life	
Global warming	7.80E+00	kg CO ₂ eq.	7.65E+00	97.98%	3.77E-02	0.48%	7.82E-02	1.00%	0.00E+00	0	4.16E-02	0.53%
Ozone depletion	1.82E-06	kg CFC-11 eq.	1.69E-06	92.47%	7.64E-11	0.00%	1.37E-07	7.52%	0.00E+00	0	2.02E-10	0.01%
Acidification of soils and water	5.31E-02	kg SO ₂ eq.	5.27E-02	99.12%	1.69E-04	0.32%	1.16E-04	0.22%	0.00E+00	0	1.84E-04	0.35%
Water eutrophication	3.36E-03	kg PO ₄ ³⁻ eq.	3.21E-03	95.67%	3.89E-05	1.16%	4.67E-05	1.39%	0.00E+00	0	5.95E-05	1.77%
Photochemical ozone formation	2.75E-03	kg C ₂ H ₄ eq.	2.72E-03	98.63%	1.20E-05	0.44%	1.25E-05	0.45%	0.00E+00	0	1.32E-05	0.48%
Depletion of abiotic resources - elements	3.59E-05	kg Sb eq.	3.59E-05	99.94%	1.51E-09	0*	1.83E-08	0.05%	0.00E+00	0	1.79E-09	0*
Total use of primary energy	1.54E+02	MJ	1.51E+02	98.52%	5.33E-01	0.35%	1.14E+00	0.74%	0.00E+00	0	5.95E-01	0.39%
Net use of fresh water	4.66E-02	m ³	4.64E-02	99.71%	3.38E-06	0.01%	1.23E-04	0.26%	0.00E+00	0	7.69E-06	0.02%
Depletion of abiotic resources – fossil fuels,	9.78E+01	MJ	9.57E+01	97.84%	5.30E-01	0.54%	9.98E-01	1.02%	0.00E+00	0	5.86E-01	0.60%
Water pollution	7.33E+02	m ³	6.84E+02	93.28%	6.20E+00	0.85%	3.64E+01	4.97%	0.00E+00	0	6.59E+00	0.90%
Air pollution	1.11E+03	m ³	1.10E+03	99.20%	1.55E+00	0.14%	5.19E+00	0.47%	0.00E+00	0	2.10E+00	0.19%

*represents less than 0.01% of the total life cycle of the reference flow.

The values of the 27 impacts defined in the PCR-ed3-EN-2015 04 02 are available in the digital database of pep-ecopassport.org website. The environmental impacts of the Reference Product are representative of the products covered by the PEP, which therefore constitute a homogeneous environmental family.

% Environmental Impact per Life Cycle Stage of Reference Product



Product Environmental Profile

Wiremold® FloorPort Series Flanged Cover cutout assembly



ENVIRONMENTAL IMPACTS (continued)

For products other than the Reference Product, the environmental impacts can be determined via extrapolating the reference product impacts times the rules listed below.

Part Number	Manufacturing	Distribution	Installation	Use	End of Life
for all covered products, impacts are proportional to	mass of product over mass of reference product		Impacts are the same as reference product		mass of product over mass of reference product

Registration number: LGRP-00027-V01.01-EN	Drafting rules: "PCR-ed3-EN-2015 04" Supplemented by "PSR-0005-ed1-EN-2012 12 11"
Verifier's accreditation number: VH08	Information and reference documents: www.pep-ecopassport.org
Date of issue: 09-2015	Validity period: 5 years
Independent verification of the declaration and data, in compliance with ISO 14025:2010	
<input checked="" type="checkbox"/> Internal <input type="checkbox"/> External	
The PCR Review was conducted by a panel of experts chaired by Philippe Osset (SOLINNEN).	
The elements of the present PEP cannot be compared with elements from another program.	
Documents in compliance with ISO 14025:2010: "Environmental labels and declarations - Type III environmental declarations"	
In compliance with ISO 14040:2006: "Environmental management – LCA – Principles and framework"	
In compliance with ISO 14044:2006: "Environmental management – LCA – Requirements and guidelines"	
In alignment with EN 15804:2012+A1:2013: "Sustainability of construction works - EPD's - Core rules for the product category of construction products"	

