



2-conductor through terminal block

Item No.: 280-601



2-conductor through terminal block

Marking

RoHS ✓
Compliant

Business data

Supplier	WAGO
Item no.	280-601
GTIN / EAN	4044918465298
Content	1
Order amount	100
Customer item number	

Notes



Technical data


Miscellaneous

Total number of connection points	2
Total number of potentials	1
Color	gray
Ratings per	IEC/EN 60947-7-1
Rated voltage (III / 3) [V]	800 [V]
Rated impulse voltage (III / 3) [kV]	8 [kV]

Technical data	
Pollution degree (1)	3
Rated current [A]	24 [A]
Number of levels	1
Connection technology	CAGE CLAMP®
Number of connection points connector	2
Actuation type	Operating tool
Connectable conductor materials	Copper
Solid conductor	0.08 ... 2.5 mm² / 28 ... 12 AWG
Fine-stranded conductor	0.08 ... 2.5 mm² / 28 ... 12 AWG
Strip length	8 ... 9 mm / 0.31 ... 0.35 Inch
Note (conductor cross-section)	12 AWG: THHN, THWN
Type of wiring	Front-entry wiring
Design	horizontal
Marking level	Side marking
Insulating material	Polyamide 66 (PA 66)
Fire load [MJ]	0.093 [MJ]
Weight [g]	4.821 [g]
Width	5 mm / 0.197 Inch
Height from upper-edge of DIN-35 rail	28 mm / 1.102 Inch
Depth	50 mm / 1.969 Inch
Type of mounting	DIN-35 x 15 carrier rail

Images & drawings





Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.