



Part Number : [1300910090](#)
Product Description : Woodhead Standard
Cord Reel, 12/3 SJTOW Cord, 10.67m (35.0')
Cord Length with 15A Pendant Outlet Box,
Two Duplex, NEMA 5-15 Outlets
Series Number : 130091
Status : Active
Product Category : Electrical Reels
Engineering Number : 997-3000



Documents & Resources

Drawings
[Drawing 1300910090_sd.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Reviewed per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Not Reviewed per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

Status	Active
Category	Electrical Reels
Series	130091
Description	Woodhead Standard Cord Reel, 12/3 SJTOW Cord, 10.67m (35.0') Cord Length with 15A Pendant Outlet Box, Two Duplex, NEMA 5-15 Outlets
Enclosure Rating	NEMA 1
NEMA Configuration	NEMA 5-15
Product Family	Reels - Woodhead
Product Name	Super-Safeway
Type	Cord Reel
UPC	78678833627

Agency

CSA	LR29921
UL	E22769

Electrical

Current - Maximum per Contact	15.0A
GFCI	No
Lamp Wattage - Maximum	N/A
On/Off Switch	No
Voltage - Maximum	120V

Physical

Bulb Included	N/A
Cable Length	0.457m (1.50')
Cable Movement	Ratchet Lock
Cord Length	10.67m (35.0')
Cord Type	12/3 SJTOW

Depth	0.30m (11.75")
Drum Lock	Ratchet
Duty	Standard
Guide Arm	2 - Position
Height	0.36m (14.25")
Lamp Type	N/A
Material - Coating	Powder Coating
Material - Housing	Steel/Polycarbonate
Mounting Style	Rigid
Net Weight	11339.800/g
Number of Conductors	3
Number of Receptacles	4
Packaging Type	Carton
Primary Cord/Cable Entry	N/A
Retraction Weight	1.4kg (3.0 lb)
Width	196.85mm (7.750")
Wire Size (AWG)	12