

Product specifications

Eaton 1MP2122RRL

Catalog Number: 1MP2122RRL

Eaton meter pack, Socket amperage: 125A, Amperage rating: 125A, Aluminum, Bus rating: 200A, No bypass, Indoor/outdoor, Up to 100 KAIC, Five-jaw, 2 Sockets, Single-phase in/single-phase out, Ringless, 120/240 Vac

General specifications

Product Name	Catalog Number
Eaton meter pack	1MP2122RRL
UPC	Product Length/Depth
786849052478	7.56 in
Product Height	Product Width
34.56 in	11.88 in
Product Weight	Warranty
34 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Certifications	
UL Listed	



Product specifications

Interrupt rating

Up to 100 KAIC

Utility approvals

ME : Central Maine Power

GA : Georgia Power

TN : Middle Tennessee EMC

FL : Tallahassee City Electric

IN : Indiana Michigan Power (IMP) (AEP East)

MI : Indiana Michigan Power (IMP) (AEP East)

OH : AEP Ohio (AEP East)

TN : Appalachian Power (AEP East)

VA : Appalachian Power (AEP East)

WV : Appalachian Power (AEP East)

Bus material

Aluminum

Number of jaws

Five-jaw

Enclosure

Indoor/outdoor

Security

Ringless

Amperage Rating

125A

Socket amperage

125A

Secondary circuit breaker

BR2_-, BRH2_-, BRHH2_-, BRX2_-

Number of sockets

2

Bypass

None

Bus Rating

200 A

Voltage rating

120/240 V

Resources

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - MULTIPLE METERING, 2-HIGH METER PACK

125A

Specifications and datasheets

Eaton Specification Sheet - 1MP2122RRL



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)