

Eaton BR24L125SP

Catalog Number: BR24L125SP

Eaton BR main lug loadcenter,Current design,Main lug,125 A,6,Aluminum,Cover not included,NEMA 1,Metallic,10 KAIC,Surface,4 Circuits,2 Spaces,Three-wire,Single-phase,Type BR 1-inch breakers,120/240 V,#14-1/0 AWG Cu/Al

General specifications



Product Name	Catalog Number
Eaton BR main lug loadcenter	BR24L125SP
UPC	Product Length/Depth
786676002271	3.88 in
Product Height	Product Width
21 in	14.31 in
Product Weight	Warranty
5.4 lb	10 year
Certifications	Catalog Notes
UL 50	Ground bar kits priced separately.
UL 67	Suitable for use as service equipment when not more than two service disconnecting mains are provided or when not used as a lighting and appliance panelboard.

Product specifications

Number of spaces	2	Brochures
Special features		Loadcenters and Circuit Breakers
Current design		Type BR Arc Fault Circuit Breakers and Loadcenters
Interrupt rating	10 kAIC	Catalogs
Phase	Single-phase	Eaton's Volume 1—Residential and Light Commercial
Wire size	#14-1/0 AWG Cu/Al	Installation instructions
Bus material	Aluminum	Cutler-Hammer Type CH and BR Loadcenters - Instructions
Enclosure	NEMA 1	Specifications and datasheets
Amperage Rating	125 A	Eaton Specification Sheet - BR24L125SP
Number Of Poles		
Four-pole		
Mounting		
Surface		
Enclosure material		
Metallic		
Type		
Main lug		
Cover		
Cover not included		
Used with		
Type BR 1-inch breakers		
Number of wires	3	
Number of circuits	4	
Voltage rating	120/240 V	

Resources



Eaton Corporation plc

Eaton House

30 Pembroke Road
Dublin 4, Ireland

Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)