

Eaton EDS22868 J1 J3

Catalog Number: EDS22868 J1 J3

Eaton Crouse-Hinds series EDS combination pushbutton and pilot light control station, With pushbuttons and pilot lights, Feraloy iron alloy, Two-gang, 2, 2, Red pilot light, green pilot light, Dead end, 3/4", 600 Vac

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EDS combination pushbutton and pilot light control station	EDS22868 J1 J3
	UPC
	782274033280
Product Length/Depth	Product Height
7.19 in	5.91 in
Product Width	Product Weight
5.81 in	16.6 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

7

9

Product specifications

Enclosure type

With pushbuttons and pilot lights

Voltage rating

600 Vac

Number of gangs

Two-gang

Number of pushbuttons

2

Style

Dead end

Trade size

3/4"

Number of pilot lights

2

Material

Feraloy iron alloy

Special features

Red pilot light, green pilot light

Resources

3D CAD drawing package

[Eaton Crouse-Hinds EDS22868 J1 J3 3D drawing](#)

3D models

[SP3D Design Package - EDS and EFS Explosionproof Control Stations](#)

Catalogs

[EDS/EDSX Hazardous Area Control Stations catalog page](#)

Certification reports

[EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations Canadian certification](#)

[EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations UL certification](#)

Installation instructions

[IF 372 - EDS Notice](#)

[IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations](#)

[IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.
All other trademarks are property of their respective owners.



Eaton.com/socialmedia