

Product data sheet

Specifications

SQUARE D



Load center interior, QO, main lugs, 400A, AI bus, 30 pole spaces, 1 phase, 3 wire, NQ enclosure

QONQ30LS400

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

| | |
|-----------------------------|----------------------|
| Product Type | Load Center Interior |
| Panelboard Type | Main lugs |
| Branch Circuit Breaker Type | QOB QOB-VH QHB |
| Busbar Material | Aluminium |

Complementary

| | |
|---|--|
| Number of spaces | 30 |
| Enclosure Nominal Height | 50 in (1270 mm) |
| Enclosure Nominal Width | 20 in (508 mm) |
| Enclosure Nominal Depth | 5.75 in (146.05 mm) NEMA 1 6.5 in (165.1 mm) NEMA 3R/5/12 |
| Line Rated Current | 400 A |
| [I _u] rated interrupted current | 10 kA 22 kA 65 kA |
| Number of Phases | 1 phase 3 wires |
| Voltage Rating | 240 V AC |
| Tightening torque | 40.005...50.007 lbf.in (4.52...5.65 N.m) 0.02...0.10 in ² (13.30...67.43 mm ²) (AWG 6...AWG 2/0) 100.01 lbf.in (11.3 N.m) 0.02...0.10 in ² (13.30...67.43 mm ²) (AWG 6...AWG 2/0) 274.99 lbf.in (31.07 N.m) 0.02...0.3 in ² (13.30...177.3 mm ²) (AWG 6...350 kcmil) 274.99 lbf.in (31.07 N.m) 0.02...0.2 in ² (13.30...126.7 mm ²) (AWG 6...250 kcmil) 274.99 lbf.in (31.07 N.m) 0.2...0.2 in ² (107.2...152 mm ²) (AWG 4...300 kcmil) |

Environment

| | |
|-----------|-----------|
| Standards | UL CSA |
|-----------|-----------|

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US1PE1A09151 |
| Discount Schedule | PE1A |
| GTIN | 785901552758 |
| Returnability | No |
| Country of origin | MX |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

| | |
|------------------------|---------------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 20.0004 lb(US) (9.072 kg) |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant with Exemptions**

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](#)**

Use Again

Repack and remanufacture

Circularity Profile **No need of specific recycling operations**

Take-back **No**