

Product data sheet

Specifications



30mm Push Buttons, package containing 9001KR1UH13 momentary push button operator, START and STOP legend plates

9001AB1

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	Harmony 9001K
Product or Component Type	Push-button
Device short name	K
Type of operator	spring return
Operator profile	White full guard Orange full guard Black full guard Red full guard Green full guard Yellow full guard Blue full guard
Operator additional information	With 2 legends START and STOP

Complementary

Bezel material	Chromium plated metal
Mounting diameter	1.2 in (30 mm)
Contacts type and composition	1 C/O
[Ie] rated operational current	10 A, AC-15 10 A, DC-15
Contact operation	Standard
Device presentation	Complete product
Cap/operator or lens colour	7 colours choice

Environment

Product Certifications	CSA LR 25490 class 3211 03 UL listed file E42259 CCN NKCR CE NEMA
IP Degree of Protection	IP65/IP66
NEMA degree of protection	NEMA 3R/6/13

Ordering and shipping details

Category	US1IPOP22750
Discount Schedule	IPOP
GTIN	785901849179
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	MX
-------------------	----

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	5.100 in (12.954 cm)
Package 1 Width	5.100 in (12.954 cm)
Package 1 Length	2.000 in (5.080 cm)
Package weight(Lbs)	6.240 oz (176.901 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	20
Package 2 Height	13.000 in (33.020 cm)
Package 2 Width	13.000 in (33.020 cm)
Package 2 Length	16.500 in (41.910 cm)
Package 2 Weight	9.879 lb(US) (4.481 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	Ae0c4eb9-0bfb-40a4-851f-5c619fbe777d
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No

Image of product in real life situation

