

Specifications

Photo is representative

Eaton TMC3-075-0

Eaton Crouse-Hinds series TMC3 cable gland, 0.452" - 0.660" armor min./max., Armoured and non-armoured, Aluminum, 0.50-0.78" outer sheath min./max., Industrial protection, 3/4" NPT

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series TMC3 cable gland
CATALOG NUMBER	TMC3-075-0
UPC	662276888494
PRODUCT LENGTH/DEPTH	3.33 in
PRODUCT HEIGHT	1.38 in
PRODUCT WIDTH	1.38 in
PRODUCT WEIGHT	0.31 lb

Certifications and compliances

AREA CLASSIFICATION	Hazardous/Classified Locations
STANDARDS TYPE	NEC/CEC IECEX/ATEX
NEC HAZARDOUS RATING	Class II, Division 1 Class III
NEMA RATING	4X
INGRESS PROTECTION (IP) RATINGS	IP66

Product specifications

PROTECTION TYPE	Industrial
GLAND TYPE	Armoured and non-armoured
CABLE TYPE	MC
	MC-HL
	TECK
	TC
	TC-ER
	TC-ER-HL
	ITC
	ITC-ER
	ITC-HL
	PLTC
	PLTC-ER
	ACIC
MATERIAL	Aluminum
THREAD SIZE	3/4"
THREAD TYPE	NPT
ARMOR (MIN/MAX)	0.452" - 0.660"
CABLE RANGE (MIN/MAX)	0.55" - 0.78"
OUTER SHEATH (MIN/MAX)	0.50-0.78"

Resources

BROCHURES

[Crouse-Hinds series TMC3 Armored Gland brochure](#)

CATALOGS

[Crouse-Hinds series TMC3 Armored and Non-armored Cable Glands catalog page](#)

CERTIFICATION REPORTS

[TMC3 Armored Gland Canadian certification \(Class and Division\)](#)

[TMC3 Armored Gland ATEX/IECEX certification](#)

[TMC3 Armored Gland Canadian certification \(Zones\)](#)

[TMC3 Armored Gland UL certification \(Zones\)](#)

[TMC3 Armored Gland UL certification \(Class and Division\)](#)

INSTALLATION INSTRUCTIONS

[IF 1890 - TMC3 Cable Gland](#)

SPECIFICATIONS AND DATASHEETS

[Eaton Specification Sheet - TMC3-075-0](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

