

# Specifications



## Eaton CPS152R

Eaton Crouse-Hinds series Arktite CPS receptacle, 20A, Two-wire, three-pole, Brass contacts, 60 Hz, Style 2, 1 HP, Copper-free aluminum, Factory sealed, Delayed action circuit breaking, 125-250 Vac/18 Vdc

### General specifications

<b>PRODUCT NAME</b>	Eaton Crouse-Hinds series Arktite CPS receptacle
<b>CATALOG NUMBER</b>	CPS152R
<b>UPC</b>	782274182209
<b>PRODUCT LENGTH/DEPTH</b>	5.13 in
<b>PRODUCT HEIGHT</b>	5.88 in
<b>PRODUCT WIDTH</b>	5 in
<b>PRODUCT WEIGHT</b>	2 lb
<b>PRODUCT TYPE</b>	Receptacle



Powering Business Worldwide

## Certifications and compliances

<b>AREA CLASSIFICATION</b>	Hazardous/Classified Locations
<b>STANDARDS TYPE</b>	NEC/CEC
<b>NEC HAZARDOUS RATING</b>	Class I, Division 1 Class I, Division 2

## Product specifications

<b>GROUNDING STYLE</b>	Style 2
<b>AMPERAGE RATING</b>	20A
<b>CONFIGURATION</b>	Two-wire, three-pole
<b>VOLTAGE RATING</b>	125-250 Vac/18 Vdc
<b>HORSEPOWER</b>	1 hp
<b>FREQUENCY RATING</b>	60 Hz
<b>MATERIAL</b>	Copper-free aluminum
<b>CONTACT MATERIAL</b>	Brass
<b>SPECIAL FEATURES</b>	Factory sealed
<b>TYPE</b>	Delayed action circuit breaking

## Resources

CATALOGS [Arktite CPS and CPP Explosionproof Receptacles and Plugs catalog page](#)

CERTIFICATION REPORTS [Arktite CPS, CPP, CPR Explosionproof Receptacles, Plugs and Connectors UL certification](#)

[Arktite CPS, CPP, CPR Explosionproof Receptacles, Plugs and Connectors Canadian certification](#)

INSTALLATION INSTRUCTIONS [IF 1424 - DSD, GFS, CPS and ENR Replacement Covers](#)

[IF 654 - CPS 20A Receptacles](#)

[IF 165 - CPS Receptacles](#)

SPECIFICATIONS AND DATASHEETS [Eaton Specification Sheet - CPS152R](#)

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

