



**Part Number :** 1301530191  
**Product Description :** Super-Safeway In-Line Industrial GFCI, Portable, Single Phase, Manual Reset, NEMA L6-30, 30A, 240V, 1.83m (6.0') Cord Length  
**Series Number :** 130153  
**Status :** Active  
**Product Category :** Power Distribution  
**Engineering Number :** 30053-6M



Documents & Resources

Drawings  
[Drawing 1301530191\\_sd.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Reviewed per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Not Reviewed per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## Part Details

### General

Status	Active
Category	Power Distribution
Series	130153
Description	Super-Safeway In-Line Industrial GFCI, Portable, Single Phase, Manual Reset, NEMA L6-30, 30A, 240V, 1.83m (6.0') Cord Length
Enclosure Rating	NEMA 6P
NEMA Configuration	NEMA L6-30
Product Family	Ground Fault Circuit Interrupter (GFCI) Products
Product Name	Super-Safeway
Type	GFCI Industrial Duty, Single Phase
UPC	78678889721

### Agency

UL	E66308
----	--------

### Electrical

Current - Maximum per Contact	30.0A
GFCI	Yes-In-line
GFCI Reset	Manual
Ground Continuity Monitor	No
Open Neutral Relay	Yes
Voltage - Maximum	240V

### Physical

Cord Diameter	13.00mm (.512")
Cord Grip Body Size	Internal Double C-Clamp
Cord Length	1.83m (6.0')
Cord Type	10/3 SJEOOW
Feed-Thru	Yes

Flip Lid	No
Material - Housing	Nylon
Mounting Style	Portable
Net Weight	866.000/kg
Number of Receptacles	1
Packaging Type	Bag
Receptacle Type	N/A

---

---

This document was generated on Oct 11, 2023