



M-11000	2
---------	---



NOTES :

- NOTES:
1. BOX VOLUME: 27 IN<sup>3</sup>/442 CM<sup>3</sup>
  2. PART IS UL/CUL LISTED



- (1) 3/4" AND (1) 1" CONDJIT  
SUPPLIED LOOSE INSIDE JUNCTION BOX

[illegible]

2	UPDATED KNOCKOUT DETAILS PER DCN 14930	SM	3/26/08
1	RELEASED PER DCN 14521		3/26/08
SYM	REVISIONS	APP	DATE

THE DESIGN AND DIMENSIONS OF THE  
PRODUCT SHOWN ON THIS DRAWING ARE  
SUBJECT TO CHANGE WITHOUT NOTICE

TITLE	JUNCTION BOX ASSY SYSTEM ONE
-------	---------------------------------

TOLERANCES UNLESS OTHERWISE SPECIFIED  FRACTIONS $\pm 1/64$ DECIMALS $\pm .005$ ANGLES $\pm 2^\circ$	WIRING DEVICE-KELLEMS HUBBELL INCORPORATED BRIDGEPORT, CT	
	DF. BY MSS	APP. BY SM
	TF. BY	SCALE 1:1
	CHK'D BY	DATE 3/26/08

DIMENSION SHEET FOR CAT. NO.

SIFRPTJB

REPAIRABLE ☐


NON-REPAIRABLE ☒



M-11000

N

3



NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES AND [MILLIMETERS]
- 2) JUNCTION BOX SIFRPTJB (NOT SHOWN) IS INCLUDED WITH FLOOR FITTING CATALOG NUMBER SIR6PTFIT. SEE DWG. M-11000 FOR DIMENSIONS OF JUNCTION BOX. JUNCTION BOX SHIPPED LOOSELY WITH UNIT.

DIMENSION SHEET FOR CAT. NO.  
SIR6PTFIT

REPAIRABLE	NON-REPAIRABLE
<input type="checkbox"/>	<input checked="" type="checkbox"/>



M-11920

(w)

LIST OF PARTS		
DESCRIPTION	MATERIAL	FINISH
CAN WELDMENT	STEEL	ZINC PLATE
INSTALLATION PLATE	STEEL	ZINC PLATE
SUB-PLATE MTG. PLATE	STEEL	WHITE PAINT
STANDOFFS	STNLS. STEEL	ZINC PLATE
FIRE BARRIER, UPPER	FIRE BAR. MATL.	NATURAL
FIRE BARRIER, LOWER	FIRE BAR. MATL.	NATURAL
DIVIDER	STEEL	ZINC PLATE
WASHERS	FIBER	RED
MOUNTING SCREWS	STEEL	ZINC PLATE
SPACER	FIRE BAR. MATL.	BLACK
TAPE	PLASTIC	YELL./BLK

3	UPDATED IMAGES PER DCN20245	AD	12/13/13
2	UPDATED IMAGES, 8.73 WAS 8.71 6.48 WAS 6.45 DCN18755		4/13/12
1	RELEASED PER DCN18435		12/14/11
SYM	REVISIONS	APP	DATE

THE DESIGN AND DIMENSIONS OF THE  
PRODUCT SHOWN ON THIS DRAWING ARE  
SUBJECT TO CHANGE WITHOUT NOTICE

TITLE
-------

SERVICE FITTING,  
FIRE RATED POKE THROUGH,  
6 INCH DIAMETER


TOLERANCES UNLESS OTHERWISE SPECIFIED  .XX = $\pm .01$ .XXX = $\pm .005$ ANGLES = $\pm 2^\circ$	WIRING DEVICE-KELLEMS HUBBELL INCORPORATED SHELTON, CT	
	DR. BY SRE	APP. BY
	TR. BY	SCALE 1 : 2
	CHK. BY	DATE 6/9/11



CATALOG NO.  
S1R6SPM

M-11913

1



CATALOG NUMBER	FINISH
S1R6CVRBLK	BLACK POWDER COAT PAINT
S1R6CVRNKL	SATIN NICKEL PLATE
S1R6CVRALU	BRUSHED ALUMINUM
S1R6CVRBRZ	BRONZE PLATED
S1R6CVRBRS	BRASS PLATED

NOTES:  
1) ALL DIMENSIONS ARE IN INCHES AND [ MILLIMETERS ]  
2) SUPPLIED WITH (3) MOUNTING SCREWS (NOT SHOWN).

LIST OF PARTS

DESCRIPTION	MATERIAL	FINISH
FLANGE RING	ALUMINUM	SEE TABLE
MAIN DOOR	ALUMINUM	SEE TABLE
ACCESS DOORS	ALUMINUM	SEE TABLE
HANDLE	ALUMINUM	SEE TABLE
HANDLE BEARING BLOCK	ALUMINUM	SEE TABLE
LINKS	ALUMINUM	SEE TABLE
SLIDERS	ALUMINUM	SEE TABLE
DOOR GASKETS	FOAM RUBBER	BLACK
MOUNTING SCREWS	STEEL	ZINC PLATE
DRIVE SCREWS	STEEL	ZINC PLATE
FIRE BARRIER	FIRE BAR. MATL.	NATURAL
SPRINGS	STEEL	ZINC PLATE
DOWEL PINS	STEEL	ZINC PLATE
SLIDER RETAINERS	STEEL	ZINC PLATE
RATCHET PLATES	STEEL	ZINC PLATE
RETAINER PLATES	STEEL	ZINC PLATE
WEATHERSTRIP	ALUM./NYLON	PLAIN/BLACK
CAP SCREWS	STEEL	ZINC PLATE
FIRE BARRIER COVER	STEEL	ZINC PLATE

DIMENSION SHEET FOR CAT. NO.  
SEE TABLE

REPAIRABLE ☐ NON-REPAIRABLE ☒

B

M-11913

1

1	RELEASED PER DCN18435	12/14/11
SYM	REVISIONS	APP DATE

THE DESIGN AND DIMENSIONS OF THE  
PRODUCT SHOWN ON THIS DRAWING ARE  
SUBJECT TO CHANGE WITHOUT NOTICE

TITLE COVER,  
FIRE RATED  
POKE THROUGH,  
6 INCH DIAMETER

TOLERANCES UNLESS OTHERWISE SPECIFIED	WIRING DEVICE-KELLEMS HUBBELL INCORPORATED BRIDGEPORT, CT	
FRACTIONS ± 1/64	DR. BY SRE	APP. BY <i>[Signature]</i>
DECIMALS ± .005	TR. BY	SCALE 1:2
ANGLES ± 2°	CHK'D BY <i>[Signature]</i>	DATE 6/7/11