

# Specifications



Photo is representative

## Eaton WSR63541

Eaton Crouse-Hinds series Arktite WSR interlocked receptacle with enclosed disconnect switch, 60A, 3-wire, 3-pole, Brass contacts, Solid door, Non-fused, Style 1, 15 HP/30 HP/50 HP, Copper-free alum, Spring door, 1-1/4", 240-600 Vac

### General specifications

|                             |                                                                                              |
|-----------------------------|----------------------------------------------------------------------------------------------|
| <b>PRODUCT NAME</b>         | Eaton Crouse-Hinds series Arktite WSR interlocked receptacle with enclosed disconnect switch |
| <b>CATALOG NUMBER</b>       | WSR63541                                                                                     |
| <b>UPC</b>                  | 782274019505                                                                                 |
| <b>PRODUCT LENGTH/DEPTH</b> | 11.75 in                                                                                     |
| <b>PRODUCT HEIGHT</b>       | 28.69 in                                                                                     |
| <b>PRODUCT WIDTH</b>        | 7.25 in                                                                                      |
| <b>PRODUCT WEIGHT</b>       | 34.69 lb                                                                                     |



Powering Business Worldwide

## Certifications and compliances

|                            |                                  |
|----------------------------|----------------------------------|
| <b>AREA CLASSIFICATION</b> | Ordinary/Non-Hazardous Locations |
| <b>STANDARDS TYPE</b>      | NEC/CEC                          |
| <b>NEMA RATING</b>         | 3R<br>4<br>12                    |

## Product specifications

|                         |                        |
|-------------------------|------------------------|
| <b>DOOR STYLE</b>       | Solid                  |
| <b>AMPERAGE RATING</b>  | 60A                    |
| <b>FUSING</b>           | Non-fused              |
| <b>GROUNDING STYLE</b>  | Style 1                |
| <b>CONFIGURATION</b>    | Three-wire, three-pole |
| <b>MATERIAL</b>         | Copper-free aluminum   |
| <b>CONTACT MATERIAL</b> | Brass                  |
| <b>VOLTAGE RATING</b>   | 240-600 Vac            |
| <b>HORSEPOWER</b>       | 15 hp/30 hp/50 hp      |
| <b>RECEPTACLE STYLE</b> | Spring door            |
| <b>TRADE SIZE</b>       | 1-1/4"                 |

## Resources

|                                      |                                                                                                                                                                                                                              |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CATALOGS</b>                      | <a href="#">Arktite WSR/WSRD Interlock Receptacles catalog page</a>                                                                                                                                                          |
| <b>CERTIFICATION REPORTS</b>         | <a href="#">Arktite WSR/WSRD Interlock Receptacles with Enclosed Disconnect Switches UL certification</a><br><a href="#">Arktite WSR/WSRD Interlock Receptacles with Enclosed Disconnect Switches Canadian certification</a> |
| <b>INSTALLATION INSTRUCTIONS</b>     | <a href="#">IF 943 - WSR Series Model 82 Interlock Receptacle</a><br><a href="#">IF 1315 - WSR Series Model 94 Interlock Receptacle</a>                                                                                      |
| <b>SPECIFICATIONS AND DATASHEETS</b> | <a href="#">Eaton Specification Sheet - WSR63541</a>                                                                                                                                                                         |

|                 |
|-----------------|
| PROJECT NAME:   |
| PROJECT NUMBER: |
| PREPARED BY:    |
| DATE:           |



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

