


# SUBPANELS NON-METALLIC ENCLOSURES

## SUBPANELS FOR ALL PREMIER AND JIC NON-METALLIC ENCLOSURES



| SUBPANEL SPECIFICATIONS |                                   |                               |
|-------------------------|-----------------------------------|-------------------------------|
| SUBPANEL                | MATERIAL                          | FINISH                        |
| Carbon Steel            | Carbon Steel                      | White polyester powder Finish |
| Aluminum                | 3003H14 Aluminum                  | Mill Finish                   |
| Stainless Steel         | 304 Stainless                     | 304 ANN 2 B Finish            |
| Fiberglass              | FRP (Fiberglass reinforced panel) | Gray Finish                   |

| CARBON STEEL SUBPANELS FOR ALL PREMIER AND JIC NON-METALLIC ENCLOSURES |                           |                     |             |             |             |             |          |            |                 |               |        |
|------------------------------------------------------------------------|---------------------------|---------------------|-------------|-------------|-------------|-------------|----------|------------|-----------------|---------------|--------|
| SUBPANEL PART NUMBER                                                   | SUBPANEL SIZE HxW         | ENCLOSURE SIZE HxW  | BA          | BB          | BK          | BL          | BT       | PANEL TYPE | NUMBER OF HOLES | HOLE DIAMETER | WT.    |
| HW-MP604CS                                                             | 4.88 x 2.88 (124 x 73)    | 6 x 4 (152 x 102)   | 4.88 (124)  | 2.88 (73)   | 4.25 (108)  | 2.25 (57)   | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 5 oz.  |
| HW-MP606CS                                                             | 4.88 x 4.88 (124 x 124)   | 6 x 6 (152 x 152)   | 4.88 (124)  | 4.88 (124)  | 4.25 (108)  | 4.25 (108)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 8 oz.  |
| HW-MP706CS                                                             | 6.00 x 4.88 (152 x 124)   | 7 x 6 (179 x 152)   | 6.00 (152)  | 4.88 (124)  | 5.38 (137)  | 4.25 (108)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 10 oz. |
| HW-MP806CS                                                             | 6.75 x 4.88 (152 x 124)   | 8 x 6 (203 x 152)   | 6.75 (152)  | 4.88 (124)  | 6.25 (159)  | 4.25 (108)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 12 oz. |
| HW-MP808CS                                                             | 6.88 x 6.88 (175 x 175)   | 8 x 8 (203 x 203)   | 6.88 (175)  | 6.88 (175)  | 6.25 (159)  | 6.25 (159)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 12 oz. |
| HW-MP906CS                                                             | 8.25 x 4.88 (175 x 124)   | 9 x 6 (229 x 152)   | 8.25 (210)  | 4.88 (124)  | 7.63 (194)  | 4.25 (108)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 14 oz. |
| HW-MP1008CS                                                            | 8.75 x 6.88 (225 x 175)   | 10 x 8 (254 x 203)  | 8.75 (225)  | 6.88 (175)  | 8.25 (210)  | 6.25 (159)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 21 oz. |
| HW-MP1210CS                                                            | 10.88 x 8.75 (276 x 225)  | 12 x 10 (305 x 254) | 10.88 (276) | 8.75 (225)  | 10.25 (260) | 8.25 (210)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 34 oz. |
| HW-MP1412CS                                                            | 12.88 x 10.88 (327 x 276) | 14 x 12 (356 x 305) | 12.88 (327) | 10.88 (276) | 12.25 (311) | 10.25 (260) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 48 oz. |
| HW-MP1614CS                                                            | 14.88 x 12.88 (378 x 327) | 16 x 14 (406 x 356) | 14.88 (378) | 12.88 (327) | 14.25 (362) | 12.25 (311) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 66 oz. |
| HW-MP1816CS                                                            | 16.88 x 14.88 (429 x 378) | 18 x 16 (457 x 406) | 16.88 (429) | 14.88 (378) | 16.25 (413) | 14.25 (362) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 87 oz. |
| HW-MP2016CS                                                            | 18.88 x 14.88 (479 x 378) | 20 x 16 (508 x 406) | 18.88 (479) | 14.88 (378) | 18.25 (464) | 14.25 (362) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 97 oz. |

Note: Subpanels must be ordered separately. Dimensions in inches (millimeters).

| FIBERGLASS SUBPANELS FOR ALL PREMIER AND JIC NON-METALLIC ENCLOSURES |                           |                     |             |             |             |             |          |            |                 |               |        |
|----------------------------------------------------------------------|---------------------------|---------------------|-------------|-------------|-------------|-------------|----------|------------|-----------------|---------------|--------|
| SUBPANEL PART NUMBER                                                 | SUBPANEL SIZE HxW         | ENCLOSURE SIZE HxW  | BA          | BB          | BK          | BL          | BT       | PANEL TYPE | NUMBER OF HOLES | HOLE DIAMETER | WT.    |
| HW-MP604FG                                                           | 4.88 x 2.88 (124 x 73)    | 6 x 4 (152 x 102)   | 4.88 (124)  | 2.88 (73)   | 4.25 (108)  | 2.25 (57)   | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 2 oz.  |
| HW-MP606FG                                                           | 4.88 x 4.88 (124 x 124)   | 6 x 6 (152 x 152)   | 4.88 (124)  | 4.88 (124)  | 4.25 (108)  | 4.25 (108)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 3 oz.  |
| HW-MP806FG                                                           | 6.75 x 4.88 (152 x 124)   | 8 x 6 (203 x 152)   | 6.75 (152)  | 4.88 (124)  | 6.25 (159)  | 4.25 (108)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 4 oz.  |
| HW-MP808FG                                                           | 6.88 x 6.88 (175 x 175)   | 8 x 8 (203 x 203)   | 6.88 (175)  | 6.88 (175)  | 6.25 (159)  | 6.25 (159)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 5 oz.  |
| HW-MP1008FG                                                          | 8.75 x 6.88 (225 x 175)   | 10 x 8 (254 x 203)  | 8.75 (225)  | 6.88 (175)  | 8.25 (210)  | 6.25 (159)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 8 oz.  |
| HW-MP1210FG                                                          | 10.88 x 8.75 (276 x 225)  | 12 x 10 (305 x 254) | 10.88 (276) | 8.75 (225)  | 10.25 (260) | 8.25 (210)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 14 oz. |
| HW-MP1412FG                                                          | 12.88 x 10.88 (327 x 276) | 14 x 12 (356 x 305) | 12.88 (327) | 10.88 (276) | 12.25 (311) | 10.25 (260) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 16 oz. |
| HW-MP1614FG                                                          | 14.88 x 12.88 (378 x 327) | 16 x 14 (406 x 356) | 14.88 (378) | 12.88 (327) | 14.25 (362) | 12.25 (311) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 13 oz. |
| HW-MP1816FG                                                          | 16.88 x 14.88 (429 x 378) | 18 x 16 (457 x 406) | 16.88 (429) | 14.88 (378) | 16.25 (413) | 14.25 (362) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 32 oz. |
| HW-MP2016GF                                                          | 18.88 x 14.88 (479 x 378) | 20 x 16 (508 x 406) | 18.88 (479) | 14.88 (378) | 18.25 (464) | 14.25 (362) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 36 oz. |

Note: Subpanels must be ordered separately. Dimensions in inches (millimeters).



# SUBPANEL NON-METALLIC ENCLOSURES

## SUBPANELS FOR ALL PREMIER AND JIC NON-METALLIC ENCLOSURES


**E57**

| STAINLESS STEEL SUBPANELS FOR ALL PREMIER AND JIC NON-METALLIC ENCLOSURES |                           |                     |             |             |             |             |          |            |                 |               |        |
|---------------------------------------------------------------------------|---------------------------|---------------------|-------------|-------------|-------------|-------------|----------|------------|-----------------|---------------|--------|
| SUBPANEL PART NUMBER                                                      | SUBPANEL SIZE HxW         | ENCLOSURE SIZE HxW  | BA          | BB          | BK          | BL          | BT       | PANEL TYPE | NUMBER OF HOLES | HOLE DIAMETER | WT.    |
| HW-MP604SS                                                                | 4.88 x 2.88 (124 x 73)    | 6 x 4 (152 x 102)   | 4.88 (124)  | 2.88 (73)   | 4.25 (108)  | 2.25 (57)   | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 5 oz.  |
| HW-MP606SS                                                                | 4.88 x 4.88 (124 x 124)   | 6 x 6 (152 x 152)   | 4.88 (124)  | 4.88 (124)  | 4.25 (108)  | 4.25 (108)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 8 oz.  |
| HW-MP806SS                                                                | 6.75 x 4.88 (152 x 124)   | 8 x 6 (203 x 152)   | 6.75 (152)  | 4.88 (124)  | 6.25 (159)  | 4.25 (108)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 12 oz. |
| HW-MP808SS                                                                | 6.88 x 6.88 (175 x 175)   | 8 x 8 (203 x 203)   | 6.88 (175)  | 6.88 (175)  | 6.25 (159)  | 6.25 (159)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 12 oz. |
| HW-MP1008SS                                                               | 8.75 x 6.88 (225 x 175)   | 10 x 8 (254 x 203)  | 8.75 (225)  | 6.88 (175)  | 8.25 (210)  | 6.25 (159)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 19 oz. |
| HW-MP1210SS                                                               | 10.88 x 8.75 (276 x 225)  | 12 x 10 (305 x 254) | 10.88 (276) | 8.75 (225)  | 10.25 (260) | 8.25 (210)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 30 oz. |
| HW-MP1412SS                                                               | 12.88 x 10.88 (327 x 276) | 14 x 12 (356 x 305) | 12.88 (327) | 10.88 (276) | 12.25 (311) | 10.25 (260) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 45 oz. |
| HW-MP1614SS                                                               | 14.88 x 12.88 (378 x 327) | 16 x 14 (406 x 356) | 14.88 (378) | 12.88 (327) | 14.25 (362) | 12.25 (311) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 60 oz. |
| HW-MP1816SS                                                               | 16.88 x 14.88 (429 x 378) | 18 x 16 (457 x 406) | 16.88 (429) | 14.88 (378) | 16.25 (413) | 14.25 (362) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 96 oz. |
| HW-MP2016SS                                                               | 18.88 x 14.88 (479 x 378) | 20 x 16 (508 x 406) | 18.88 (479) | 14.88 (378) | 18.25 (464) | 14.25 (362) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 97 oz. |

Note: Subpanels must be ordered separately. Dimensions in inches (millimeters).

| ALUMINUM SUBPANELS FOR ALL PREMIER AND JIC NON-METALLIC ENCLOSURES |                           |                     |             |             |             |             |          |            |                 |               |        |
|--------------------------------------------------------------------|---------------------------|---------------------|-------------|-------------|-------------|-------------|----------|------------|-----------------|---------------|--------|
| SUBPANEL PART NUMBER                                               | SUBPANEL SIZE HxW         | ENCLOSURE SIZE HxW  | BA          | BB          | BK          | BL          | BT       | PANEL TYPE | NUMBER OF HOLES | HOLE DIAMETER | WT.    |
| HW-MP604A                                                          | 4.88 x 2.88 (124 x 73)    | 6 x 4 (152 x 102)   | 4.88 (124)  | 2.88 (73)   | 4.25 (108)  | 2.25 (57)   | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 2 oz.  |
| HW-MP606A                                                          | 4.88 x 4.88 (124 x 124)   | 6 x 6 (152 x 152)   | 4.88 (124)  | 4.88 (124)  | 4.25 (108)  | 4.25 (108)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 3 oz.  |
| HW-MP806A                                                          | 6.75 x 4.88 (152 x 124)   | 8 x 6 (203 x 152)   | 6.75 (152)  | 4.88 (124)  | 6.25 (159)  | 4.25 (108)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 4 oz.  |
| HW-MP808A                                                          | 6.88 x 6.88 (175 x 175)   | 8 x 8 (203 x 203)   | 6.88 (175)  | 6.88 (175)  | 6.25 (159)  | 6.25 (159)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 4 oz.  |
| HW-MP1008A                                                         | 8.75 x 6.88 (225 x 175)   | 10 x 8 (254 x 203)  | 8.75 (225)  | 6.88 (175)  | 8.25 (210)  | 6.25 (159)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 8 oz.  |
| HW-MP1210A                                                         | 10.88 x 8.75 (276 x 225)  | 12 x 10 (305 x 254) | 10.88 (276) | 8.75 (225)  | 10.25 (260) | 8.25 (210)  | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 12 oz. |
| HW-MP1412A                                                         | 12.88 x 10.88 (327 x 276) | 14 x 12 (356 x 305) | 12.88 (327) | 10.88 (276) | 12.25 (311) | 10.25 (260) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 18 oz. |
| HW-MP1614A                                                         | 14.88 x 12.88 (378 x 327) | 16 x 14 (406 x 356) | 14.88 (378) | 12.88 (327) | 14.25 (362) | 12.25 (311) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 24 oz. |
| HW-MP1816A                                                         | 16.88 x 14.88 (429 x 378) | 18 x 16 (457 x 406) | 16.88 (429) | 14.88 (378) | 16.25 (413) | 14.25 (362) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 40 oz. |
| HW-MP2016A                                                         | 18.88 x 14.88 (479 x 378) | 20 x 16 (508 x 406) | 18.88 (479) | 14.88 (378) | 18.25 (464) | 14.25 (362) | 0.08 (2) | FLAT       | 4               | .25 (6.35)    | 39 oz. |

Note: Subpanels must be ordered separately. Dimensions in inches (millimeters).



# CONTROL SERIES SUBPANELS NON-METALLIC ENCLOSURES

## SUBPANELS FOR CONTROL SERIES NON-METALLIC ENCLOSURES



### CARBON STEEL SUBPANELS FOR CONTROL SERIES NON-METALLIC ENCLOSURES


| SUBPANEL PART NUMBER | SUBPANEL SIZE HxW          | ENCLOSURE SIZE HxW   | BA           | BB          | BK           | BL          | BT       | PANEL TYPE | NUMBER OF HOLES | HOLE DIAMETER | WT.       |
|----------------------|----------------------------|----------------------|--------------|-------------|--------------|-------------|----------|------------|-----------------|---------------|-----------|
| HW-WM1610CS          | 13.00 x 8.50 (330 x 216)   | 16 x 10 (406 x 54)   | 13.00 (330)  | 8.50 (216)  | 12.00 (305)  | 7.50 (191)  | 0.08 (2) | Flat       | 4               | 0.31 (8)      | 3.3 lbs.  |
| HW-WM2016CS          | 17.00 x 13.00 (432 x 330)  | 20 x 16 (508 x 406)  | 17.00 (432)  | 13.00 (330) | 15.25 (387)  | 11.25 (286) | 0.09 (2) | Formed     | 4               | 0.31 (8)      | 6.7 lbs.  |
| HW-WM2412CS          | 21.00 x 9.00 (533 x 229)   | 24 x 12 (610 x 305)  | 21.00 (533)  | 9.00 (229)  | 19.25 (489)  | 7.25 (184)  | 0.09 (2) | Formed     | 4               | 0.50 (13)     | 8.7 lbs.  |
| HW-WM2420CS          | 21.00 x 17.00 (533 x 432)  | 24 x 20 (610 x 508)  | 21.00 (533)  | 17.00 (432) | 19.25 (489)  | 15.25 (387) | 0.13 (3) | Formed     | 4               | 0.50 (13)     | 10.8 lbs. |
| HW-WM2424CS          | 21.00 x 21.00 (533 x 533)  | 24 x 24 (610 x 610)  | 21.00 (533)  | 21.00 (533) | 19.25 (489)  | 19.25 (489) | 0.13 (3) | Formed     | 4               | 0.50 (13)     | 13.4 lbs. |
| HW-WM3020CS          | 27.00 x 17.00 (686 x 432)  | 30 x 20 (763 x 508)  | 27.00 (686)  | 17.00 (432) | 25.25 (641)  | 15.25 (387) | 0.13 (3) | Formed     | 5               | 0.50 (13)     | 14 lbs.   |
| HW-WM3024CS          | 27.00 x 21.00 (686 x 533)  | 30 x 24 (762 x 610)  | 27.00 (686)  | 21.00 (533) | 25.25 (641)  | 19.25 (489) | 0.13 (3) | Flat       | 4               | 0.50 (13)     | 17 lbs.   |
| HW-WM3630CS          | 33.00 x 27.00 (838 x 686)  | 36 x 30 (914 x 762)  | 33.00 (838)  | 27.00 (686) | 31.25 (794)  | 25.25 (641) | 0.13 (3) | Flat       | 4               | 0.50 (13)     | 27 lbs.   |
| HW-WM4836CS          | 31.00 x 22.00 (787 x 559)  | 36 x 48 (914 x 1219) | 31.00 (787)  | 22.00 (559) | 29.00 (737)  | 20.00 (508) | 0.13 (3) | Flat       | 8               | 0.50 (13)     | 41 lbs.   |
| HW-WM6036CS          | 57.00 x 33.00 (1448 x 838) | 60 x 36 (1524 x 914) | 57.00 (1448) | 33.00 (838) | 55.25 (1403) | 31.25 (794) | 0.13 (3) | Flat       | 8               | 0.50 (13)     | 60 lbs.   |

Note: Subpanels must be ordered separately. Dimensions in inches (millimeters).

### ALUMINUM SUBPANELS FOR CONTROL SERIES NON-METALLIC ENCLOSURES

| SUBPANEL PART NUMBER | SUBPANEL SIZE HxW          | ENCLOSURE SIZE HxW   | BA           | BB          | BK           | BL          | BT       | PANEL TYPE | NUMBER OF HOLES | HOLE DIAMETER | WT.      |
|----------------------|----------------------------|----------------------|--------------|-------------|--------------|-------------|----------|------------|-----------------|---------------|----------|
| HW-WM1610A           | 13.00 x 8.50 (330 x 216)   | 16 x 10 (406 x 54)   | 13.00 (330)  | 8.50 (216)  | 12.00 (305)  | 7.50 (191)  | 0.08 (2) | Flat       | 4               | 0.31 (8)      | 1 lb.    |
| HW-WM2016A           | 17.00 x 13.00 (432 x 330)  | 20 x 16 (508 x 406)  | 17.00 (432)  | 13.00 (330) | 15.25 (387)  | 11.25 (286) | 0.09 (2) | Formed     | 4               | 0.31 (8)      | 2 lbs.   |
| HW-WM2412A           | 21.00 x 9.00 (533 x 229)   | 24 x 12 (610 x 305)  | 21.00 (533)  | 9.00 (229)  | 19.25 (489)  | 7.25 (184)  | 0.09 (2) | Formed     | 4               | 0.50 (13)     | 4.5 lbs. |
| HW-WM2420A           | 21.00 x 17.00 (533 x 432)  | 24 x 20 (610 x 508)  | 21.00 (533)  | 17.00 (432) | 19.25 (489)  | 15.25 (387) | 0.13 (3) | Formed     | 4               | 0.50 (13)     | 4.5 lbs. |
| HW-WM2424A           | 21.00 x 21.00 (533 x 533)  | 24 x 24 (610 x 610)  | 21.00 (533)  | 21.00 (533) | 19.25 (489)  | 19.25 (489) | 0.13 (3) | Formed     | 4               | 0.50 (13)     | 5.5 lbs. |
| HW-WM3020A           | 27.00 x 17.00 (686 x 432)  | 30 x 20 (763 x 508)  | 27.00 (686)  | 17.00 (432) | 25.25 (641)  | 15.25 (387) | 0.13 (3) | Formed     | 5               | 0.50 (13)     | 5.8 lbs. |
| HW-WM3024A           | 27.00 x 21.00 (686 x 533)  | 30 x 24 (762 x 610)  | 27.00 (686)  | 21.00 (533) | 25.25 (641)  | 19.25 (489) | 0.13 (3) | Flat       | 4               | 0.50 (13)     | 7 lbs.   |
| HW-WM3630A           | 33.00 x 27.00 (838 x 686)  | 36 x 30 (914 x 762)  | 33.00 (838)  | 27.00 (686) | 31.25 (794)  | 25.25 (641) | 0.13 (3) | Flat       | 4               | 0.50 (13)     | 11 lbs.  |
| HW-WM4836A           | 31.00 x 22.00 (787 x 559)  | 36 x 48 (914 x 1219) | 31.00 (787)  | 22.00 (559) | 29.00 (737)  | 20.00 (508) | 0.13 (3) | Flat       | 8               | 0.50 (13)     | 22 lbs.  |
| HW-WM6036A           | 57.00 x 33.00 (1448 x 838) | 60 x 36 (1524 x 914) | 57.00 (1448) | 33.00 (838) | 55.25 (1403) | 31.25 (794) | 0.13 (3) | Formed     | 8               | 0.50 (13)     | 23 lbs.  |

Note: Subpanels must be ordered separately. Dimensions in inches (millimeters).



Note: Subpanels less than 33" wide do not have center holes as shown.



**WIEGMANN**

DATA SUBJECT TO CHANGE WITHOUT NOTICE