

# Product data sheet

Specifications

SQUARE D



Meter mains, QO, CSED, ringless socket, 400A, surface mount, Class 320 with lever bypass

QUM400CL

Product availability: Non-Stock - Not normally stocked in distribution facility

## Main

Product or Component Type Meter Mains

Range of Product QO

## Complementary

Line Rated Current 400 A

Short-circuit current 65 kA

Network number of phases 1

Meter socket type Ringless

Mounting Surface  
Semi flush with field installed flange kit

Number of spaces 0

Number of circuits 0

Number of Tandem Breakers 0

Hub type A-L

Electrical connection Lugs, service ground  
Studs, line side

Wire Size AWG 4...250 kcmil aluminium)service ground  
AWG 4...250 kcmil copper)service ground

Disconnect Service disconnect (ordered separately)

Main Breaker Rating 400 A

Service feed location UG

Bypass type Class 320 lever bypass

Height 43.00 in (1092.20 mm)

Width 28.25 in (717.55 mm)

Depth 7.87 in (199.90 mm)

## Environment

Product certifications UL E-6294

## Ordering and shipping details

Category US1DE3A00148

Discount Schedule DE3A

GTIN 785901611509

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Returnability	No
Country of origin	MX

---

## Packing Units

---

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	43.0 in (109.2 cm)
Package 1 Width	28.3 in (71.8 cm)
Package 1 Length	7.9 in (20.0 cm)
Package weight(Lbs)	120.000 lb(US) (54.431 kg)

---

## Contractual warranty

---

Warranty	18 months
----------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	549
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

### Use Better

#### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	WARNING: This product can expose you to chemicals including: lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="#">www.P65Warnings.ca.gov</a>


### Use Again

#### Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

## Technical Illustration

## Dimensions



All dimensions are approximate. Also refer to technical documentation.

## Technical Illustration

## Wiring diagram

