

Product data sheet

Specifications



Enclosed molded case switch, QO, 60A, 2 pole, 240VAC, 22kA, NEMA 1

QO260NATS

Product availability: Stock - Normally stocked in distribution facility

Main

Product Type	Enclosed molded case switch
Range of Product	QO

Complementary

Current Rating	60 A
Interrupt Rating	22 kA
Enclosure Rating	NEMA 1 indoor
Breaker Compatibility	Circuit breaker QO 2P
Product Certifications	UL Listed
Voltage Rating	240 V AC
Ambient Air Temperature for Operation	104 °F (40 °C)
Height	9.4 in (240 mm)
Width	4.9 in (125 mm)
Depth	3.2 in (81 mm)
Product Weight	4.057 lb(US) (1.840 kg)

Ordering and shipping details

Category	US1DE2A00044
Discount Schedule	DE2A
GTIN	785901628866
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.300 in (10.922 cm)
Package 1 Width	5.400 in (13.716 cm)
Package 1 Length	10.200 in (25.908 cm)
Package weight(Lbs)	4.081 lb(US) (1.851 kg)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No

Image of product / Alternate images

Alternative

