

# Product data sheet

Specifications

SQUARE D



Meter pak accessory, hub, 2.50in wire size, Series A L, rainproof, 4.63in

A250L

Product availability: Stock - Normally stocked in distribution facility

## Main

Product or Component Type	Hub Conduit entry
Range of Product	Series A-L

## Complementary

Cable entry	conduit entry 2.5"
Device Composition	Adaptor plate
Hub type	A-L
Mounting Support	Direct mounting on box
Number of mounting holes	4
Product Certifications	UL Listed
Device Application	conduit entry
shape of screw head	Slotted hexagonal
Height	1.45 in (36.83 mm)
Width	4.8 in (121.9 mm)
Depth	4.8 in (121.9 mm)

## Ordering and shipping details

Category	US10DE400039
Discount Schedule	ODE4
GTIN	785901107989
Returnability	Yes
Country of origin	IN

## Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.700 in (4.318 cm)
Package 1 Width	4.600 in (11.684 cm)
Package 1 Length	6.500 in (16.510 cm)
Package weight(Lbs)	10.080 oz (285.763 g)

Unit Type of Package 2 CAR

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 2	10
Package 2 Height	8.300 in (21.082 cm)
Package 2 Width	5.000 in (12.700 cm)
Package 2 Length	13.700 in (34.798 cm)
Package 2 Weight	6.349 lb(US) (2.880 kg)
Unit Type of Package 3	PAL
Number of Units in Package 3	1000
Package 3 Height	40.000 in (101.600 cm)
Package 3 Width	40.000 in (101.600 cm)
Package 3 Length	48.000 in (121.920 cm)
Package 3 Weight	650.999 lb(US) (295.288 kg)

## Contractual warranty

Warranty	18 months
----------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
California proposition 65	<b>WARNING:</b> This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

## Use Again


### Repack and remanufacture

Take-back	No
-----------	----

## Technical Illustration

## Dimensions

Conduit Size	Closing Plate	2"	2 1/8"	3"	3 1/8"	4"
Catalog Number	ACPL	A200L	A250L	A300L	A350L	A400L



## A/L Hub Mounting Dimensions


Hub Catalog Number	Conduit Size	"A"		"B"		"C"	
		IN	mm	IN	mm	IN	mm
A200L	2"	1.94	49	.94	24	4.63	118
A250L	2 1/8"	2.00	51	.88	22	4.63	118
A300L	3"	2.13	54	.63	16	5.00	127
A350L	3 1/8"	2.38	60	.63	16	5.00	127
A400L	4"	2.50	64	.50	13	5.00	127

Adapter plate required to allow use of "A" hubs on "A/L" size hub openings: catalog number AAP.

Image of product / Alternate images

Alternative


---



## Compatible products

2-1/2 in. Hub for Devices  
with A-L Openings

MFG Model Number: A250L



Compatible for direct mounting on  
select Type A-L Hub enclosures use  
with 2.5" conduit

