



Representative Image

## Catalog No. U010C

**Description: MW 20A SURF UNMTRD**

**UPC No 784567566802**

**Home > Power Outlets**

Midwest Electric's Temporary Power and Power Outlets are a means of providing power required by various construction trades, residential sites, and mobile electrical applications. Temporary Power and Power Outlets offer one or more receptacles, with or without overcurrent protection, disconnecting, metering, and/or pedestal mounting functions, in a single enclosure of G-90 zinc-coated steel. The NEMA 3R rainproof enclosure is lockable and engineered to provide maximum protection against weather, vandalism, and normal field use.

### Descriptors

Category	Power Outlets
----------	---------------

### Specifications

Mounting	Surface
Heads	1
Metering	Unmetered
Receptacles	5-20R2
Feed	Overhead
AIC	10,000
Amps	20 A
Cabinet Size	6 in. W X 9 in. H
Circuit Protection	Breaker
Hub Provision	Yes
Installed Breaker	CB120
Load Center	LC31N3
Loop Feed	No
Phase	1
Suitable for Service Equipment	Yes
Unit Weight	7 lb
Volts	120/240

### Classifications

Standard Package	4
Stock Class Code	Stock

### Approvals

Certification	UL/CUL
---------------	--------



## Publications

Title	Publication No.	Publication Type
<a href="#">Temporary Power Brochure</a> 6 pages. MET-019 Rev. D.	MET-019	Brochures
<a href="#">Heavy Duty Power Outlets</a> 2 pages. MET-020 Rev. B.	MET-020A	Brochures

**Additional Documentation:** Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.