



Representative Image

Catalog No. 5S3S2S2SES

Description: 3 PHASE PED 50/30/20/20

UPC No 784567302479

Home > RV Park Equipment > Pedestal - Earth Burial

Midwest Electric's metallic RV units are manufactured using 16-gauge, galvanized zinc-coated steel and NEMA 3R construction, which resists corrosion and fading and provides lasting service in outdoor applications. Units are available in surface mount and earth burial or padmount posts, offering a wide range of receptacle configurations to fit your needs.

Descriptors

| Category | Pedestal - Earth Burial |
|----------|-------------------------|
|----------|-------------------------|

Specifications

| | |
|--------------------------------|-----------------------------------|
| Heads | 1 |
| Metering | Unmetered |
| Receptacles | 14-50R BR32U (2) 5-20R2GFCI |
| Light Option (Head 1) | No |
| TV/Phone (Head 1) | No |
| AIC | 10,000 |
| Amps | 125.0 A |
| Feed | Underground |
| Hub Provision | No |
| Installed Breaker | CB250 CB130 (2) CB120 |
| Load Center | 3 PH, 4 WIRE |
| Loop Feed | Yes |
| Phase | 3 |
| Suitable for Service Equipment | No |
| Volts | 120/240 |

Classifications

| | |
|------------------|-----------|
| Stock Class Code | Non Stock |
|------------------|-----------|

Approvals

| | |
|---------------|--------|
| Certification | UL/CUL |
|---------------|--------|

Publications

| Title | Publication No. | Publication Type |
|---|-----------------|----------------------------------|
| Outline Drawing for 5S3S2S2SES MIDWEST RV EQUIP METALLIC 125A PEDESTAL UNMETERED SINGLE UMMETERED 50/30/(2) 20A GFI RECP 3P4W 120/2408V UL LISTED G90 N3R OUTLINE DRAWING | 5S3S2S2SES | Drawings-Outline and Dimensional |

Additional Documentation: Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.