

Product data sheet

Specifications



TYPE 1 200A 240V MOULDED CASE CIRCUIT BREAKER ENCLOSURE

Q22200NS

Product availability: Stock - Normally stocked in distribution facility

Main

Product Type	Enclosure
Range of Product	PowerPact Q

Complementary

Rated Current	200 A
Number of Poles	2P
Enclosure Rating	NEMA 1 indoor
Breaker Compatibility	Circuit breaker PowerPacT
Product Certifications	CSA UL
Voltage Rating	240 V AC
Tightening Torque	28 N.m, AWG 4...300 kcmil
Enclosure Material	Steel
Height	23.1 in (588 mm)
Width	7.6 in (194 mm)
Depth	4.3 in (108 mm)

Ordering and shipping details

Category	US1DE2A00005
Discount Schedule	DE2A
GTIN	785901785446
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	5.40 in (13.716 cm)
Package 1 Width	8.80 in (22.352 cm)
Package 1 Length	24.40 in (61.976 cm)
Package weight(Lbs)	11.700 lb(US) (5.307 kg)
Unit Type of Package 2	PAL

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 2	56
Package 2 Height	40.00 in (101.600 cm)
Package 2 Width	40.00 in (101.600 cm)
Package 2 Length	48.00 in (121.920 cm)
Package 2 Weight	660.999 lb(US) (299.824 kg)

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Halogen content performance	Halogen free plastic parts product
PVC free	Yes

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No