

# Product data sheet

Specifications

SQUARE D



Overload Relay, Motor Logic, solid state overload relay, NEMA Size 3, 3 pole, 30A to 90A, 600VAC, separate mount

9065SF320

**Product availability:** Stock - Normally stocked in distribution facility

## Main

Range of Product	Motor Logic
Thermal overload type	Solid state

## Complementary

NEMA size	3
Phase	3 phase
Mounting Support	Panel
[Ue] rated operational voltage	600 V AC
Height	5.02 in (127.5 mm)
Width	5.3 in (135.4 mm)
Depth	4.4 in (113 mm)

## Ordering and shipping details

Category	US10CP121662
Discount Schedule	OCP1
GTIN	785901751953
Returnability	Yes
Country of origin	MX

## Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	5.60 in (14.224 cm)
Package 1 Width	7.10 in (18.034 cm)
Package 1 Length	7.00 in (17.780 cm)
Package weight(Lbs)	2.769 lb(US) (1.256 kg)
Unit Type of Package 2	CAR
Number of Units in Package 2	4
Package 2 Height	13.00 in (33.020 cm)
Package 2 Width	13.00 in (33.020 cm)
Package 2 Length	16.50 in (41.910 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Package 2 Weight 12.701 lb(US) (5.761 kg)

## Contractual warranty

---

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

## Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
California proposition 65	<p>WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a></p>
PVC free	Yes

## Use Again

### Repack and remanufacture

Circularity Profile	<a href="#">End of Life Information</a>
Take-back	No