

Eaton ADE6CN0503NPSCN

Catalog Number: ADE6CN0503NPSCN

Eaton ADE 6FC, Armoured Barrier, Nickel-plated Brass, 1/2", 3 (L), 12-21

General specifications

Product Name	Catalog Number
Eaton Capri ADE-6FC Cable Gland for Hazardous Area	ADE6CN0503NPSCN
	EAN
	3589350037364
Product Length/Depth	Product Height
82.7 mm	33 mm
Product Width	Product Weight
30 mm	55.83 g
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer

Product specifications

Resources

Sealing type

Silicone

Technical data sheets

[ADE-6FC Datasheet](#)

Connector type

Straight

Outer sheath (min/max)

12-21

NEC hazardous rating

Class I, Division 1

Class I, Zone 2

Gland type

Armoured Barrier

Ingress protection (IP) ratings

IP66

IP68

Cable sealing range

3 (L)

Thread Size

1/2"

IECEx/ATEX hazardous rating

Zone 1

Zone 2

Zone 21

Zone 22

Material

Nickel plated brass

Cable type

STA

SWB

Type P

Braided marine shipboard

SWA

Standards type

NEC/CEC

IECEx/ATEX

Gland size

7

Protection type

Flameproof and increased safety

Area classification

Hazardous/Classified Locations

Thread type

NPT

Barrier type

TSC Compound



Eaton Corporation plc

Eaton House

30 Pembroke Road

Dublin 4, Ireland

Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)