

Product data sheet

Specifications



AccuSine+ - Shorting Terminal Block 6 terminals dpst

PCSPNHA38255

Product availability: Stock - Normally stocked in distribution facility

Main

Range	AccuSine
Product or Component Type	Terminal block
Terminal block type	Shorting
Mounting Mode	By screws

Complementary

Range compatibility	AccuSine AccuSine PCS+ active harmonic filter AccuSine AccuSine PFV+ electronic VAR controller AccuSine current transformer
Length	4.5 in (114.3 mm)
Width	2.5 in (63.5 mm)
Height	Opened: 3.5 in (90 mm) Closed: 2.6 in (65 mm)
Connections - terminals	6 x screw terminal upstream 6 x screw terminal downstream
number of connections	3
Connection position	Front connection
Tightening torque	5.0007 lbf.in (0.565 N.m)
[Ue] rated operational voltage	600 V
Line Rated Current	30 A

Environment

Product Certifications	CSA UL cUL
Standards	IEEE 383:1974: class 1E

Ordering and shipping details

Category	US1DE2C00089
Discount Schedule	DE2C
GTIN	3606487731412
Returnability	No
Country of origin	US

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.06 in (10.3 cm)
Package 1 Width	8.7 in (22.2 cm)
Package 1 Length	11.3 in (28.6 cm)
Package weight(Lbs)	35.27 oz (999.99 g)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No