

Product data sheet

Specifications

SQUARE D



NEMA Motor Starter, Type S, replacement coil, 440/480VAC 50/60Hz, 2 or 3 pole, NEMA size 3 starter and 8903SQ lighting

3107440057

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|---------------------------------------|---|
| Product or Component Type | Coil |
| Accessory / separate part destination | Class 8502 type SE contactor Class 8903 type SQ lighting contactor Class 8910 type DPA12/SYD138 contactor |

Complementary

| | |
|--------------------------------|----------------------------------|
| NEMA size | 3 |
| [Ue] rated operational voltage | 480 V AC 60 Hz 440 V AC 50 Hz |
| inrush power in VA | 700 VA 678 VA |
| Average consumption | 46 VA 47 VA |
| Height | 2.9 in (73 mm) |
| Width | 2.6 in (65 mm) |
| Depth | 0.082 in (2.093 mm) |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US1CP1018079 |
| Discount Schedule | CP10 |
| GTIN | 785901110927 |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

| | |
|------------------------|-----------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 2.200 in (5.588 cm) |
| Package 1 Width | 2.800 in (7.112 cm) |
| Package 1 Length | 3.300 in (8.382 cm) |
| Package weight(Lbs) | 13.280 oz (376.481 g) |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

| | |
|--|--|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Not applicable, out of EU RoHS legal scope |

Use Again

Repack and remanufacture

| | |
|---------------------|--|
| Circularity Profile | No need of specific recycling operations |
| Take-back | No |