

Product specifications

Eaton TMCX285 BR NP

Catalog Number: TMCX285 BR NP

Eaton Crouse-Hinds series TMCX cable gland,Metal-clad corrugated,TECK armoured and tray cable,Armoured barrier and non-armoured barrier, Nickel-plated brass, Outer Sheath:0.65-1.00", 3/4" NPT,Armor Range:0.60-0.85"

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series TMCX cable gland	TMCX285 BR NP
UPC	782274172033
Product Length/Depth	Product Height
3.66 in	1.63 in
Product Width	Product Weight
1.63 in	1.13 lb



Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class II, Division 1

Class III

NEMA Rating

4

Product specifications

Protection type

Explosion-proof

Cable type

TECK armoured

Tray cable

Metal-clad with interlocked or continuously welded corrugated armoured

Gland type

Armoured Barrier and Non-armoured Barrier

Material

Nickel plated brass

Thread Size

3/4"

Thread type

NPT

Armor (min/max)

0.60-0.85"

Outer sheath (min/max)

0.65-1.00"

Resources

Catalogs

[Crouse-Hinds series TMCX catalog page](#)

Certification reports

[TMCX Explosionproof Armoured Barrier Gland UL certification](#)

Installation instructions

[IF 1184 - TMCX Terminator Cable Fittings](#)

Specifications and datasheets

[Eaton Specification Sheet - TM CX285 BR NP](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)